

Appendices

Appendix A
2000 Substance Use Tables

Appendix A
Table A-1

2000 Substance Use Prevalences for Illinois Youth
Per Cent of Respondents Using Indicated Substance

	Total Percent	Grade			Gender		Cook County	Non-Cook County
		8	10	12	Male	Female		
Lifetime								
Any Substance	77.9%	67.9%	80.4%	87.0%	76.7%	78.8%	77.0%	78.4%
Alcohol	71.8%	60.0%	74.5%	82.6%	70.9%	72.6%	71.8%	71.8%
Tobacco	57.7%	47.1%	58.3%	69.8%	56.4%	58.9%	54.9%	59.5%
Smokeless Tobacco	15.3%	9.7%	14.2%	23.1%	24.1%	7.5%	12.0%	17.3%
Inhalants	11.3%	13.8%	9.4%	10.5%	11.5%	11.1%	10.1%	12.0%
Any Illicit Substance	39.7%	25.7%	41.5%	54.3%	42.1%	37.2%	37.9%	40.8%
Marijuana	37.7%	23.2%	39.3%	52.8%	40.4%	34.9%	36.2%	38.5%
Crack/Cocaine	5.0%	3.2%	4.4%	8.0%	5.6%	4.6%	4.5%	5.4%
Any Hallucinogen	7.9%	2.3%	7.9%	14.3%	8.7%	7.1%	6.3%	8.8%
Other Drugs	18.9%	13.3%	20.9%	23.2%	19.8%	17.9%	17.2%	19.9%
Used Past Year								
Any Substance	67.9%	54.5%	70.6%	80.6%	67.8%	67.8%	65.7%	69.2%
Alcohol	64.1%	50.0%	66.9%	77.7%	63.7%	64.5%	62.6%	65.1%
Tobacco	34.6%	24.1%	34.9%	46.9%	34.8%	34.5%	30.5%	37.2%
Smokeless Tobacco	10.0%	6.3%	10.3%	14.1%	16.1%	4.6%	8.4%	11.0%
Inhalants	6.3%	8.9%	4.9%	4.8%	6.4%	6.2%	5.0%	7.1%
Any Illicit Substance	30.8%	20.4%	32.7%	40.9%	33.7%	28.1%	29.1%	31.8%
Marijuana	29.1%	18.7%	30.9%	39.3%	32.1%	26.3%	27.5%	30.1%
Crack/Cocaine	3.6%	2.0%	3.0%	6.1%	4.0%	3.3%	2.7%	4.1%
Any Hallucinogen	5.5%	1.6%	6.0%	9.6%	6.3%	4.7%	4.3%	6.3%
Other Drugs	14.3%	10.0%	16.0%	17.5%	15.9%	12.7%	13.2%	15.0%
Used Past Month								
Any Substance	45.7%	30.5%	47.8%	61.7%	46.9%	44.7%	42.7%	47.7%
Alcohol	38.1%	23.2%	40.2%	53.3%	39.1%	37.2%	35.7%	39.6%
Tobacco	24.4%	14.0%	25.0%	36.0%	24.4%	24.2%	20.0%	27.1%
Smokeless Tobacco	4.4%	2.6%	4.6%	6.5%	7.0%	2.1%	3.5%	5.0%
Inhalants	2.6%	4.1%	2.1%	1.4%	2.4%	2.7%	2.0%	3.0%
Any Illicit Substance	19.2%	11.1%	20.9%	26.9%	21.3%	17.2%	17.6%	20.2%
Marijuana	17.6%	9.9%	19.2%	25.0%	19.7%	15.7%	16.0%	18.6%
Crack/Cocaine	1.5%	0.6%	1.3%	2.8%	1.8%	1.3%	1.1%	1.8%
Any Hallucinogen	2.1%	0.8%	2.2%	3.4%	2.7%	1.6%	1.8%	2.3%
Other Drugs	8.0%	5.0%	9.1%	10.4%	9.2%	6.6%	6.7%	8.8%
# of Respondents	6,387	2,518	2,029	1,840	2,982	3,297	2,458	3,929

Appendix A
Table A-2

2000 Substance Use Prevalences: Gender and Cook vs Non-Cook Counties by Grade
Per Cent of Respondents Using Indicated Substance

	Gender by Grade						Cook County by Grade					
	8		10		12		8		10		12	
	Male	Female	Male	Female	Male	Female	Cook	Non-Cook	Cook	Non-Cook	Cook	Non-Cook
	Lifetime											
Any Substance	68.1%	67.7%	77.3%	82.5%	86.7%	87.0%	67.8%	67.9%	80.0%	80.6%	85.9%	87.5%
Alcohol	61.1%	58.9%	71.7%	77.0%	82.0%	82.8%	61.8%	58.8%	74.7%	74.4%	81.7%	83.1%
Tobacco	46.1%	48.3%	54.9%	60.5%	70.8%	68.8%	44.1%	49.2%	56.3%	59.6%	68.4%	70.5%
Smokeless Tobacco	13.3%	6.0%	23.9%	6.4%	37.6%	10.4%	8.4%	10.6%	11.2%	16.2%	18.2%	25.7%
Inhalants	13.6%	13.9%	8.3%	10.3%	12.2%	8.8%	12.7%	14.6%	6.8%	11.1%	11.1%	10.2%
Any Illicit Substance	28.9%	22.0%	42.8%	40.0%	57.7%	51.0%	24.6%	26.4%	40.5%	42.1%	52.9%	55.0%
Marijuana	26.0%	20.1%	41.5%	37.1%	56.8%	49.1%	22.7%	23.5%	38.3%	39.9%	52.0%	53.3%
Crack/Cocaine	3.7%	2.8%	4.5%	4.3%	9.2%	7.1%	3.4%	3.0%	3.8%	4.7%	6.9%	8.6%
Any Hallucinogen	2.8%	2.0%	7.9%	7.4%	16.7%	12.4%	2.1%	2.5%	5.7%	9.4%	13.0%	15.0%
Other Drugs	15.1%	11.3%	20.2%	21.0%	25.0%	21.6%	10.6%	15.1%	19.5%	21.8%	23.4%	23.2%
	Past Year											
Any Substance	55.6%	53.3%	68.8%	72.0%	82.0%	79.3%	53.0%	55.5%	68.8%	71.9%	79.6%	81.2%
Alcohol	51.4%	48.5%	64.1%	69.3%	78.4%	76.9%	49.7%	50.2%	65.6%	67.7%	76.3%	78.5%
Tobacco	23.4%	25.0%	34.9%	34.7%	48.9%	45.0%	20.0%	26.9%	31.0%	37.5%	44.3%	48.2%
Smokeless Tobacco	8.5%	3.9%	17.2%	4.9%	24.3%	5.0%	5.4%	6.9%	9.7%	10.8%	10.9%	15.7%
Inhalants	8.5%	9.1%	4.2%	5.5%	6.3%	3.6%	7.4%	9.9%	3.2%	6.0%	4.2%	5.1%
Any Illicit Substance	22.9%	17.7%	34.8%	30.9%	45.9%	36.4%	19.0%	21.3%	31.6%	33.5%	40.0%	41.4%
Marijuana	21.0%	16.3%	33.1%	28.9%	44.5%	34.6%	17.9%	19.3%	29.5%	31.8%	38.2%	39.8%
Crack/Cocaine	1.9%	2.1%	3.4%	2.7%	7.0%	5.3%	1.8%	2.1%	2.1%	3.6%	4.5%	6.9%
Any Hallucinogen	1.9%	1.4%	6.3%	5.2%	11.7%	7.7%	1.5%	1.7%	4.3%	7.0%	8.0%	10.4%
Other Drugs	11.8%	7.9%	16.5%	15.2%	20.3%	15.2%	7.9%	11.4%	14.7%	16.9%	18.6%	17.0%
	Past Month											
Any Substance	29.9%	30.8%	47.9%	47.6%	67.1%	56.9%	27.4%	32.5%	45.8%	49.1%	60.0%	62.6%
Alcohol	22.6%	23.5%	40.2%	40.2%	58.2%	49.0%	21.0%	24.6%	38.6%	41.3%	52.2%	53.9%
Tobacco	12.6%	15.2%	24.6%	24.9%	38.9%	33.8%	9.6%	17.0%	20.8%	27.8%	33.3%	37.5%
Smokeless Tobacco	2.9%	2.1%	7.5%	2.0%	11.6%	2.1%	2.3%	2.8%	4.2%	4.8%	4.3%	7.6%
Inhalants	3.6%	4.5%	1.6%	2.5%	1.8%	1.0%	3.2%	4.7%	1.5%	2.6%	1.0%	1.6%
Any Illicit Substance	12.0%	10.1%	22.9%	18.9%	31.0%	23.2%	9.4%	12.2%	20.3%	21.4%	25.6%	27.6%
Marijuana	10.7%	9.1%	21.1%	17.4%	29.3%	21.2%	8.6%	10.8%	18.4%	19.7%	23.2%	25.9%
Crack/Cocaine	0.4%	0.9%	1.5%	1.0%	3.6%	2.1%	0.6%	0.7%	0.6%	1.8%	2.6%	2.9%
Any Hallucinogen	0.9%	0.8%	2.8%	1.5%	4.6%	2.5%	0.9%	0.8%	0.9%	3.0%	4.1%	3.1%
Other Drugs	5.7%	4.0%	10.0%	7.8%	12.9%	8.2%	3.1%	6.2%	7.7%	10.0%	10.3%	10.5%
# of Respondents	1,097	1,143	945	1,202	878	1,010	922	1367	879	1309	657	1254

Appendix A
Table A-3

2000 Substance Use Prevalences: Regional Sub-groups by Grade
Per Cent of Respondents Using Indicated Substance

	Cook County School by Grade						Non-Cook Setting by Grade					
	8		10		12		8		10		12	
	CPS	Non-CPS	CPS	Non-CPS	CPS	Non-CPS	Urban	Rural	Urban	Rural	Urban	Rural
	Lifetime											
Any Substance	68.4%	67.8%	81.1%	80.2%	79.3%	87.9%	71.8%	61.8%	80.1%	81.4%	88.5%	86.1%
Alcohol	62.2%	59.5%	75.6%	74.3%	74.8%	83.5%	61.2%	55.0%	73.4%	76.0%	83.4%	82.5%
Tobacco	48.9%	46.8%	59.7%	58.0%	59.5%	71.0%	53.5%	42.3%	59.6%	59.7%	71.2%	69.4%
Smokeless Tobacco	8.0%	10.1%	8.9%	15.2%	9.4%	24.8%	10.0%	11.5%	12.3%	22.3%	21.0%	32.7%
Inhalants	13.2%	14.0%	4.2%	10.4%	3.4%	11.4%	14.1%	15.4%	10.7%	11.8%	8.8%	12.3%
Any Illicit Substance	33.3%	24.0%	48.9%	40.0%	50.2%	54.8%	30.8%	19.5%	46.1%	35.8%	58.7%	49.5%
Marijuana	32.9%	21.1%	46.7%	37.8%	49.0%	53.3%	27.8%	16.9%	44.3%	33.1%	57.0%	47.7%
Crack/Cocaine	4.8%	2.8%	3.2%	4.6%	3.8%	8.5%	3.6%	2.2%	5.3%	3.8%	7.6%	10.1%
Any Hallucinogen	1.4%	2.5%	5.1%	8.5%	6.7%	15.2%	3.0%	1.8%	11.3%	6.6%	15.6%	14.0%
Other Drugs	11.2%	13.8%	19.8%	21.1%	15.2%	24.2%	17.3%	11.8%	23.2%	19.7%	23.4%	22.8%
	Used Past Year											
Any Substance	52.0%	55.1%	69.3%	70.9%	71.0%	81.8%	59.0%	50.0%	71.6%	72.5%	82.4%	79.4%
Alcohol	47.4%	50.6%	65.1%	67.2%	69.2%	78.7%	52.8%	46.1%	67.3%	68.3%	79.0%	77.7%
Tobacco	21.2%	24.7%	32.6%	35.4%	31.3%	48.8%	28.9%	23.6%	36.6%	38.9%	46.8%	50.2%
Smokeless Tobacco	6.0%	6.4%	9.7%	10.5%	5.8%	15.1%	6.0%	8.4%	6.8%	16.9%	11.9%	21.4%
Inhalants	7.4%	9.2%	1.3%	5.6%	0.0%	5.4%	9.4%	10.6%	5.4%	7.0%	4.6%	5.9%
Any Illicit Substance	27.6%	18.8%	34.5%	32.4%	38.0%	41.3%	25.4%	14.9%	35.6%	30.2%	44.9%	36.2%
Marijuana	27.0%	17.0%	32.5%	30.5%	36.3%	39.6%	23.3%	13.1%	34.5%	27.6%	43.4%	34.6%
Crack/Cocaine	2.5%	1.9%	2.5%	3.1%	1.9%	6.6%	2.5%	1.4%	4.2%	2.8%	5.8%	8.4%
Any Hallucinogen	0.9%	1.8%	4.6%	6.2%	5.2%	10.1%	2.1%	1.1%	8.3%	5.1%	10.5%	10.2%
Other Drugs	8.9%	10.2%	12.0%	16.8%	10.8%	18.3%	12.9%	9.0%	17.4%	16.2%	16.5%	17.7%
	Used Past Month											
Any Substance	30.8%	30.4%	49.7%	47.4%	49.9%	63.1%	36.0%	27.1%	47.8%	51.0%	63.0%	62.1%
Alcohol	23.7%	23.0%	42.5%	39.7%	42.9%	54.6%	27.3%	20.4%	39.5%	44.0%	53.7%	54.2%
Tobacco	12.0%	14.5%	19.7%	26.1%	23.8%	37.5%	18.6%	14.4%	27.8%	27.9%	36.8%	38.5%
Smokeless Tobacco	4.1%	2.3%	5.0%	4.5%	3.0%	6.9%	2.4%	3.4%	3.9%	6.3%	5.4%	10.9%
Inhalants	3.2%	4.3%	0.2%	2.5%	0.0%	1.5%	4.6%	4.8%	2.4%	2.9%	1.4%	1.9%
Any Illicit Substance	13.8%	10.5%	21.9%	20.7%	22.4%	27.4%	14.7%	8.3%	23.1%	18.7%	28.6%	26.0%
Marijuana	13.4%	9.2%	20.5%	18.9%	21.0%	25.5%	13.5%	6.6%	21.7%	16.7%	27.2%	24.0%
Crack/Cocaine	0.9%	0.6%	0.8%	1.4%	0.5%	3.1%	1.1%	0.1%	2.3%	0.8%	2.5%	3.4%
Any Hallucinogen	0.0%	1.0%	1.0%	2.4%	1.7%	3.7%	1.0%	0.4%	3.2%	2.7%	3.0%	3.3%
Other Drugs	3.0%	5.4%	5.6%	9.8%	6.1%	10.9%	7.2%	4.6%	9.8%	10.2%	9.5%	11.9%
# of Respondents	403	519	365	515	204	452	838	528	795	514	749	505

Appendix A
Table A-4

2000 Substance Use Prevalences:
Cook County: Chicago Public vs. other schools and Non-Cook Counties: Urban vs Rural by Gender
Per Cent of Respondents Using Indicated Substance

	Males		Females		TOTAL		Males		Females		TOTAL	
	CPS	Non-CPS	CPS	Non-CPS	CPS	Non-CPS	Urban	Rural	Urban	Rural	Urban	Rural
	Lifetime				Lifetime				Lifetime			
Any Substance	71.2%	77.5%	78.5%	78.9%	75.5%	78.0%	78.6%	76.6%	80.9%	76.0%	79.8%	76.3%
Alcohol	68.8%	71.2%	70.9%	72.9%	69.9%	73.0%	70.6%	70.9%	73.8%	71.0%	72.3%	71.0%
Tobacco	50.8%	57.2%	58.0%	59.0%	55.2%	54.8%	60.1%	57.2%	62.1%	56.8%	61.1%	56.9%
Smokeless Tobacco	11.8%	26.0%	6.5%	7.6%	8.7%	14.2%	21.4%	35.1%	7.6%	9.2%	14.3%	22.0%
Inhalants	6.7%	12.2%	8.5%	11.6%	7.7%	11.7%	10.8%	12.8%	11.6%	13.3%	11.3%	13.2%
Any Illicit Substance	47.4%	41.3%	39.6%	36.7%	42.7%	34.7%	46.1%	35.3%	43.2%	33.9%	44.8%	34.7%
Marijuana	46.9%	39.4%	37.9%	34.3%	41.5%	32.8%	44.5%	32.2%	40.6%	32.1%	42.6%	32.3%
Crack/Cocaine	4.8%	5.7%	3.5%	4.9%	4.0%	4.8%	6.4%	5.5%	4.6%	5.2%	5.4%	5.3%
Any Hallucinogen	3.9%	9.4%	4.0%	7.7%	3.9%	7.8%	10.3%	7.6%	9.2%	7.2%	9.8%	7.4%
Other Drugs	17.1%	20.2%	14.3%	18.6%	15.3%	18.5%	21.5%	17.9%	20.6%	17.8%	21.2%	18.0%
	Used Past Year				Used Past Year				Used Past Year			
Any Substance	61.8%	68.8%	63.5%	68.7%	62.5%	67.9%	70.1%	66.8%	70.8%	67.3%	70.6%	67.1%
Alcohol	58.3%	64.6%	59.5%	65.6%	58.7%	65.1%	64.3%	63.9%	67.4%	63.8%	66.0%	63.8%
Tobacco	27.7%	36.0%	27.9%	35.8%	27.6%	32.3%	35.9%	37.6%	38.0%	37.1%	37.2%	37.4%
Smokeless Tobacco	9.0%	17.2%	6.2%	4.2%	7.3%	9.1%	12.7%	25.7%	3.9%	5.4%	8.2%	15.4%
Inhalants	2.6%	7.0%	4.2%	6.5%	3.5%	6.0%	6.4%	8.1%	6.6%	7.7%	6.5%	7.9%
Any Illicit Substance	37.1%	33.2%	29.5%	27.8%	32.4%	27.0%	36.9%	28.2%	32.9%	25.7%	35.0%	27.0%
Marijuana	36.7%	31.3%	27.6%	26.1%	31.0%	25.2%	35.8%	25.4%	30.9%	24.3%	33.4%	24.9%
Crack/Cocaine	2.0%	4.3%	2.7%	3.4%	2.4%	2.9%	4.9%	4.1%	3.4%	4.2%	4.1%	4.1%
Any Hallucinogen	3.5%	6.8%	3.0%	5.0%	3.2%	5.0%	7.6%	5.9%	5.9%	5.0%	6.8%	5.4%
Other Drugs	12.6%	16.4%	9.2%	13.4%	10.5%	15.0%	16.3%	15.1%	14.5%	13.1%	15.5%	14.2%
	Used Past Month				Used Past Month				Used Past Month			
Any Substance	43.6%	47.4%	41.2%	45.4%	41.9%	43.2%	49.2%	46.8%	47.2%	46.2%	48.4%	46.5%
Alcohol	37.0%	39.4%	33.7%	38.0%	34.9%	36.3%	40.5%	40.2%	38.5%	38.6%	39.7%	39.3%
Tobacco	17.7%	25.4%	17.2%	25.7%	17.4%	21.7%	26.1%	25.4%	28.4%	27.5%	27.4%	26.7%
Smokeless Tobacco	5.7%	7.2%	3.1%	1.8%	4.2%	3.1%	5.9%	11.0%	1.8%	2.7%	3.9%	6.8%
Inhalants	0.9%	2.7%	1.7%	2.9%	1.4%	2.4%	2.5%	3.2%	3.1%	3.3%	2.8%	3.2%
Any Illicit Substance	22.3%	21.1%	16.4%	17.3%	18.7%	16.9%	23.0%	18.9%	20.6%	15.9%	21.9%	17.5%
Marijuana	20.9%	19.5%	15.7%	15.7%	17.7%	15.0%	21.9%	16.3%	19.2%	14.6%	20.6%	15.6%
Crack/Cocaine	0.6%	1.9%	0.9%	1.4%	0.8%	1.4%	2.0%	1.7%	1.8%	1.2%	2.0%	1.5%
Any Hallucinogen	0.5%	3.0%	0.9%	1.7%	0.7%	2.5%	2.7%	2.8%	1.9%	1.5%	2.4%	2.1%
Other Drugs	6.2%	9.7%	3.7%	7.3%	4.7%	8.0%	9.2%	10.5%	8.1%	7.0%	8.8%	8.8%
# of Respondents	395	657	569	789	964	1,446	1,117	751	1,228	770	2,381	1,548

Appendix A
Table A-5

2000 Cook County Prevalences: Three Major Race-Ethnic Groups* by Grade
Per Cent of Respondents Using Indicated Substance

	8th Grade			10th Grade			12th Grade			Total		
	White	African American	Hispanic	White	African American	Hispanic	White	African American	Hispanic	White	African American	Hispanic
Lifetime												
Any Substance	66.2%	63.4%	76.7%	80.8%	74.8%	87.3%	92.1%	74.5%	82.5%	80.1%	69.7%	81.9%
Alcohol	61.8%	54.6%	74.2%	77.9%	67.4%	82.2%	88.3%	70.9%	78.5%	76.5%	62.6%	78.1%
Tobacco	40.5%	42.3%	53.2%	55.5%	53.5%	60.4%	75.4%	52.1%	68.2%	57.5%	48.3%	58.9%
Smokeless Tobacco	9.7%	7.4%	8.8%	12.9%	6.0%	15.1%	23.5%	6.4%	14.0%	15.4%	6.7%	12.2%
Inhalants	12.3%	5.0%	24.2%	10.0%	0.0%	10.0%	17.9%	0.9%	8.9%	13.3%	2.3%	15.8%
Any Illicit Substance	21.9%	27.4%	29.8%	32.0%	48.1%	48.3%	56.6%	43.1%	48.6%	37.0%	38.1%	40.6%
Marijuana	19.1%	27.3%	26.8%	31.0%	45.6%	45.3%	55.3%	43.7%	47.4%	35.4%	37.3%	37.9%
Crack/Cocaine	4.5%	1.3%	6.0%	3.0%	0.9%	9.0%	8.6%	2.4%	8.5%	5.3%	1.4%	7.6%
Any Hallucinogen	4.2%	0.0%	1.4%	7.1%	2.3%	6.9%	16.2%	0.0%	11.3%	9.2%	0.8%	5.4%
Other Drugs	12.1%	8.9%	14.1%	18.6%	18.0%	24.1%	27.0%	10.8%	24.1%	19.4%	12.6%	19.9%
Used Past Year												
Any Substance	56.9%	42.1%	61.7%	71.5%	59.2%	77.6%	87.1%	63.6%	77.4%	72.2%	52.6%	70.9%
Alcohol	56.3%	36.7%	57.7%	69.7%	54.9%	74.0%	83.9%	62.6%	73.4%	70.3%	48.7%	67.1%
Tobacco	22.4%	15.1%	25.3%	34.2%	23.6%	32.4%	51.8%	25.1%	38.9%	36.4%	20.2%	30.7%
Smokeless Tobacco	6.3%	3.3%	8.2%	12.5%	4.4%	12.2%	15.0%	2.7%	9.5%	11.4%	3.6%	10.0%
Inhalants	7.2%	1.9%	16.1%	4.8%	0.0%	5.4%	7.7%	0.0%	0.0%	6.5%	0.8%	8.9%
Any Illicit Substance	15.8%	20.5%	26.2%	27.6%	32.6%	40.5%	40.3%	34.3%	37.9%	28.2%	27.7%	34.0%
Marijuana	15.0%	19.9%	24.0%	25.5%	31.3%	37.0%	38.4%	34.8%	33.0%	26.6%	27.1%	30.7%
Crack/Cocaine	2.2%	0.0%	4.7%	1.2%	0.0%	6.5%	6.4%	0.0%	5.5%	3.2%	0.0%	5.6%
Any Hallucinogen	3.2%	0.0%	0.7%	5.3%	1.4%	5.9%	10.1%	0.0%	4.7%	6.2%	0.5%	3.5%
Other Drugs	8.4%	6.2%	12.0%	16.4%	10.1%	18.6%	21.0%	8.0%	20.7%	15.5%	8.0%	16.2%
Used Past Month												
Any Substance	29.0%	19.7%	36.0%	46.1%	37.0%	57.3%	67.7%	44.3%	55.8%	48.0%	30.9%	48.1%
Alcohol	23.9%	14.0%	27.3%	39.4%	30.1%	49.1%	59.3%	37.6%	48.7%	41.3%	24.8%	39.9%
Tobacco	10.9%	5.6%	16.2%	24.6%	12.2%	21.4%	40.5%	19.5%	26.9%	25.7%	10.8%	20.3%
Smokeless Tobacco	1.8%	1.4%	4.7%	3.5%	3.7%	6.4%	5.7%	1.8%	3.0%	3.7%	2.3%	5.0%
Inhalants	2.7%	0.0%	8.0%	2.4%	0.0%	1.8%	1.9%	0.0%	0.0%	2.3%	0.0%	4.1%
Any Illicit Substance	8.6%	10.1%	10.4%	18.4%	17.8%	27.0%	27.1%	20.7%	20.7%	18.3%	15.1%	18.8%
Marijuana	8.3%	9.7%	9.6%	16.8%	16.4%	23.7%	23.0%	21.2%	19.2%	16.2%	14.5%	16.8%
Crack/Cocaine	1.2%	0.0%	0.7%	0.0%	0.0%	3.1%	4.0%	0.0%	1.2%	1.7%	0.0%	1.7%
Any Hallucinogen	2.1%	0.0%	0.0%	0.6%	0.7%	2.3%	5.0%	0.0%	1.7%	2.5%	0.2%	1.2%
Other Drugs	3.3%	2.5%	4.3%	7.1%	5.2%	12.1%	12.1%	3.7%	6.5%	7.6%	3.7%	7.7%
# of Respondents	325	324	195	396	258	178	354	155	92	1075	737	465

*Excludes Native American, Asian, and Other

Appendix A
Table A-6

2000 Problems and Risk Behaviors in the Past Year
Percent of Respondents

	Number of Students	Drunk or High at School		Attacked someone to hurt them		Was Suspended		Was Arrested		Sold illegal drugs		Carried a handgun		Stole/Tried to Steal a Vehicle		Carried a handgun to School	
		Ever	10+ Times	Ever	10+ Times	Ever	10+ Times	Ever	10+ Times	Ever	10+ Times	Ever	10+ Times	Ever	10+ Times	Ever	10+ Times
		Gender															
Male	2,982	18.2	6.1	17.7	2.4	18.1	1.5	12.3	0.9	10.8	4.0	6.1	1.4	4.0	0.8	2.1	0.7
Female	3,297	14.0	2.6	11.0	1.1	9.1	0.3	6.4	0.2	4.6	0.8	1.7	0.3	1.5	0.1	0.3	0.1
Grade																	
8th Grade	2,518	10.6	2.4	16.2	1.8	14.3	1.0	9.4	0.7	4.4	1.2	4.1	0.9	2.9	0.5	1.3	0.3
10th Grade	2,029	17.9	4.0	13.2	1.8	12.1	0.6	8.1	0.4	8.0	2.6	3.8	0.7	2.9	0.5	1.0	0.4
12th Grade	1,840	20.1	6.5	12.8	1.4	13.7	0.8	10.2	0.6	10.5	3.2	3.3	0.9	2.0	0.2	1.2	0.5
Region																	
Cook County	2,458	14.5	2.5	15.1	1.8	14.7	0.6	9.9	0.5	6.4	1.7	4.1	0.6	2.0	0.3	1.2	0.3
CPS	972	17.5	3.2	18.6	2.4	19.7	1.2	11.1	0.6	7.4	2.1	6.7	1.1	2.3	0.3	1.5	0.3
Non-CPS	1,486	12.6	2.1	12.9	1.4	11.6	0.3	9.2	0.4	5.9	1.5	2.4	0.3	1.9	0.2	1.0	0.3
Non-Cook Counties	3,929	16.9	5.2	13.6	1.6	12.5	0.9	8.7	0.6	8.1	2.6	3.5	0.9	3.0	0.5	1.1	0.4
Urban	2,381	18.0	5.8	14.6	2.0	14.1	1.2	10.0	0.6	9.3	3.3	3.8	0.9	3.5	0.5	1.3	0.4
Rural	1,548	15.2	4.3	12.0	1.0	10.1	0.5	6.8	0.7	6.4	1.5	3.2	1.0	2.3	0.5	0.9	0.4
Cook Cty Race Grps																	
White	544	13.3	2.4	9.5	0.7	10.0	0.2	8.0	0.5	5.3	1.5	1.2	-	0.9	0.1	0.9	0.2
African American	396	13.5	2.0	21.3	3.1	22.6	0.7	12.4	0.5	6.3	1.7	7.3	1.3	2.7	-	1.1	0.4
Hispanic	437	18.6	3.1	19.7	2.2	13.8	1.1	11.4	0.4	9.6	2.4	4.6	0.8	2.9	1.0	1.1	0.3
Total	6,387	16.0	4.2	14.1	1.7	13.4	0.8	9.2	0.5	7.5	2.3	3.7	0.8	2.6	0.4	1.2	0.4

Appendix B-1

Drug Prevalences: Total Respondents By Gender, Grade and Region

There was a change in instrument between 1997 and 1998.

Alcohol -- Lifetime All Respondents				
	1995	1997	1998	2000
Grade				
8th Grade	56.4%	55.0%	60.8%	60.0%
10th Grade	63.7%	67.5%	76.5%	74.5%
12th Grade	74.9%	76.9%	83.6%	82.6%
Gender				
Male	63.2%	64.0%	73.1%	70.9%
Female	65.2%	67.8%	73.1%	72.6%
Region				
Cook	61.3%	63.2%	73.9%	71.8%
CPS	49.8%	48.2%	65.8%	69.9%
Non-CPS	68.9%	73.2%	79.3%	73.0%
Non-Cook	66.2%	67.7%	72.7%	71.8%
Urban	68.6%	71.0%	76.5%	72.3%
Rural	64.7%	63.9%	70.5%	71.0%
Total	64.2%	66.0%	73.2%	71.8%

Tobacco -- Lifetime All Respondents				
	1995	1997	1998	2000
Grade				
8th Grade	44.0%	43.5%	52.5%	47.1%
10th Grade	46.4%	52.0%	64.2%	58.3%
12th Grade	56.8%	57.7%	69.3%	69.8%
Gender				
Male	49.2%	49.3%	61.4%	56.4%
Female	47.7%	52.0%	62.0%	58.9%
Region				
Cook	44.0%	46.6%	60.7%	54.9%
CPS	34.8%	35.1%	54.2%	55.2%
Non-CPS	50.0%	54.2%	65.1%	54.8%
Non-Cook	51.4%	53.3%	62.3%	59.5%
Urban	50.1%	55.6%	65.2%	61.1%
Rural	52.3%	50.7%	60.7%	56.9%
Total	48.5%	50.7%	61.7%	57.7%

Alcohol -- Used Past Year All Respondents				
	1995	1997	1998	2000
Grade				
8th Grade	47.3%	45.3%	53.1%	50.0%
10th Grade	55.7%	60.1%	69.3%	66.9%
12th Grade	67.1%	71.0%	77.1%	77.7%
Gender				
Male	55.4%	55.7%	66.5%	63.7%
Female	56.5%	60.6%	65.6%	64.5%
Region				
Cook	53.6%	53.1%	64.6%	62.6%
CPS	42.1%	37.4%	53.1%	58.7%
Non-CPS	61.2%	63.6%	72.2%	65.1%
Non-Cook	57.5%	61.5%	66.9%	65.1%
Urban	61.4%	64.7%	71.2%	66.0%
Rural	55.1%	57.7%	64.4%	63.8%
Total	55.9%	58.2%	66.0%	64.1%

Tobacco -- Used Past Year All Respondents				
	1995	1997	1998	2000
Grade				
8th Grade	36.5%	35.1%	33.5%	24.1%
10th Grade	38.1%	43.8%	41.9%	34.9%
12th Grade	47.1%	48.1%	47.4%	46.9%
Gender				
Male	40.4%	41.1%	40.7%	34.8%
Female	39.7%	42.9%	40.7%	34.5%
Region				
Cook	36.2%	37.0%	36.5%	30.5%
CPS	26.9%	26.8%	27.4%	27.6%
Non-CPS	42.3%	43.8%	42.6%	32.3%
Non-Cook	42.7%	45.2%	43.3%	37.2%
Urban	42.3%	47.4%	46.0%	37.2%
Rural	42.9%	42.5%	41.8%	37.4%
Total	40.1%	42.0%	40.6%	34.6%

Alcohol -- Used Past Month All Respondents				
	1995	1997	1998	2000
Grade				
8th Grade	31.9%	31.0%	27.7%	23.2%
10th Grade	42.3%	45.8%	41.3%	40.2%
12th Grade	53.8%	58.3%	54.9%	53.3%
Gender				
Male	43.2%	43.4%	43.4%	39.1%
Female	40.6%	45.4%	38.3%	37.2%
Region				
Cook	40.3%	40.4%	37.5%	35.7%
CPS	31.8%	28.7%	28.7%	34.9%
Non-CPS	45.9%	48.3%	43.3%	36.3%
Non-Cook	42.8%	46.9%	42.7%	39.6%
Urban	46.5%	49.5%	47.8%	39.7%
Rural	40.6%	43.9%	39.8%	39.3%
Total	41.8%	44.4%	40.7%	38.1%

Tobacco -- Used Past Month All Respondents				
	1995	1997	1998	2000
Grade				
8th Grade	27.1%	25.6%	21.7%	14.0%
10th Grade	31.1%	35.2%	27.9%	25.0%
12th Grade	39.9%	39.7%	36.6%	36.0%
Gender				
Male	32.6%	33.5%	28.7%	24.4%
Female	31.8%	32.9%	28.3%	24.2%
Region				
Cook	28.7%	28.4%	25.8%	20.0%
CPS	20.3%	20.0%	17.6%	17.4%
Non-CPS	34.3%	33.9%	31.3%	21.7%
Non-Cook	34.4%	36.2%	30.1%	27.1%
Urban	35.3%	38.0%	32.7%	27.4%
Rural	33.9%	34.0%	28.6%	26.7%
Total	32.2%	33.2%	28.4%	24.4%

There was a change in instrument between 1997 and 1998.

Smokeless Tobacco -- Lifetime				
All Respondents				
	1995	1997	1998	2000
Grade				
8th Grade	11.3%	6.8%	11.3%	9.7%
10th Grade	12.1%	12.3%	17.2%	14.2%
12th Grade	19.0%	16.5%	26.1%	23.1%
Gender				
Male	22.6%	19.1%	29.2%	24.1%
Female	5.2%	4.8%	8.2%	7.5%
Region				
Cook	7.6%	6.5%	11.5%	12.0%
CPS	2.8%	4.2%	7.3%	8.7%
Non-CPS	10.8%	8.1%	14.3%	14.2%
Non-Cook	17.9%	14.9%	21.9%	17.3%
Urban	12.9%	11.8%	19.7%	14.3%
Rural	20.9%	18.5%	23.1%	22.0%
Total	13.8%	11.7%	17.9%	15.3%

Inhalants -- Lifetime				
All Respondents				
	1995	1997	1998	2000
Grade				
8th Grade	11.3%	11.1%	14.7%	13.8%
10th Grade	10.7%	12.5%	13.0%	9.4%
12th Grade	11.4%	10.2%	12.3%	10.5%
Gender				
Male	12.7%	11.4%	14.0%	11.5%
Female	9.5%	11.2%	12.8%	11.1%
Region				
Cook	9.9%	9.9%	10.8%	10.1%
CPS	6.9%	6.8%	7.1%	7.7%
Non-CPS	11.9%	12.0%	13.3%	11.7%
Non-Cook	11.9%	12.2%	15.0%	12.0%
Urban	13.0%	13.1%	15.7%	11.3%
Rural	11.2%	11.0%	14.6%	13.2%
Total	11.1%	11.3%	13.4%	11.3%

Smokeless Tobacco -- Used Past Year				
All Respondents				
	1995	1997	1998	2000
Grade				
8th Grade	7.3%	4.4%	7.3%	6.3%
10th Grade	9.4%	7.9%	11.0%	10.3%
12th Grade	12.4%	9.0%	15.6%	14.1%
Gender				
Male	16.6%	12.2%	18.7%	16.1%
Female	2.7%	2.2%	4.7%	4.6%
Region				
Cook	5.0%	3.3%	6.8%	8.4%
CPS	2.1%	2.0%	4.8%	7.3%
Non-CPS	6.9%	4.1%	8.2%	9.1%
Non-Cook	12.5%	9.4%	13.9%	11.0%
Urban	8.7%	7.3%	11.5%	8.2%
Rural	14.8%	11.7%	15.2%	15.4%
Total	9.5%	7.0%	11.1%	10.0%

Inhalants -- Used Past Year				
All Respondents				
	1995	1997	1998	2000
Grade				
8th Grade	7.2%	7.7%	10.7%	8.9%
10th Grade	5.2%	6.9%	7.2%	4.9%
12th Grade	5.2%	4.8%	5.4%	4.8%
Gender				
Male	7.1%	6.4%	8.3%	6.4%
Female	4.7%	6.6%	7.4%	6.2%
Region				
Cook	5.3%	6.0%	6.5%	5.0%
CPS	4.0%	4.8%	4.4%	3.5%
Non-CPS	6.2%	6.9%	7.9%	6.0%
Non-Cook	6.3%	6.9%	8.7%	7.1%
Urban	7.0%	7.2%	9.6%	6.5%
Rural	5.9%	6.4%	8.2%	7.9%
Total	5.9%	6.5%	7.9%	6.3%

Smokeless Tobacco -- Used Past Month				
All Respondents				
	1995	1997	1998	2000
Grade				
8th Grade	4.8%	2.8%	3.0%	2.6%
10th Grade	5.4%	5.2%	4.0%	4.6%
12th Grade	6.9%	5.0%	5.6%	6.5%
Gender				
Male	10.3%	7.7%	7.6%	7.0%
Female	1.2%	1.2%	1.3%	2.1%
Region				
Cook	2.3%	1.8%	2.6%	3.5%
CPS	1.5%	1.2%	2.1%	4.2%
Non-CPS	2.9%	2.2%	3.0%	3.1%
Non-Cook	7.8%	5.9%	5.1%	5.0%
Urban	5.4%	4.3%	3.9%	3.9%
Rural	9.3%	7.7%	5.7%	6.8%
Total	5.6%	4.3%	4.1%	4.4%

Inhalants -- Used Past Month				
All Respondents				
	1995	1997	1998	2000
Grade				
8th Grade	4.2%	5.3%	4.1%	4.1%
10th Grade	2.9%	4.6%	2.1%	2.1%
12th Grade	3.0%	2.2%	1.8%	1.4%
Gender				
Male	4.5%	4.0%	3.2%	2.4%
Female	2.4%	4.3%	2.3%	2.7%
Region				
Cook	3.6%	4.1%	2.4%	2.0%
CPS	2.4%	4.0%	2.0%	1.4%
Non-CPS	4.4%	4.2%	2.6%	2.4%
Non-Cook	3.3%	4.1%	3.0%	3.0%
Urban	3.9%	4.4%	2.8%	2.8%
Rural	3.0%	3.9%	3.1%	3.2%
Total	3.4%	4.1%	2.7%	2.6%

There was a change in instrument between 1997 and 1998.

Any Illicit -- Lifetime All Respondents				
	1995	1997	1998	2000
Grade				
8th Grade	28.6%	31.9%	30.3%	25.7%
10th Grade	35.3%	43.8%	47.9%	41.5%
12th Grade	45.9%	52.7%	55.4%	54.3%
Gender				
Male	39.2%	44.7%	47.0%	42.1%
Female	32.8%	40.1%	41.2%	37.2%
Region				
Cook	38.4%	44.2%	47.8%	37.9%
CPS	37.3%	40.2%	44.7%	42.7%
Non-CPS	39.1%	46.9%	50.0%	34.7%
Non-Cook	34.3%	41.1%	41.6%	40.8%
Urban	38.9%	46.4%	47.9%	44.8%
Rural	31.4%	35.0%	38.0%	34.7%
Total	35.9%	42.3%	44.0%	39.7%

Marijuana -- Lifetime All Respondents				
	1995	1997	1998	2000
Grade				
8th Grade	22.4%	25.9%	25.6%	23.2%
10th Grade	31.2%	40.1%	45.6%	39.3%
12th Grade	42.5%	50.4%	53.7%	52.8%
Gender				
Male	34.9%	42.0%	44.6%	40.4%
Female	27.9%	34.8%	37.9%	34.9%
Region				
Cook	34.2%	40.1%	45.5%	36.2%
CPS	35.1%	36.0%	43.2%	41.5%
Non-CPS	33.7%	42.9%	47.1%	32.8%
Non-Cook	29.2%	37.0%	38.2%	38.5%
Urban	34.0%	41.6%	44.5%	42.6%
Rural	26.3%	31.7%	34.7%	32.3%
Total	31.2%	38.2%	41.1%	37.7%

Any Illicit -- Used Past Year All Respondents				
	1995	1997	1998	2000
Grade				
8th Grade	24.0%	27.1%	24.7%	20.4%
10th Grade	30.8%	38.0%	39.1%	32.7%
12th Grade	38.9%	44.6%	43.0%	40.9%
Gender				
Male	33.3%	38.0%	37.9%	33.7%
Female	28.0%	34.4%	32.6%	28.1%
Region				
Cook	32.6%	37.1%	37.4%	29.1%
CPS	31.1%	32.2%	32.3%	32.4%
Non-CPS	33.6%	40.4%	40.9%	27.0%
Non-Cook	29.3%	35.6%	33.7%	31.8%
Urban	33.4%	40.1%	39.9%	35.0%
Rural	26.8%	30.3%	30.3%	27.0%
Total	30.6%	36.2%	35.2%	30.8%

Marijuana -- Used Past Year All Respondents				
	1995	1997	1998	2000
Grade				
8th Grade	19.4%	22.8%	21.3%	18.7%
10th Grade	28.0%	35.3%	37.2%	30.9%
12th Grade	36.5%	43.2%	41.7%	39.3%
Gender				
Male	30.1%	36.1%	36.2%	32.1%
Female	24.7%	30.8%	30.0%	26.3%
Region				
Cook	30.0%	34.4%	35.5%	27.5%
CPS	30.0%	29.6%	31.2%	31.0%
Non-CPS	29.9%	37.6%	38.4%	25.2%
Non-Cook	25.5%	32.6%	31.4%	30.1%
Urban	30.5%	36.7%	37.6%	33.4%
Rural	22.5%	27.9%	27.9%	24.9%
Total	27.3%	33.3%	33.0%	29.1%

Any Illicit -- Used Past Month All Respondents				
	1995	1997	1998	2000
Grade				
8th Grade	17.6%	20.6%	14.6%	11.1%
10th Grade	24.1%	30.1%	24.4%	20.9%
12th Grade	30.9%	34.6%	24.8%	26.9%
Gender				
Male	26.4%	29.9%	24.3%	21.3%
Female	21.1%	26.5%	18.2%	17.2%
Region				
Cook	25.3%	29.1%	23.5%	17.6%
CPS	24.9%	25.9%	21.1%	18.7%
Non-CPS	25.7%	31.2%	25.1%	16.9%
Non-Cook	22.5%	27.5%	19.6%	20.2%
Urban	27.5%	30.8%	24.9%	21.9%
Rural	19.5%	23.7%	16.6%	17.5%
Total	23.7%	28.1%	21.1%	19.2%

Marijuana -- Used Past Month All Respondents				
	1995	1997	1998	2000
Grade				
8th Grade	14.1%	17.0%	12.7%	9.9%
10th Grade	21.6%	27.5%	23.5%	19.2%
12th Grade	28.9%	33.2%	23.6%	25.0%
Gender				
Male	23.6%	28.0%	22.9%	19.7%
Female	18.5%	23.3%	16.8%	15.7%
Region				
Cook	22.9%	26.9%	22.6%	16.0%
CPS	23.5%	23.7%	20.9%	17.7%
Non-CPS	22.5%	29.0%	23.7%	15.0%
Non-Cook	19.7%	24.8%	17.9%	18.6%
Urban	24.9%	27.4%	23.2%	20.6%
Rural	16.5%	21.6%	15.0%	15.6%
Total	21.0%	25.6%	19.7%	17.6%

There was a change in instrument between 1997 and 1998.

Cocaine/Crack -- Lifetime				
All Respondents				
	1995	1997	1998	2000
Grade				
8th Grade	3.1%	3.4%	3.7%	3.2%
10th Grade	4.3%	6.9%	4.5%	4.4%
12th Grade	6.4%	8.1%	7.1%	8.0%
Gender				
Male	5.3%	6.3%	5.9%	5.6%
Female	3.6%	5.8%	4.0%	4.6%
Region				
Cook	5.5%	5.2%	3.7%	4.5%
CPS	4.1%	4.4%	2.8%	4.0%
Non-CPS	6.4%	5.8%	4.4%	4.8%
Non-Cook	3.8%	6.5%	5.8%	5.4%
Urban	3.9%	7.3%	7.1%	5.4%
Rural	3.7%	5.7%	5.1%	5.3%
Total	4.5%	6.0%	5.0%	5.0%

Any Hallucinogens -- Lifetime				
All Respondents				
	1995	1997	1998	2000
Grade				
8th Grade	6.1%	6.2%	3.2%	2.3%
10th Grade	9.1%	13.8%	7.5%	7.9%
12th Grade	13.4%	17.5%	15.7%	14.3%
Gender				
Male	10.1%	13.2%	10.9%	8.7%
Female	8.3%	11.5%	6.1%	7.1%
Region				
Cook	9.4%	11.0%	6.3%	6.3%
CPS	6.7%	8.1%	3.1%	3.9%
Non-CPS	11.3%	12.9%	8.4%	7.8%
Non-Cook	9.1%	13.1%	9.9%	8.8%
Urban	11.0%	15.4%	13.3%	9.8%
Rural	7.9%	10.4%	8.0%	7.4%
Total	9.2%	12.3%	8.5%	7.9%

Cocaine/Crack -- Used Past Year				
All Respondents				
	1995	1997	1998	2000
Grade				
8th Grade	2.3%	2.7%	2.0%	2.0%
10th Grade	3.5%	5.4%	3.2%	3.0%
12th Grade	5.0%	7.1%	5.1%	6.1%
Gender				
Male	4.2%	5.1%	3.6%	4.0%
Female	2.8%	4.9%	2.9%	3.3%
Region				
Cook	4.3%	4.4%	2.4%	2.7%
CPS	3.1%	3.6%	1.3%	2.4%
Non-CPS	5.1%	4.9%	3.1%	2.9%
Non-Cook	3.0%	5.3%	4.0%	4.1%
Urban	3.0%	6.1%	4.8%	4.1%
Rural	2.9%	4.4%	3.5%	4.1%
Total	3.5%	5.0%	3.4%	3.6%

Any Hallucinogens -- Used Past Year				
All Respondents				
	1995	1997	1998	2000
Grade				
8th Grade	4.6%	4.6%	2.3%	1.6%
10th Grade	8.0%	11.9%	6.1%	6.0%
12th Grade	11.1%	13.6%	10.8%	9.6%
Gender				
Male	8.6%	10.6%	8.3%	6.3%
Female	6.8%	9.2%	4.1%	4.7%
Region				
Cook	7.6%	8.8%	4.2%	4.3%
CPS	5.1%	5.7%	2.1%	3.2%
Non-CPS	9.3%	10.9%	5.7%	5.0%
Non-Cook	7.7%	10.5%	7.4%	6.3%
Urban	8.9%	12.2%	10.2%	6.8%
Rural	7.0%	8.6%	5.9%	5.4%
Total	7.7%	9.9%	6.2%	5.5%

Cocaine/Crack -- Used Past Month				
All Respondents				
	1995	1997	1998	2000
Grade				
8th Grade	1.4%	1.6%	0.7%	0.6%
10th Grade	2.5%	3.4%	1.9%	1.3%
12th Grade	3.6%	4.7%	2.1%	2.8%
Gender				
Male	3.0%	3.6%	1.7%	1.8%
Female	1.8%	2.8%	1.3%	1.3%
Region				
Cook	3.1%	2.7%	0.9%	1.1%
CPS	2.1%	1.4%	0.3%	0.8%
Non-CPS	3.7%	3.5%	1.3%	1.4%
Non-Cook	2.0%	3.5%	1.9%	1.8%
Urban	1.9%	3.8%	1.8%	2.0%
Rural	2.0%	3.1%	2.0%	1.5%
Total	2.4%	3.2%	1.5%	1.5%

Any Hallucinogens -- Used Past Month				
All Respondents				
	1995	1997	1998	2000
Grade				
8th Grade	3.5%	2.8%	1.0%	0.8%
10th Grade	5.7%	8.0%	2.7%	2.2%
12th Grade	7.3%	7.3%	4.3%	3.4%
Gender				
Male	6.5%	6.9%	4.0%	2.7%
Female	4.3%	5.0%	1.3%	1.6%
Region				
Cook	5.2%	5.5%	1.3%	1.8%
CPS	4.1%	4.1%	0.9%	0.7%
Non-CPS	6.0%	6.4%	1.5%	2.5%
Non-Cook	5.4%	6.3%	3.5%	2.3%
Urban	5.9%	7.3%	4.5%	2.4%
Rural	5.1%	5.0%	2.9%	2.1%
Total	5.4%	6.0%	2.6%	2.1%

There was a change in instrument between 1997 and 1998.

Any Substance -- Lifetime				
All Respondents				
	1995	1997	1998	2000
Grade				
8th Grade	64.5%	63.8%	68.6%	67.9%
10th Grade	69.3%	73.8%	82.6%	80.4%
12th Grade	79.1%	82.4%	87.3%	87.0%
Gender				
Male	70.6%	71.7%	79.4%	76.7%
Female	70.2%	74.0%	78.8%	78.8%
Region				
Cook	69.1%	71.3%	80.7%	77.0%
CPS	59.1%	59.5%	75.7%	75.5%
Non-CPS	75.9%	79.2%	84.1%	78.0%
Non-Cook	71.2%	73.9%	78.1%	78.4%
Urban	72.0%	77.1%	81.2%	79.8%
Rural	70.7%	70.2%	76.4%	76.3%
Total	70.4%	72.9%	79.1%	77.9%

Number of Students				
All Respondents				
	1995	1997	1998	2000
Grade				
8th Grade	1,613	1,589	1,705	2,518
10th Grade	1,580	1,597	1,626	2,029
12th Grade	1,281	1,364	1,479	1,840
Gender				
Male	2,160	2,210	2,201	2,920
Female	2,271	2,340	2,540	3,355
Region				
Cook	1,826	1,793	1,872	2,458
CPS	754	738	757	972
Non-CPS	1,072	1,055	1,114	1,486
Non-Cook	2,649	2,757	2,938	3,929
Urban	1,011	1,486	1,055	2,381
Rural	1,638	1,271	1,883	1,548
Total	4,475	4,550	4,810	6,387

Any Substance -- Used Past Year				
All Respondents				
	1995	1997	1998	2000
Grade				
8th Grade	55.6%	54.5%	59.3%	54.5%
10th Grade	61.8%	66.6%	74.6%	70.6%
12th Grade	71.7%	76.2%	79.6%	80.6%
Gender				
Male	63.3%	64.1%	71.4%	67.8%
Female	61.5%	66.4%	70.1%	67.8%
Region				
Cook	60.7%	61.2%	70.2%	65.7%
CPS	50.2%	46.9%	60.6%	62.5%
Non-CPS	67.9%	70.9%	76.8%	67.9%
Non-Cook	63.5%	67.9%	71.0%	69.2%
Urban	64.7%	71.1%	75.3%	70.6%
Rural	62.7%	64.1%	68.7%	67.1%
Total	62.4%	65.3%	70.7%	67.9%

Any Substance -- Used Past Month				
All Respondents				
	1995	1997	1998	2000
Grade				
8th Grade	40.8%	40.8%	36.1%	30.5%
10th Grade	50.9%	53.2%	51.4%	47.8%
12th Grade	61.1%	65.8%	62.6%	61.7%
Gender				
Male	52.4%	52.4%	52.1%	46.9%
Female	47.9%	52.9%	47.1%	44.7%
Region				
Cook	48.8%	48.7%	47.4%	42.7%
CPS	40.8%	37.9%	39.2%	41.9%
Non-CPS	54.3%	56.0%	53.0%	43.2%
Non-Cook	51.0%	55.1%	50.7%	47.7%
Urban	53.5%	58.0%	55.8%	48.4%
Rural	49.5%	51.8%	47.9%	46.5%
Total	50.1%	52.6%	49.5%	45.7%

There was a change in instrument between 1997 and 1998.

Appendix B-2
Drug Prevalences:
Total Respondents: Grade By Gender

There was a change in instrument between 1997 and 1998.

Alcohol -- Lifetime Region by Gender				
	1995	1997	1998	2000
Male	63.2%	64.0%	73.1%	70.9%
Cook	58.1%	59.2%	72.4%	71.2%
Non-Cook	66.5%	66.8%	73.5%	70.7%
Urban	67.7%	71.2%	74.4%	70.6%
Rural	65.9%	62.2%	73.1%	70.9%
Female	65.2%	67.8%	73.1%	72.6%
Cook	64.0%	66.6%	74.8%	72.4%
Non-Cook	66.1%	68.6%	72.0%	72.7%
Urban	69.3%	70.8%	78.2%	73.8%
Rural	64.0%	65.7%	68.4%	71.0%
Total	64.2%	66.0%	73.2%	71.8%

Tobacco -- Lifetime Region by Gender				
	1995	1997	1998	2000
Male	49.2%	49.3%	61.4%	56.4%
Cook	43.4%	43.4%	60.7%	51.8%
Non-Cook	52.8%	52.9%	61.9%	59.0%
Urban	49.3%	56.4%	64.8%	60.1%
Rural	54.9%	49.1%	60.3%	57.2%
Female	47.7%	52.0%	62.0%	58.9%
Cook	44.4%	49.4%	60.5%	57.0%
Non-Cook	50.1%	53.8%	62.9%	60.1%
Urban	50.6%	54.8%	65.5%	62.1%
Rural	49.7%	52.5%	61.5%	56.8%
Total	48.5%	50.7%	61.7%	57.7%

Alcohol -- Used Past Year Region by Gender				
	1995	1997	1998	2000
Male	55.4%	55.7%	66.5%	63.7%
Cook	50.4%	48.9%	63.5%	63.1%
Non-Cook	58.5%	59.8%	68.3%	64.1%
Urban	61.4%	63.7%	69.9%	64.3%
Rural	56.8%	55.6%	67.4%	63.9%
Female	56.5%	60.6%	65.6%	64.5%
Cook	56.4%	56.8%	65.2%	62.4%
Non-Cook	56.6%	63.1%	65.8%	66.0%
Urban	61.3%	65.5%	72.7%	67.4%
Rural	53.6%	59.9%	61.8%	63.8%
Total	55.9%	58.2%	66.0%	64.1%

Tobacco -- Used Past Year Region by Gender				
	1995	1997	1998	2000
Male	40.4%	41.1%	40.7%	34.8%
Cook	35.4%	34.1%	36.5%	31.7%
Non-Cook	43.6%	45.3%	43.2%	36.6%
Urban	40.2%	48.6%	44.6%	35.9%
Rural	45.6%	41.8%	42.4%	37.6%
Female	39.7%	42.9%	40.7%	34.5%
Cook	36.9%	39.6%	36.1%	29.8%
Non-Cook	41.7%	45.0%	43.6%	37.7%
Urban	44.0%	46.4%	47.5%	38.0%
Rural	40.2%	43.2%	41.5%	37.1%
Total	40.1%	42.0%	40.6%	34.6%

Alcohol -- Used Past Month Region by Gender				
	1995	1997	1998	2000
Male	43.2%	43.4%	43.4%	39.1%
Cook	39.4%	38.9%	41.0%	36.9%
Non-Cook	45.5%	46.1%	44.9%	40.3%
Urban	48.4%	48.4%	48.8%	40.5%
Rural	43.8%	43.6%	42.8%	40.2%
Female	40.6%	45.4%	38.3%	37.2%
Cook	41.0%	41.8%	34.4%	35.3%
Non-Cook	40.3%	47.7%	40.9%	38.5%
Urban	44.7%	50.5%	47.0%	38.5%
Rural	37.6%	44.2%	37.3%	38.6%
Total	41.8%	44.4%	40.7%	38.1%

Tobacco -- Used Past Month Region by Gender				
	1995	1997	1998	2000
Male	32.6%	33.5%	28.7%	24.4%
Cook	26.8%	27.4%	26.2%	21.8%
Non-Cook	36.2%	37.1%	30.2%	25.8%
Urban	34.7%	39.8%	31.0%	26.1%
Rural	37.2%	34.2%	29.8%	25.4%
Female	31.8%	32.9%	28.3%	24.2%
Cook	30.5%	29.3%	25.2%	18.6%
Non-Cook	32.8%	35.4%	30.4%	28.1%
Urban	35.7%	36.5%	34.6%	28.4%
Rural	30.9%	33.9%	28.0%	27.5%
Total	32.2%	33.2%	28.4%	24.4%

There was a change in instrument between 1997 and 1998.

Smokeless Tobacco -- Lifetime				
Grade by Gender				
	1995	1997	1998	2000
Male	22.6%	19.1%	29.2%	24.1%
8th	17.9%	11.4%	17.8%	13.3%
10th	20.8%	19.1%	29.5%	23.9%
12th	30.9%	28.0%	41.3%	37.6%
Female	5.2%	4.8%	8.2%	7.5%
8th	4.0%	2.6%	5.7%	6.0%
10th	4.5%	5.8%	7.5%	6.4%
12th	7.6%	6.2%	11.8%	10.4%
Total	13.8%	11.7%	17.9%	15.3%

Inhalants-- Lifetime				
Grade by Gender				
	1995	1997	1998	2000
Male	12.7%	11.4%	14.0%	11.5%
8th	12.2%	8.8%	13.2%	13.6%
10th	12.9%	11.9%	13.3%	8.3%
12th	13.1%	13.9%	15.5%	12.2%
Female	9.5%	11.2%	12.8%	11.1%
8th	10.1%	13.1%	15.8%	13.9%
10th	8.7%	13.0%	12.9%	10.3%
12th	9.7%	6.9%	9.2%	8.8%
Total	11.1%	11.3%	13.4%	11.3%

Smokeless Tobacco -- Used Past Year				
Grade by Gender				
	1995	1997	1998	2000
Male	16.6%	12.2%	18.7%	16.1%
8th	12.1%	7.5%	11.0%	8.5%
10th	17.0%	13.3%	19.8%	17.2%
12th	22.2%	16.4%	26.0%	24.3%
Female	2.7%	2.2%	4.7%	4.6%
8th	2.1%	1.5%	4.0%	3.9%
10th	3.1%	2.7%	4.1%	4.9%
12th	3.1%	2.5%	6.1%	5.0%
Total	9.5%	7.0%	11.1%	10.0%

Inhalants-- Used Past Year				
Grade by Gender				
	1995	1997	1998	2000
Male	7.1%	6.4%	8.3%	6.4%
8th	7.4%	5.8%	10.0%	8.5%
10th	6.4%	6.6%	8.0%	4.2%
12th	7.5%	6.9%	6.9%	6.3%
Female	4.7%	6.6%	7.4%	6.2%
8th	6.8%	9.4%	11.1%	9.1%
10th	4.2%	7.2%	6.8%	5.5%
12th	2.7%	2.9%	3.9%	3.6%
Total	5.9%	6.5%	7.9%	6.3%

Smokeless Tobacco -- Used Past Month				
Grade by Gender				
	1995	1997	1998	2000
Male	10.3%	7.7%	7.6%	7.0%
8th	8.4%	4.5%	4.4%	2.9%
10th	10.1%	9.0%	7.4%	7.5%
12th	13.1%	9.8%	11.2%	11.6%
Female	1.2%	1.2%	1.3%	2.1%
8th	1.0%	1.1%	1.8%	2.1%
10th	1.5%	1.7%	1.4%	2.0%
12th	1.0%	0.7%	0.5%	2.1%
Total	5.6%	4.3%	4.1%	4.5%

Inhalants-- Used Past Month				
Grade by Gender				
	1995	1997	1998	2000
Male	4.5%	4.0%	3.2%	2.4%
8th	3.6%	6.2%	3.6%	4.5%
10th	1.9%	4.8%	1.7%	2.5%
12th	1.7%	1.5%	1.5%	1.0%
Female	2.4%	4.3%	2.3%	2.7%
8th	4.9%	4.3%	4.5%	3.6%
10th	4.2%	4.4%	2.8%	1.6%
12th	4.2%	3.0%	2.0%	1.8%
Total	3.4%	4.1%	2.7%	2.6%

There was a change in instrument between 1997 and 1998.

Any Illicit -- Lifetime Grade by Gender				
	1995	1997	1998	2000
Male	39.2%	44.7%	47.0%	42.1%
8th	32.0%	35.4%	34.2%	28.9%
10th	37.9%	44.4%	48.6%	42.8%
12th	50.1%	56.1%	59.7%	57.7%
Female	32.8%	40.1%	41.2%	37.2%
8th	25.0%	28.7%	26.7%	22.0%
10th	33.2%	43.2%	47.3%	40.0%
12th	41.8%	49.7%	51.0%	51.0%
Total	35.9%	42.3%	44.0%	39.7%

Marijuana -- Lifetime Grade by Gender				
	1995	1997	1998	2000
Male	34.9%	42.0%	44.6%	40.4%
8th	26.4%	31.2%	29.9%	26.0%
10th	34.6%	42.1%	47.5%	41.5%
12th	46.2%	54.5%	57.8%	56.8%
Female	27.9%	34.8%	37.9%	34.9%
8th	18.4%	21.0%	21.6%	20.1%
10th	28.4%	38.1%	44.1%	37.1%
12th	38.8%	46.8%	49.6%	49.1%
Total	31.2%	38.2%	41.1%	37.7%

Any Illicit -- Used Past Year Grade by Gender				
	1995	1997	1998	2000
Male	33.3%	38.0%	37.9%	33.7%
8th	26.6%	29.4%	27.3%	22.9%
10th	33.0%	37.6%	40.3%	34.8%
12th	42.4%	48.8%	47.2%	45.9%
Female	28.0%	34.4%	32.6%	28.1%
8th	21.1%	25.0%	22.0%	17.7%
10th	29.0%	38.4%	38.0%	30.9%
12th	35.3%	40.8%	38.7%	36.4%
Total	30.6%	36.2%	35.2%	30.8%

Marijuana -- Used Past Year Grade by Gender				
	1995	1997	1998	2000
Male	30.1%	36.1%	36.2%	32.1%
8th	22.5%	26.6%	24.8%	21.0%
10th	30.6%	36.1%	38.9%	33.1%
12th	39.5%	47.0%	46.1%	44.5%
Female	24.7%	30.8%	30.0%	26.3%
8th	16.2%	19.2%	18.0%	16.3%
10th	25.9%	34.4%	35.7%	28.9%
12th	33.5%	39.8%	37.4%	34.6%
Total	27.3%	33.3%	33.0%	29.1%

Any Illicit -- Used Past Month Grade by Gender				
	1995	1997	1998	2000
Male	26.4%	29.9%	24.3%	21.3%
8th	20.2%	22.0%	17.7%	12.0%
10th	27.1%	30.8%	26.7%	22.9%
12th	33.7%	38.2%	29.1%	31.0%
Female	21.1%	26.5%	18.2%	17.2%
8th	15.0%	19.4%	11.8%	10.1%
10th	21.5%	29.3%	22.5%	18.9%
12th	28.0%	31.3%	20.8%	23.2%
Total	23.7%	28.1%	21.1%	19.2%

Marijuana -- Used Past Month Grade by Gender				
	1995	1997	1998	2000
Male	23.6%	28.0%	22.9%	19.7%
8th	17.0%	19.1%	15.8%	10.7%
10th	24.4%	29.4%	25.9%	21.1%
12th	31.4%	36.9%	27.7%	29.3%
Female	18.5%	23.3%	16.8%	15.7%
8th	11.2%	15.1%	9.7%	9.1%
10th	19.3%	25.7%	21.4%	17.4%
12th	26.4%	29.9%	19.8%	21.2%
Total	21.0%	25.6%	19.7%	17.6%

There was a change in instrument between 1997 and 1998.

Cocaine/Crack -- Lifetime				
Grade by Gender				
	1995	1997	1998	2000
Male	5.3%	6.3%	5.9%	5.6%
8th	3.7%	2.9%	4.2%	3.7%
10th	4.8%	6.5%	4.4%	4.5%
12th	8.0%	10.2%	9.3%	9.2%
Female	3.6%	5.8%	4.0%	4.6%
8th	2.3%	3.8%	3.2%	2.8%
10th	3.9%	7.3%	4.1%	4.3%
12th	4.8%	6.3%	4.8%	7.1%
Total	4.5%	6.0%	5.0%	5.0%

Any Hallucinogen -- Lifetime				
Grade by Gender				
	1995	1997	1998	2000
Male	10.1%	13.2%	10.9%	8.7%
8th	6.8%	6.0%	4.2%	2.8%
10th	9.8%	13.0%	9.7%	7.9%
12th	14.8%	21.8%	19.7%	16.7%
Female	8.3%	11.5%	6.1%	7.1%
8th	5.4%	6.5%	2.3%	2.0%
10th	8.4%	14.6%	5.3%	7.4%
12th	11.9%	13.7%	11.7%	12.4%
Total	9.2%	12.3%	8.5%	7.9%

Cocaine/Crack -- Used Past Year				
Grade by Gender				
	1995	1997	1998	2000
Male	4.2%	5.1%	3.6%	4.0%
8th	3.0%	2.1%	1.7%	1.9%
10th	4.2%	5.0%	2.7%	3.4%
12th	5.9%	8.8%	6.5%	7.0%
Female	2.8%	4.9%	2.9%	3.3%
8th	1.4%	3.3%	2.2%	2.1%
10th	3.0%	5.8%	3.2%	2.7%
12th	4.2%	5.6%	3.5%	5.3%
Total	3.5%	5.0%	3.4%	3.6%

Any Hallucinogen -- Used Past Year				
Grade by Gender				
	1995	1997	1998	2000
Male	8.6%	10.6%	8.3%	6.3%
8th	5.5%	3.5%	3.4%	1.9%
10th	8.7%	11.7%	7.4%	6.3%
12th	12.6%	17.6%	14.6%	11.7%
Female	6.8%	9.2%	4.1%	4.7%
8th	3.7%	5.7%	1.3%	1.4%
10th	7.5%	12.0%	4.4%	5.2%
12th	9.7%	10.0%	7.1%	7.7%
Total	7.7%	9.9%	6.2%	5.5%

Cocaine/Crack -- Used Past Month				
Grade by Gender				
	1995	1997	1998	2000
Male	3.0%	3.6%	1.7%	1.8%
8th	1.8%	1.3%	0.8%	0.4%
10th	3.1%	3.7%	1.7%	1.5%
12th	4.7%	6.1%	2.6%	3.6%
Female	1.8%	2.8%	1.3%	1.3%
8th	0.8%	1.9%	0.7%	0.9%
10th	2.1%	3.1%	1.9%	1.0%
12th	2.5%	3.5%	1.3%	2.1%
Total	2.4%	3.2%	1.5%	1.5%

Any Hallucinogen -- Used Past Month				
Grade by Gender				
	1995	1997	1998	2000
Male	6.5%	6.9%	4.0%	2.7%
8th	3.7%	2.4%	1.8%	0.9%
10th	6.8%	8.5%	3.6%	2.8%
12th	9.7%	10.4%	6.6%	4.6%
Female	4.3%	5.0%	1.3%	1.6%
8th	3.1%	3.1%	0.3%	0.8%
10th	4.9%	7.6%	1.6%	1.5%
12th	4.9%	4.4%	2.1%	2.5%
Total	5.4%	6.0%	2.6%	2.1%

There was a change in instrument between 1997 and 1998.

Any Substance -- Lifetime				
Grade by Gender				
	1995	1997	1998	2000
Male	70.6%	71.7%	79.4%	76.7%
8th	64.4%	64.3%	68.8%	68.1%
10th	68.5%	70.9%	81.7%	77.3%
12th	81.2%	81.6%	88.9%	86.7%
Female	70.2%	74.0%	78.8%	78.8%
8th	64.6%	63.4%	68.2%	67.7%
10th	70.1%	76.6%	83.7%	82.5%
12th	77.2%	83.0%	85.6%	87.0%
Total	70.4%	72.9%	79.1%	77.9%

Number of Students				
Grade by Gender				
	1995	1997	1998	2000
Male	2,160	2,210	2,201	2,920
8th	807	771	784	1,097
10th	728	795	708	945
12th	624	644	710	878
Female	2,271	2,340	2,540	3,355
8th	786	818	894	1,143
10th	842	802	889	1,202
12th	642	721	757	1,010
Total	4,475	4,550	4,810	6,387

Any Substance -- Used Past Year				
Grade by Gender				
	1995	1997	1998	2000
Male	63.3%	64.1%	71.4%	67.8%
8th	56.2%	55.0%	58.5%	55.6%
10th	62.5%	63.0%	75.2%	68.8%
12th	73.5%	76.2%	81.9%	82.0%
Female	61.5%	66.0%	70.1%	67.8%
8th	54.7%	54.1%	59.8%	53.3%
10th	61.3%	70.1%	74.3%	72.0%
12th	70.3%	76.2%	77.4%	79.3%
Total	62.4%	65.4%	70.7%	67.9%

Any Substance -- Used Past Month				
Grade by Gender				
	1995	1997	1998	2000
Male	52.5%	52.4%	52.1%	46.9%
8th	43.3%	40.8%	36.8%	29.9%
10th	52.5%	51.4%	52.3%	47.9%
12th	64.4%	67.3%	68.8%	67.1%
Female	47.9%	52.9%	47.1%	44.7%
8th	38.1%	40.7%	35.4%	30.8%
10th	49.5%	55.0%	50.8%	47.6%
12th	57.9%	64.4%	56.5%	56.9%
Total	50.1%	52.6%	49.5%	45.8%

There was a change in instrument between 1997 and 1998.

Appendix B-3
Drug Prevalences:
Total Respondents: Region by Gender

There was a change in instrument between 1997 and 1998.

Alcohol -- Lifetime Region by Gender				
	1995	1997	1998	2000
Male	63.2%	64.0%	73.1%	70.9%
Cook	58.1%	59.2%	72.4%	71.2%
Non-Cook	66.5%	66.8%	73.5%	70.7%
Urban	67.7%	71.2%	74.4%	70.6%
Rural	65.9%	62.2%	73.1%	70.9%
Female	65.2%	67.8%	73.1%	72.6%
Cook	64.0%	66.6%	74.8%	72.4%
Non-Cook	66.1%	68.6%	72.0%	72.7%
Urban	69.3%	70.8%	78.2%	73.8%
Rural	64.0%	65.7%	68.4%	71.0%
Total	64.2%	66.0%	73.2%	71.8%

Tobacco -- Lifetime Region by Gender				
	1995	1997	1998	2000
Male	49.2%	49.3%	61.4%	56.4%
Cook	43.4%	43.4%	60.7%	51.8%
Non-Cook	52.8%	52.9%	61.9%	59.0%
Urban	49.3%	56.4%	64.8%	60.1%
Rural	54.9%	49.1%	60.3%	57.2%
Female	47.7%	52.0%	62.0%	58.9%
Cook	44.4%	49.4%	60.5%	57.0%
Non-Cook	50.1%	53.8%	62.9%	60.1%
Urban	50.6%	54.8%	65.5%	62.1%
Rural	49.7%	52.5%	61.5%	56.8%
Total	48.5%	50.7%	61.7%	57.7%

Alcohol -- Used Past Year Region by Gender				
	1995	1997	1998	2000
Male	55.4%	55.7%	66.5%	63.7%
Cook	50.4%	48.9%	63.5%	63.1%
Non-Cook	58.5%	59.8%	68.3%	64.1%
Urban	61.4%	63.7%	69.9%	64.3%
Rural	56.8%	55.6%	67.4%	63.9%
Female	56.5%	60.6%	65.6%	64.5%
Cook	56.4%	56.8%	65.2%	62.4%
Non-Cook	56.6%	63.1%	65.8%	66.0%
Urban	61.3%	65.5%	72.7%	67.4%
Rural	53.6%	59.9%	61.8%	63.8%
Total	55.9%	58.2%	66.0%	64.1%

Tobacco -- Used Past Year Region by Gender				
	1995	1997	1998	2000
Male	40.4%	41.1%	40.7%	34.8%
Cook	35.4%	34.1%	36.5%	31.7%
Non-Cook	43.6%	45.3%	43.2%	36.6%
Urban	40.2%	48.6%	44.6%	35.9%
Rural	45.6%	41.8%	42.4%	37.6%
Female	39.7%	42.9%	40.7%	34.5%
Cook	36.9%	39.6%	36.1%	29.8%
Non-Cook	41.7%	45.0%	43.6%	37.7%
Urban	44.0%	46.4%	47.5%	38.0%
Rural	40.2%	43.2%	41.5%	37.1%
Total	40.1%	42.0%	40.6%	34.6%

Alcohol -- Used Past Month Region by Gender				
	1995	1997	1998	2000
Male	43.2%	43.4%	43.4%	39.1%
Cook	39.4%	38.9%	41.0%	36.9%
Non-Cook	45.5%	46.1%	44.9%	40.3%
Urban	48.4%	48.4%	48.8%	40.5%
Rural	43.8%	43.6%	42.8%	40.2%
Female	40.6%	45.4%	38.3%	37.2%
Cook	41.0%	41.8%	34.4%	35.3%
Non-Cook	40.3%	47.7%	40.9%	38.5%
Urban	44.7%	50.5%	47.0%	38.5%
Rural	37.6%	44.2%	37.3%	38.6%
Total	41.8%	44.4%	40.7%	38.1%

Tobacco -- Used Past Month Region by Gender				
	1995	1997	1998	2000
Male	32.6%	33.5%	28.7%	24.4%
Cook	26.8%	27.4%	26.2%	21.8%
Non-Cook	36.2%	37.1%	30.2%	25.8%
Urban	34.7%	39.8%	31.0%	26.1%
Rural	37.2%	34.2%	29.8%	25.4%
Female	31.8%	32.9%	28.3%	24.2%
Cook	30.5%	29.3%	25.2%	18.6%
Non-Cook	32.8%	35.4%	30.4%	28.1%
Urban	35.7%	36.5%	34.6%	28.4%
Rural	30.9%	33.9%	28.0%	27.5%
Total	32.2%	33.2%	28.4%	24.4%

There was a change in instrument between 1997 and 1998.

Smokeless Tobacco -- Lifetime				
Region by Gender				
	1995	1997	1998	2000
Male	22.6%	19.1%	29.2%	24.1%
Cook	11.6%	10.5%	19.0%	19.0%
Non-Cook	29.6%	24.1%	35.3%	26.9%
Urban	22.7%	19.8%	30.7%	21.4%
Rural	33.7%	28.7%	37.7%	35.1%
Female	5.2%	4.8%	8.2%	7.5%
Cook	3.8%	3.1%	5.4%	6.3%
Non-Cook	6.2%	6.0%	10.1%	8.2%
Urban	3.5%	4.8%	10.2%	7.6%
Rural	7.9%	7.6%	10.0%	9.2%
Total	13.8%	11.7%	17.9%	15.3%

Inhalants-- Lifetime				
Region by Gender				
	1995	1997	1998	2000
Male	12.7%	11.4%	14.0%	11.5%
Cook	10.4%	7.7%	10.2%	11.1%
Non-Cook	14.2%	13.6%	16.2%	11.6%
Urban	15.7%	14.4%	17.3%	10.8%
Rural	13.2%	12.8%	15.6%	12.8%
Female	9.5%	11.2%	12.8%	11.1%
Cook	9.4%	11.9%	11.1%	9.4%
Non-Cook	9.6%	10.7%	13.9%	12.3%
Urban	10.3%	12.0%	14.3%	11.6%
Rural	9.1%	9.0%	13.7%	13.3%
Total	11.1%	11.3%	13.4%	11.3%

Smokeless Tobacco -- Used Past Year				
Region by Gender				
	1995	1997	1998	2000
Male	16.6%	12.2%	18.7%	16.1%
Cook	8.5%	5.7%	10.9%	12.7%
Non-Cook	21.8%	16.0%	23.3%	18.0%
Urban	16.7%	12.2%	18.0%	12.7%
Rural	24.8%	20.1%	26.2%	25.7%
Female	2.7%	2.2%	4.7%	4.6%
Cook	1.7%	1.2%	3.5%	4.7%
Non-Cook	3.5%	2.9%	5.5%	4.5%
Urban	1.2%	3.1%	5.9%	3.9%
Rural	4.9%	2.7%	5.2%	5.4%
Total	9.5%	7.0%	11.1%	10.0%

Inhalants-- Used Past Year				
Region by Gender				
	1995	1997	1998	2000
Male	7.1%	6.4%	8.3%	6.4%
Cook	5.4%	4.4%	6.6%	5.2%
Non-Cook	8.2%	7.6%	9.4%	7.1%
Urban	9.7%	7.8%	10.0%	6.4%
Rural	7.3%	7.5%	9.0%	8.1%
Female	4.7%	6.6%	7.4%	6.2%
Cook	5.2%	7.4%	6.3%	4.8%
Non-Cook	4.4%	6.1%	8.1%	7.0%
Urban	4.2%	6.7%	9.4%	6.6%
Rural	4.5%	5.3%	7.4%	7.7%
Total	5.9%	6.5%	7.9%	6.3%

Smokeless Tobacco -- Used Past Month				
Region by Gender				
	1995	1997	1998	2000
Male	10.3%	7.7%	7.6%	7.0%
Cook	3.8%	2.8%	3.9%	5.2%
Non-Cook	14.4%	10.6%	9.7%	8.0%
Urban	10.8%	7.5%	6.5%	5.9%
Rural	16.7%	13.8%	11.5%	11.0%
Female	1.2%	1.2%	1.3%	2.1%
Cook	0.8%	0.9%	1.6%	1.9%
Non-Cook	1.5%	1.3%	1.1%	2.2%
Urban	0.4%	1.5%	1.9%	1.8%
Rural	2.2%	1.1%	0.6%	2.7%
Total	5.6%	4.3%	4.1%	4.4%

Inhalants-- Used Past Month				
Region by Gender				
	1995	1997	1998	2000
Male	4.5%	4.0%	3.2%	2.4%
Cook	4.1%	2.9%	2.9%	1.8%
Non-Cook	4.7%	4.6%	3.3%	2.8%
Urban	5.6%	4.8%	2.6%	2.5%
Rural	4.2%	4.5%	3.6%	3.2%
Female	2.4%	4.3%	2.3%	2.7%
Cook	3.1%	5.2%	1.8%	2.1%
Non-Cook	1.9%	3.7%	2.6%	3.2%
Urban	2.1%	4.0%	3.0%	3.1%
Rural	1.8%	3.2%	2.4%	3.3%
Total	3.4%	4.1%	2.7%	2.6%

There was a change in instrument between 1997 and 1998.

Any Illicit -- Lifetime Region by Gender				
	1995	1997	1998	2000
Male	39.2%	44.7%	47.0%	42.1%
Cook	41.8%	44.4%	50.8%	42.8%
Non-Cook	37.5%	44.8%	44.8%	41.8%
Urban	41.8%	50.8%	49.6%	46.1%
Rural	34.8%	38.6%	42.2%	35.3%
Female	32.8%	40.1%	41.2%	37.2%
Cook	35.4%	44.0%	44.9%	33.6%
Non-Cook	30.9%	37.6%	38.7%	39.6%
Urban	35.6%	42.5%	46.4%	43.2%
Rural	28.0%	31.2%	34.3%	33.9%
Total	35.9%	42.3%	44.0%	39.7%

Marijuana -- Lifetime Region by Gender				
	1995	1997	1998	2000
Male	34.9%	42.0%	44.6%	40.4%
Cook	38.7%	42.9%	49.3%	42.0%
Non-Cook	32.4%	41.4%	41.7%	39.5%
Urban	36.9%	47.0%	46.7%	44.5%
Rural	29.7%	35.5%	39.1%	32.2%
Female	27.9%	34.8%	37.9%	34.9%
Cook	30.4%	37.8%	41.9%	31.4%
Non-Cook	26.1%	32.8%	35.3%	37.3%
Urban	31.0%	36.8%	42.7%	40.6%
Rural	23.0%	27.6%	31.0%	32.1%
Total	31.2%	38.2%	41.1%	37.7%

Any Illicit -- Used Past Year Region by Gender				
	1995	1997	1998	2000
Male	33.3%	38.0%	37.9%	33.7%
Cook	35.5%	37.2%	40.1%	34.3%
Non-Cook	31.9%	38.5%	36.6%	33.4%
Urban	35.5%	43.4%	42.0%	36.9%
Rural	29.7%	33.5%	33.7%	28.2%
Female	28.0%	34.4%	32.6%	28.1%
Cook	30.1%	37.0%	34.5%	25.1%
Non-Cook	26.6%	32.7%	31.3%	30.1%
Urban	30.9%	37.3%	38.2%	32.9%
Rural	23.8%	26.7%	27.4%	25.7%
Total	30.6%	36.2%	35.2%	30.8%

Marijuana -- Used Past Year Region by Gender				
	1995	1997	1998	2000
Male	30.1%	36.1%	36.2%	32.1%
Cook	33.8%	36.2%	39.1%	32.9%
Non-Cook	27.7%	36.0%	34.5%	31.6%
Urban	32.5%	40.3%	39.9%	35.8%
Rural	24.9%	31.4%	31.5%	25.4%
Female	24.7%	30.8%	30.0%	26.3%
Cook	26.8%	32.8%	31.9%	23.4%
Non-Cook	23.3%	29.4%	28.7%	28.4%
Urban	28.3%	33.5%	35.7%	30.9%
Rural	20.2%	24.2%	24.7%	24.3%
Total	27.3%	33.3%	33.0%	29.1%

Any Illicit -- Used Past Month Region by Gender				
	1995	1997	1998	2000
Male	26.4%	29.9%	24.3%	21.3%
Cook	27.2%	28.7%	27.1%	21.2%
Non-Cook	25.9%	30.7%	22.6%	21.3%
Urban	31.1%	34.0%	29.1%	23.0%
Rural	22.7%	27.2%	19.1%	18.9%
Female	21.1%	26.5%	18.2%	17.2%
Cook	23.7%	29.5%	20.1%	14.9%
Non-Cook	19.2%	24.4%	17.0%	18.8%
Urban	23.6%	27.9%	21.6%	20.6%
Rural	16.4%	19.9%	14.3%	15.9%
Total	23.7%	28.1%	21.1%	19.2%

Marijuana -- Used Past Month Region by Gender				
	1995	1997	1998	2000
Male	23.6%	28.0%	22.9%	19.7%
Cook	25.3%	28.0%	26.7%	19.8%
Non-Cook	22.6%	28.0%	20.6%	19.7%
Urban	28.1%	30.8%	27.2%	21.9%
Rural	19.3%	25.1%	17.1%	16.3%
Female	18.5%	23.3%	16.8%	15.7%
Cook	20.9%	25.9%	18.9%	13.3%
Non-Cook	16.8%	21.6%	15.5%	17.4%
Urban	21.5%	24.5%	20.0%	19.2%
Rural	13.9%	17.8%	12.9%	14.6%
Total	21.0%	25.6%	19.7%	17.6%

There was a change in instrument between 1997 and 1998.

Cocaine/Crack -- Lifetime Region by Gender				
	1995	1997	1998	2000
Male	5.3%	6.3%	5.9%	5.6%
Cook	6.1%	5.1%	4.3%	4.9%
Non-Cook	4.9%	7.0%	6.8%	6.0%
Urban	5.0%	7.0%	8.1%	6.4%
Rural	4.8%	7.0%	6.1%	5.5%
Female	3.6%	5.8%	4.0%	4.6%
Cook	4.7%	5.3%	2.9%	4.3%
Non-Cook	2.8%	6.1%	4.7%	4.8%
Urban	3.0%	7.5%	5.8%	4.6%
Rural	2.7%	4.3%	4.1%	5.2%
Total	4.5%	6.0%	5.0%	5.0%

Any Hallucinogen -- Lifetime Region by Gender				
	1995	1997	1998	2000
Male	10.1%	13.2%	10.9%	8.7%
Cook	9.8%	10.6%	7.8%	7.8%
Non-Cook	10.3%	14.7%	12.8%	9.2%
Urban	10.8%	16.5%	16.8%	10.3%
Rural	10.1%	12.7%	10.6%	7.6%
Female	8.3%	11.5%	6.1%	7.1%
Cook	9.0%	11.3%	4.5%	5.1%
Non-Cook	7.8%	11.5%	7.2%	8.4%
Urban	11.0%	14.4%	10.0%	9.2%
Rural	5.9%	7.9%	5.6%	7.2%
Total	9.2%	12.3%	8.5%	7.9%

Cocaine/Crack -- Used Past Year Region by Gender				
	1995	1997	1998	2000
Male	4.2%	5.1%	3.6%	4.0%
Cook	4.8%	4.1%	2.4%	2.8%
Non-Cook	3.9%	5.6%	4.3%	4.6%
Urban	4.2%	5.6%	5.4%	4.9%
Rural	3.7%	5.6%	3.7%	4.1%
Female	2.8%	4.9%	2.9%	3.3%
Cook	3.7%	4.7%	2.2%	2.7%
Non-Cook	2.2%	5.0%	3.5%	3.7%
Urban	2.0%	6.6%	3.9%	3.4%
Rural	2.3%	3.1%	3.2%	4.2%
Total	3.5%	5.0%	3.4%	3.6%

Any Hallucinogen -- Used Past Year Region by Gender				
	1995	1997	1998	2000
Male	8.6%	10.6%	8.3%	6.3%
Cook	7.7%	8.8%	5.4%	5.2%
Non-Cook	9.2%	11.7%	10.1%	6.9%
Urban	9.4%	12.5%	14.3%	7.6%
Rural	9.0%	10.8%	7.7%	5.9%
Female	6.8%	9.2%	4.1%	4.7%
Cook	7.4%	8.8%	2.8%	3.3%
Non-Cook	6.4%	9.4%	5.0%	5.6%
Urban	8.5%	12.0%	6.5%	5.9%
Rural	5.0%	6.2%	4.2%	5.0%
Total	7.7%	9.9%	6.2%	5.5%

Cocaine/Crack -- Used Past Month Region by Gender				
	1995	1997	1998	2000
Male	3.0%	3.6%	1.7%	1.8%
Cook	3.6%	3.3%	0.9%	1.5%
Non-Cook	2.7%	3.7%	2.2%	1.9%
Urban	2.7%	3.7%	2.3%	2.0%
Rural	2.7%	3.8%	2.1%	1.7%
Female	1.8%	2.8%	1.3%	1.3%
Cook	2.4%	2.1%	0.8%	0.9%
Non-Cook	1.3%	3.2%	1.6%	1.6%
Urban	1.2%	3.9%	1.2%	1.8%
Rural	1.4%	2.3%	1.8%	1.2%
Total	2.4%	3.2%	1.5%	1.5%

Any Hallucinogen -- Used Past Month Region by Gender				
	1995	1997	1998	2000
Male	6.5%	6.9%	4.0%	2.7%
Cook	5.9%	6.0%	1.3%	2.4%
Non-Cook	6.8%	7.5%	5.5%	2.8%
Urban	7.4%	8.4%	7.4%	2.7%
Rural	6.5%	6.6%	4.5%	2.8%
Female	4.3%	5.0%	1.3%	1.6%
Cook	4.5%	5.0%	0.9%	1.4%
Non-Cook	4.2%	5.1%	1.6%	1.7%
Urban	4.7%	6.4%	2.0%	1.9%
Rural	3.9%	3.4%	1.3%	1.5%
Total	5.4%	6.0%	2.6%	2.1%

There was a change in instrument between 1997 and 1998.

Any Substance -- Lifetime Region by Gender				
	1995	1997	1998	2000
Male	70.6%	71.7%	79.4%	76.7%
Cook	67.4%	68.5%	80.4%	74.7%
Non-Cook	72.7%	73.7%	78.9%	77.8%
Urban	71.4%	77.8%	80.4%	78.6%
Rural	73.5%	69.2%	78.1%	76.6%
Female	70.2%	74.0%	78.8%	78.8%
Cook	70.6%	73.7%	80.7%	78.5%
Non-Cook	69.9%	74.2%	77.5%	79.1%
Urban	72.5%	76.4%	82.0%	80.9%
Rural	68.3%	71.3%	74.9%	76.0%
Total	70.4%	72.9%	79.1%	77.9%

Number of Students Region by Gender				
	1995	1997	1998	2000
Male	2,160	2,210	2,201	2,982
Cook	857	849	828	1,051
Non-Cook	1,303	1,361	1,374	1,868
Urban	491	699	480	1,117
Rural	812	662	894	751
Female	2,271	2,340	2,540	3,297
Cook	952	944	1,008	1,358
Non-Cook	1,318	1,396	1,532	1,997
Urban	510	787	561	1,228
Rural	808	609	971	770
Total	4,475	4,550	4,810	6,387

Any Substance -- Used Past Year Region by Gender				
	1995	1997	1998	2000
Male	63.3%	64.1%	71.4%	67.8%
Cook	59.3%	59.1%	70.0%	66.1%
Non-Cook	65.8%	67.1%	72.2%	68.8%
Urban	64.4%	71.1%	73.5%	70.1%
Rural	66.7%	62.9%	71.6%	66.8%
Female	61.5%	66.0%	70.1%	67.8%
Cook	61.9%	63.1%	70.2%	65.4%
Non-Cook	61.3%	68.6%	70.1%	69.5%
Urban	65.0%	71.1%	76.9%	70.8%
Rural	58.9%	65.5%	66.1%	67.3%
Total	62.4%	65.3%	70.7%	67.9%

Any Substance -- Used Past Month Region by Gender				
	1995	1997	1998	2000
Male	52.5%	52.4%	52.1%	46.9%
Cook	48.7%	47.3%	51.0%	44.4%
Non-Cook	54.9%	55.5%	52.8%	48.3%
Urban	55.4%	58.8%	56.7%	49.2%
Rural	54.5%	51.9%	50.7%	46.8%
Female	47.9%	52.9%	47.1%	44.7%
Cook	48.8%	49.9%	44.0%	41.5%
Non-Cook	47.3%	54.8%	49.1%	46.8%
Urban	51.6%	57.2%	55.1%	47.2%
Rural	44.6%	51.8%	45.6%	46.2%
Total	50.1%	52.6%	49.5%	45.7%

There was a change in instrument between 1997 and 1998.

Appendix B-4
Drug Prevalences:
Total Respondents: Region by Grade

There was a change in instrument between 1997 and 1998.

Alcohol -- Lifetime Region by Grade					
		1995	1997	1998	2000
8 t h	Cook County	60.0%	56.2%	66.8%	61.8%
	Non-Cook	53.8%	54.2%	56.8%	58.8%
	Urban	55.2%	60.8%	62.5%	61.2%
	Rural	53.0%	47.6%	54.5%	55.0%
1 0 t h	Cook County	55.5%	64.2%	74.8%	74.7%
	Non-Cook	69.5%	69.7%	77.6%	74.4%
	Urban	73.3%	72.1%	79.2%	73.4%
	Rural	67.2%	66.8%	76.6%	76.0%
1 2 t h	Cook County	70.9%	70.9%	82.0%	81.7%
	Non-Cook	77.3%	80.2%	84.5%	83.1%
	Urban	80.7%	79.4%	84.6%	83.4%
	Rural	75.3%	81.2%	84.5%	82.5%
Total		64.2%	66.0%	73.2%	71.8%

Tobacco -- Lifetime Region by Grade					
		1995	1997	1998	2000
8 t h	Cook County	45.2%	42.5%	58.4%	44.1%
	Non-Cook	43.1%	44.2%	48.6%	49.2%
	Urban	41.8%	48.0%	51.3%	53.5%
	Rural	44.0%	40.5%	47.5%	42.3%
1 0 t h	Cook County	38.0%	47.9%	60.1%	56.3%
	Non-Cook	52.2%	54.8%	66.9%	59.6%
	Urban	49.5%	58.0%	68.2%	59.6%
	Rural	53.8%	50.7%	66.1%	59.7%
1 2 t h	Cook County	50.3%	50.4%	64.2%	68.4%
	Non-Cook	60.6%	61.6%	72.1%	70.5%
	Urban	61.8%	60.1%	72.7%	71.2%
	Rural	59.9%	63.7%	71.8%	69.4%
Total		48.5%	50.7%	61.7%	57.7%

Alcohol -- Used Past Year Region by Grade					
		1995	1997	1998	2000
8 t h	Cook County	50.9%	42.6%	55.8%	49.7%
	Non-Cook	44.9%	47.2%	51.3%	50.2%
	Urban	47.9%	52.9%	59.0%	52.8%
	Rural	42.9%	41.5%	48.2%	46.1%
1 0 t h	Cook County	48.9%	54.7%	65.7%	65.6%
	Non-Cook	60.5%	63.7%	71.8%	67.7%
	Urban	65.9%	66.6%	72.4%	67.3%
	Rural	57.4%	60.0%	71.4%	68.3%
1 2 t h	Cook County	63.7%	64.7%	74.4%	76.3%
	Non-Cook	69.1%	74.5%	78.5%	78.5%
	Urban	73.7%	73.6%	79.7%	79.0%
	Rural	66.4%	75.6%	77.7%	77.7%
Total		55.9%	58.2%	66.0%	64.1%

Tobacco -- Used Past Year Region by Grade					
		1995	1997	1998	2000
8 t h	Cook County	37.2%	32.5%	35.4%	20.0%
	Non-Cook	36.0%	36.8%	32.2%	26.9%
	Urban	35.9%	40.6%	35.3%	28.9%
	Rural	36.1%	33.2%	30.9%	23.6%
1 0 t h	Cook County	31.0%	39.0%	35.2%	31.0%
	Non-Cook	43.0%	46.9%	46.5%	37.5%
	Urban	41.8%	50.5%	47.0%	36.6%
	Rural	43.8%	42.5%	46.2%	38.9%
1 2 t h	Cook County	41.9%	40.5%	39.5%	44.3%
	Non-Cook	50.3%	52.2%	51.8%	48.2%
	Urban	51.2%	50.7%	53.4%	46.8%
	Rural	49.7%	54.2%	50.8%	50.2%
Total		40.1%	42.0%	40.6%	34.6%

Alcohol -- Used Past Month Region by Grade					
		1995	1997	1998	2000
8 t h	Cook County	34.0%	28.7%	30.4%	21.0%
	Non-Cook	30.4%	32.5%	25.9%	24.6%
	Urban	33.9%	36.2%	34.1%	27.3%
	Rural	28.1%	28.8%	22.6%	20.4%
1 0 t h	Cook County	37.3%	41.7%	36.4%	38.6%
	Non-Cook	45.9%	48.5%	44.5%	41.3%
	Urban	48.3%	51.3%	45.3%	39.5%
	Rural	44.5%	45.0%	44.0%	44.0%
1 2 t h	Cook County	53.2%	54.0%	47.9%	52.2%
	Non-Cook	54.2%	60.7%	58.7%	53.9%
	Urban	60.8%	60.1%	61.4%	53.7%
	Rural	50.4%	61.6%	57.1%	54.2%
Total		41.8%	44.4%	40.7%	38.1%

Tobacco -- Used Past Month Region by Grade					
		1995	1997	1998	2000
8 t h	Cook County	27.3%	23.1%	23.1%	9.6%
	Non-Cook	27.0%	27.3%	20.8%	17.0%
	Urban	26.7%	30.0%	22.9%	18.6%
	Rural	27.2%	24.7%	20.0%	14.4%
1 0 t h	Cook County	24.6%	30.2%	23.6%	20.8%
	Non-Cook	35.6%	38.5%	30.8%	27.8%
	Urban	35.0%	40.9%	32.0%	27.8%
	Rural	35.9%	35.6%	29.9%	27.9%
1 2 t h	Cook County	36.3%	33.1%	31.8%	33.3%
	Non-Cook	42.1%	43.2%	39.3%	37.5%
	Urban	46.8%	42.6%	41.3%	36.8%
	Rural	39.3%	44.2%	38.0%	38.5%
Total		32.2%	33.2%	28.4%	24.4%

There was a change in instrument between 1997 and 1998.

Smokeless Tobacco -- Lifetime					
Region by Grade					
		1995	1997	1998	2000
8 t h	Cook County	5.9%	4.5%	9.2%	8.4%
	Non-Cook	15.0%	8.4%	12.7%	10.6%
	Urban	9.8%	5.7%	10.1%	10.0%
	Rural	18.4%	11.1%	13.8%	11.5%
1 0 t h	Cook County	5.9%	6.1%	9.2%	11.2%
	Non-Cook	16.4%	16.5%	22.6%	16.2%
	Urban	11.8%	13.9%	20.3%	12.3%
	Rural	19.0%	19.7%	24.2%	22.3%
1 2 t h	Cook County	12.3%	9.7%	17.2%	18.2%
	Non-Cook	23.0%	20.2%	30.9%	25.7%
	Urban	18.3%	15.4%	26.7%	21.0%
	Rural	25.8%	26.7%	33.7%	32.7%
Total		13.8%	11.7%	17.9%	15.3%

Inhalants -- Lifetime					
Region by Grade					
		1995	1997	1998	2000
8 t h	Cook County	11.7%	10.3%	12.5%	12.7%
	Non-Cook	11.1%	11.6%	16.1%	14.6%
	Urban	11.9%	15.2%	19.2%	14.1%
	Rural	10.5%	8.1%	14.9%	15.4%
1 0 t h	Cook County	8.7%	11.0%	9.8%	6.8%
	Non-Cook	12.1%	13.5%	15.2%	11.1%
	Urban	11.9%	14.0%	15.9%	10.7%
	Rural	12.1%	12.8%	14.8%	11.8%
1 2 t h	Cook County	9.2%	8.1%	9.9%	11.1%
	Non-Cook	12.7%	11.3%	13.6%	10.2%
	Urban	15.9%	10.4%	12.8%	8.8%
	Rural	10.8%	12.7%	14.1%	12.3%
Total		11.1%	11.3%	13.4%	11.3%

Smokeless Tobacco -- Used Past Year					
Region by Grade					
		1995	1997	1998	2000
8 t h	Cook County	3.7%	2.4%	6.1%	5.4%
	Non-Cook	9.7%	5.7%	8.1%	6.9%
	Urban	6.1%	3.8%	6.0%	6.0%
	Rural	12.1%	7.6%	8.9%	8.4%
1 0 t h	Cook County	4.1%	3.3%	6.0%	9.7%
	Non-Cook	13.2%	10.9%	14.4%	10.8%
	Urban	9.7%	9.1%	12.8%	6.8%
	Rural	15.3%	13.1%	15.5%	16.9%
1 2 t h	Cook County	7.9%	4.4%	8.7%	10.9%
	Non-Cook	15.1%	11.6%	19.5%	15.7%
	Urban	11.0%	8.8%	14.5%	11.9%
	Rural	17.5%	15.4%	22.6%	21.4%
Total		9.5%	7.0%	11.1%	10.0%

Inhalants -- Used Past Year					
Region by Grade					
		1995	1997	1998	2000
8 t h	Cook County	6.1%	7.1%	9.1%	7.4%
	Non-Cook	8.0%	8.1%	11.7%	9.9%
	Urban	8.4%	10.1%	14.2%	9.4%
	Rural	7.7%	6.0%	10.7%	10.6%
1 0 t h	Cook County	4.7%	7.0%	4.6%	3.2%
	Non-Cook	5.6%	6.9%	8.9%	6.0%
	Urban	5.6%	6.6%	10.4%	5.4%
	Rural	5.7%	7.3%	7.8%	7.0%
1 2 t h	Cook County	5.1%	3.4%	5.3%	4.2%
	Non-Cook	5.2%	5.5%	5.5%	5.1%
	Urban	6.7%	5.2%	5.2%	4.6%
	Rural	4.3%	6.0%	5.7%	5.9%
Total		5.9%	6.5%	7.9%	6.3%

Smokeless Tobacco -- Used Past Month					
Region by Grade					
		1995	1997	1998	2000
8 t h	Cook County	2.3%	1.9%	2.8%	2.3%
	Non-Cook	6.5%	3.4%	3.2%	2.8%
	Urban	4.9%	1.6%	3.1%	2.4%
	Rural	7.5%	5.1%	3.2%	3.4%
1 0 t h	Cook County	1.9%	2.1%	2.3%	4.2%
	Non-Cook	7.9%	7.3%	5.1%	4.8%
	Urban	5.2%	6.2%	4.8%	3.9%
	Rural	9.6%	8.6%	5.3%	6.3%
1 2 t h	Cook County	3.0%	1.3%	2.8%	4.3%
	Non-Cook	9.3%	7.0%	7.2%	7.6%
	Urban	6.4%	4.9%	3.7%	5.4%
	Rural	11.0%	10.0%	9.4%	10.9%
Total		5.6%	4.3%	4.1%	4.4%

Inhalants -- Used Past Month					
Region by Grade					
		1995	1997	1998	2000
8 t h	Cook County	4.8%	4.6%	3.7%	3.2%
	Non-Cook	3.9%	5.8%	4.5%	4.7%
	Urban	5.5%	7.5%	4.8%	4.6%
	Rural	2.7%	4.2%	4.3%	4.8%
1 0 t h	Cook County	2.5%	5.8%	1.4%	1.5%
	Non-Cook	3.2%	3.9%	2.6%	2.6%
	Urban	2.8%	3.2%	2.9%	2.4%
	Rural	3.5%	4.6%	2.4%	2.9%
1 2 t h	Cook County	3.5%	1.4%	1.9%	1.0%
	Non-Cook	2.7%	2.6%	1.7%	1.6%
	Urban	3.0%	2.7%	1.0%	1.4%
	Rural	2.5%	2.6%	2.2%	1.9%
Total		3.4%	4.1%	2.7%	2.6%

There was a change in instrument between 1997 and 1998.

Any Illicit -- Lifetime Region by Grade					
		1995	1997	1998	2000
8th	Cook County	35.5%	34.4%	37.4%	24.6%
	Non-Cook	23.8%	30.3%	25.6%	26.4%
	Urban	26.9%	38.5%	27.7%	30.8%
	Rural	21.7%	22.2%	24.8%	19.5%
10th	Cook County	34.7%	46.2%	51.0%	40.5%
	Non-Cook	35.8%	42.2%	45.9%	42.1%
	Urban	37.0%	46.3%	51.0%	46.1%
	Rural	35.0%	37.1%	42.4%	35.8%
12th	Cook County	47.3%	54.4%	57.5%	52.9%
	Non-Cook	45.1%	51.8%	54.2%	55.0%
	Urban	56.4%	53.8%	60.4%	58.7%
	Rural	38.5%	49.0%	50.2%	49.5%
Total		35.9%	42.3%	44.0%	39.7%

Marijuana -- Lifetime Region by Grade					
		1995	1997	1998	2000
8th	Cook County	29.4%	28.3%	33.5%	22.7%
	Non-Cook	17.5%	24.2%	20.4%	23.5%
	Urban	20.0%	30.6%	21.8%	27.8%
	Rural	15.9%	18.0%	19.8%	16.9%
10th	Cook County	31.8%	43.1%	49.1%	38.3%
	Non-Cook	30.9%	38.0%	43.2%	39.9%
	Urban	32.8%	41.9%	47.8%	44.3%
	Rural	29.7%	33.3%	40.0%	33.1%
12th	Cook County	44.1%	51.6%	56.3%	52.0%
	Non-Cook	41.5%	49.7%	52.2%	53.3%
	Urban	53.7%	51.4%	58.8%	57.0%
	Rural	34.5%	47.5%	48.0%	47.7%
Total		31.2%	38.2%	41.1%	37.7%

Any Illicit -- Used Past Year Region by Grade					
		1995	1997	1998	2000
8th	Cook County	29.5%	28.4%	30.8%	19.0%
	Non-Cook	20.2%	26.3%	20.5%	21.3%
	Urban	22.5%	33.7%	22.3%	25.4%
	Rural	18.7%	19.0%	19.8%	14.9%
10th	Cook County	30.1%	38.9%	40.2%	31.6%
	Non-Cook	31.3%	37.4%	38.4%	33.5%
	Urban	32.0%	40.8%	42.7%	35.6%
	Rural	30.9%	33.3%	35.4%	30.2%
12th	Cook County	40.5%	46.3%	42.6%	40.0%
	Non-Cook	37.9%	43.6%	43.2%	41.4%
	Urban	49.2%	45.4%	50.7%	44.9%
	Rural	31.3%	41.2%	38.4%	36.2%
Total		30.6%	36.2%	35.2%	30.8%

Marijuana -- Used Past Year Region by Grade					
		1995	1997	1998	2000
8th	Cook County	25.7%	24.0%	28.1%	17.9%
	Non-Cook	15.0%	22.0%	16.7%	19.3%
	Urban	18.0%	27.9%	18.0%	23.3%
	Rural	13.0%	16.2%	16.2%	13.1%
10th	Cook County	28.5%	36.5%	38.7%	29.5%
	Non-Cook	27.7%	34.5%	36.2%	31.8%
	Urban	29.8%	37.6%	40.8%	34.5%
	Rural	26.4%	30.6%	33.1%	27.6%
12th	Cook County	37.8%	45.2%	40.8%	38.2%
	Non-Cook	35.8%	42.1%	42.2%	39.8%
	Urban	47.7%	43.8%	49.6%	43.4%
	Rural	28.9%	39.8%	37.4%	34.6%
Total		27.3%	33.3%	33.0%	29.1%

Any Illicit -- Used Past Month Region by Grade					
		1995	1997	1998	2000
8th	Cook County	22.4%	21.3%	18.6%	9.4%
	Non-Cook	14.2%	20.2%	12.0%	12.2%
	Urban	17.0%	26.0%	15.1%	14.7%
	Rural	12.3%	14.5%	10.7%	8.3%
10th	Cook County	23.0%	31.0%	27.0%	20.3%
	Non-Cook	24.8%	29.4%	22.7%	21.4%
	Urban	26.8%	30.7%	24.9%	23.1%
	Rural	23.7%	28.0%	21.2%	18.7%
12th	Cook County	32.7%	36.9%	25.3%	25.6%
	Non-Cook	29.9%	33.3%	24.5%	27.6%
	Urban	41.8%	35.3%	32.8%	28.6%
	Rural	22.8%	30.7%	19.3%	26.0%
Total		23.7%	28.1%	21.1%	19.2%

Marijuana -- Used Past Month Region by Grade					
		1995	1997	1998	2000
8th	Cook County	18.6%	18.2%	17.3%	8.6%
	Non-Cook	10.9%	16.2%	9.7%	10.8%
	Urban	13.6%	20.9%	12.2%	13.5%
	Rural	9.1%	11.6%	8.6%	6.6%
10th	Cook County	22.1%	28.4%	26.7%	18.4%
	Non-Cook	21.3%	26.9%	21.3%	19.7%
	Urban	24.3%	27.9%	23.3%	21.7%
	Rural	19.5%	25.7%	19.9%	16.7%
12th	Cook County	30.0%	36.1%	24.2%	23.2%
	Non-Cook	28.3%	31.6%	23.3%	25.9%
	Urban	40.4%	33.0%	31.9%	27.2%
	Rural	21.3%	29.7%	17.9%	24.0%
Total		21.0%	25.6%	19.7%	17.6%

There was a change in instrument between 1997 and 1998.

Cocaine/Crack -- Lifetime Region by Grade					
		1995	1997	1998	2000
8 t h	Cook County	3.7%	2.1%	3.0%	3.4%
	Non-Cook	2.6%	4.3%	4.2%	3.0%
	Urban	2.3%	5.7%	5.1%	3.6%
	Rural	2.9%	2.8%	3.8%	2.2%
1 0 t h	Cook County	4.9%	7.1%	3.4%	3.8%
	Non-Cook	3.9%	6.8%	5.3%	4.7%
	Urban	2.5%	7.2%	4.9%	5.3%
	Rural	4.7%	6.2%	5.6%	3.8%
1 2 t h	Cook County	8.7%	6.9%	5.1%	6.9%
	Non-Cook	5.0%	8.8%	8.1%	8.6%
	Urban	7.8%	8.8%	11.0%	7.6%
	Rural	3.4%	8.8%	6.3%	10.1%
Total		4.5%	6.0%	5.0%	5.0%

Any Hallucinogen -- Lifetime Region by Grade					
		1995	1997	1998	2000
8 t h	Cook County	7.3%	5.7%	2.7%	2.1%
	Non-Cook	5.3%	6.6%	3.5%	2.5%
	Urban	6.3%	8.3%	3.5%	3.0%
	Rural	4.7%	5.0%	3.4%	1.8%
1 0 t h	Cook County	8.3%	13.8%	5.3%	5.7%
	Non-Cook	9.6%	13.8%	9.1%	9.4%
	Urban	8.1%	15.7%	10.6%	11.3%
	Rural	10.5%	11.5%	8.0%	6.6%
1 2 t h	Cook County	13.9%	14.4%	12.1%	13.0%
	Non-Cook	13.1%	19.2%	17.6%	15.0%
	Urban	20.4%	21.6%	23.8%	15.6%
	Rural	8.8%	16.0%	13.7%	14.0%
Total		9.2%	12.3%	8.5%	7.9%

Cocaine/Crack -- Used Past Year Region by Grade					
		1995	1997	1998	2000
8 t h	Cook County	2.9%	1.3%	1.7%	1.8%
	Non-Cook	1.8%	3.7%	2.2%	2.1%
	Urban	1.4%	5.2%	2.6%	2.5%
	Rural	2.1%	2.2%	2.1%	1.4%
1 0 t h	Cook County	4.0%	6.1%	2.2%	2.1%
	Non-Cook	3.2%	5.0%	3.8%	3.6%
	Urban	2.2%	5.3%	3.6%	4.2%
	Rural	3.9%	4.5%	4.0%	2.8%
1 2 t h	Cook County	6.7%	6.3%	3.5%	4.5%
	Non-Cook	4.0%	7.5%	5.9%	6.9%
	Urban	6.1%	7.8%	7.7%	5.8%
	Rural	2.8%	7.2%	4.8%	8.4%
Total		3.5%	5.0%	3.4%	3.6%

Any Hallucinogen -- Used Past Year Region by Grade					
		1995	1997	1998	2000
8 t h	Cook County	5.3%	3.9%	1.8%	1.5%
	Non-Cook	4.2%	5.1%	2.6%	1.7%
	Urban	4.5%	6.5%	2.7%	2.1%
	Rural	3.9%	3.8%	2.6%	1.1%
1 0 t h	Cook County	7.0%	12.2%	4.5%	4.3%
	Non-Cook	8.7%	11.7%	7.1%	7.0%
	Urban	7.5%	13.3%	8.3%	8.3%
	Rural	9.4%	9.6%	6.3%	5.1%
1 2 t h	Cook County	11.6%	10.9%	7.1%	8.0%
	Non-Cook	10.9%	15.1%	12.9%	10.4%
	Urban	16.1%	16.3%	18.1%	10.5%
	Rural	7.8%	13.4%	9.5%	10.2%
Total		7.7%	9.9%	6.2%	5.5%

Cocaine/Crack -- Used Past Month Region by Grade					
		1995	1997	1998	2000
8 t h	Cook County	2.1%	1.1%	0.5%	0.6%
	Non-Cook	0.9%	2.0%	0.9%	0.7%
	Urban	1.1%	2.4%	1.7%	1.1%
	Rural	0.7%	1.7%	0.5%	0.1%
1 0 t h	Cook County	2.9%	3.4%	0.9%	0.6%
	Non-Cook	2.3%	3.4%	2.6%	1.8%
	Urban	1.2%	3.7%	1.4%	2.3%
	Rural	2.9%	3.0%	3.4%	0.8%
1 2 t h	Cook County	4.7%	4.0%	1.4%	2.6%
	Non-Cook	2.9%	5.1%	2.5%	2.9%
	Urban	3.7%	5.3%	2.3%	2.5%
	Rural	2.4%	4.9%	2.5%	3.4%
Total		2.4%	3.2%	1.5%	1.5%

Any Hallucinogen -- Used Past Month Region by Grade					
		1995	1997	1998	2000
8 t h	Cook County	4.1%	2.6%	0.7%	0.9%
	Non-Cook	3.0%	2.9%	1.2%	0.8%
	Urban	3.7%	3.9%	0.9%	1.0%
	Rural	2.6%	1.9%	1.4%	0.4%
1 0 t h	Cook County	4.4%	8.6%	1.4%	0.9%
	Non-Cook	6.7%	7.7%	3.5%	3.0%
	Urban	5.4%	8.4%	3.7%	3.2%
	Rural	7.5%	6.7%	3.4%	2.7%
1 2 t h	Cook County	7.9%	5.2%	1.8%	4.1%
	Non-Cook	6.9%	8.4%	5.7%	3.1%
	Urban	9.5%	9.3%	8.1%	3.0%
	Rural	5.4%	7.2%	4.2%	3.3%
Total		5.4%	6.0%	2.6%	2.1%

There was a change in instrument between 1997 and 1998.

Any Substance -- Lifetime					
Region by Grade					
		1995	1997	1998	2000
8 t h	Cook County	72.0%	65.2%	75.8%	67.8%
	Non-Cook	59.3%	62.9%	63.8%	67.9%
	Urban	59.2%	69.6%	67.0%	71.8%
	Rural	59.4%	56.3%	62.4%	61.8%
1 0 t h	Cook County	61.1%	70.7%	81.5%	80.0%
	Non-Cook	75.3%	75.9%	83.4%	80.6%
	Urban	77.0%	78.6%	85.0%	80.1%
	Rural	74.3%	72.6%	82.3%	81.4%
1 2 t h	Cook County	76.2%	79.9%	85.9%	85.9%
	Non-Cook	80.8%	83.7%	88.0%	87.5%
	Urban	82.9%	82.5%	88.3%	88.5%
	Rural	79.5%	85.4%	87.8%	86.1%
Total		70.4%	72.9%	79.1%	77.9%

Number of Students					
Region by Grade					
		1995	1997	1998	2000
8 t h	Cook County	665	646	688	922
	Non-Cook	949	943	1016	1367
	Urban	380	465	293	838
	Rural	569	479	724	528
1 0 t h	Cook County	671	658	655	879
	Non-Cook	909	940	971	1309
	Urban	338	518	394	795
	Rural	571	421	577	514
1 2 t h	Cook County	490	490	528	657
	Non-Cook	791	874	951	1254
	Urban	293	503	369	749
	Rural	498	371	582	505
Total		4,475	4,550	4,810	6,387

Any Substance -- Used Past Year					
Grade by Region					
		1995	1997	1998	2000
8 t h	Cook County	61.7%	53.0%	63.4%	53.0%
	Non-Cook	51.3%	55.6%	56.6%	55.5%
	Urban	52.2%	61.3%	62.1%	59.0%
	Rural	50.6%	50.0%	54.3%	50.0%
1 0 t h	Cook County	54.0%	61.8%	71.5%	68.8%
	Non-Cook	67.5%	69.9%	76.6%	71.9%
	Urban	69.0%	73.5%	78.4%	71.6%
	Rural	66.6%	65.6%	75.4%	72.5%
1 2 t h	Cook County	68.7%	71.4%	77.5%	79.6%
	Non-Cook	73.6%	78.9%	80.8%	81.2%
	Urban	76.1%	77.7%	82.4%	82.4%
	Rural	72.2%	80.5%	79.8%	79.4%
Total		62.4%	65.4%	70.7%	67.9%

Any Substance -- Used Past Month					
Grade by Region					
		1995	1997	1998	2000
8 t h	Cook County	45.3%	38.9%	39.5%	27.4%
	Non-Cook	37.6%	42.0%	33.8%	32.5%
	Urban	40.3%	47.0%	42.1%	36.0%
	Rural	35.8%	37.1%	30.5%	27.1%
1 0 t h	Cook County	45.0%	49.0%	48.5%	45.8%
	Non-Cook	55.2%	56.0%	53.4%	49.1%
	Urban	56.3%	59.5%	54.7%	47.8%
	Rural	54.6%	51.8%	52.6%	51.0%
1 2 t h	Cook County	59.1%	61.2%	56.4%	60.0%
	Non-Cook	62.3%	68.3%	66.0%	62.6%
	Urban	67.4%	66.6%	67.9%	63.0%
	Rural	59.2%	70.7%	64.9%	62.1%
Total		50.1%	52.6%	49.5%	45.7%

There was a change in instrument between 1997 and 1998.

Appendix B-5
Drug Prevalences:
Cook County Students:
Racial Groups By Gender

There was a change in instrument between 1997 and 1998.

Alcohol -- Lifetime Cook County Race Group by Gender				
	1995	1997	1998	2000
Male				
White	68.3%	69.9%	80.2%	74.3%
African American	42.2%	47.6%	59.9%	59.6%
Hispanic	65.6%	61.1%	78.3%	78.7%
Female				
White	77.0%	77.4%	81.3%	78.6%
African American	48.3%	53.1%	65.6%	65.1%
Hispanic	71.2%	71.3%	82.5%	78.0%
Cook Total*	61.3%	63.2%	73.9%	71.8%

Tobacco -- Lifetime Cook County Race Group by Gender				
	1995	1997	1998	2000
Male				
White	51.3%	53.5%	63.9%	54.1%
African American	26.8%	31.6%	53.0%	42.2%
Hispanic	52.1%	46.3%	68.4%	59.2%
Female				
White	65.4%	65.4%	68.2%	59.1%
African American	23.9%	28.6%	50.3%	52.9%
Hispanic	44.0%	57.3%	65.6%	58.8%
Cook Total*	44.0%	46.6%	60.7%	54.9%

Alcohol -- Used Past Year Cook County Race Group by Gender				
	1995	1997	1998	2000
Male				
White	62.0%	60.2%	76.0%	68.8%
African American	35.6%	34.1%	45.4%	47.9%
Hispanic	56.6%	52.8%	69.0%	68.1%
Female				
White	70.6%	72.5%	75.2%	71.7%
African American	39.7%	41.8%	50.4%	49.8%
Hispanic	62.5%	56.8%	75.6%	67.0%
Cook Total*	53.6%	53.1%	64.6%	62.6%

Tobacco -- Used Past Year Cook County Race Group by Gender				
	1995	1997	1998	2000
Male				
White	42.6%	45.2%	44.8%	36.6%
African American	20.6%	21.9%	23.5%	19.1%
Hispanic	43.1%	35.5%	43.1%	36.5%
Female				
White	56.9%	55.5%	47.3%	35.7%
African American	16.9%	20.0%	24.1%	21.3%
Hispanic	36.2%	45.5%	37.2%	28.1%
Cook Total*	36.2%	37.0%	36.5%	30.5%

Alcohol -- Used Past Month Cook County Race Group by Gender				
	1995	1997	1998	2000
Male				
White	50.4%	49.3%	51.9%	40.1%
African American	26.6%	26.4%	28.1%	27.7%
Hispanic	43.5%	40.4%	41.5%	39.4%
Female				
White	53.7%	55.9%	46.1%	42.3%
African American	25.6%	29.2%	21.5%	23.1%
Hispanic	46.3%	41.4%	39.0%	42.3%
Cook Total*	40.3%	40.4%	37.5%	35.7%

Tobacco -- Used Past Month Cook County Race Group by Gender				
	1995	1997	1998	2000
Male				
White	34.9%	36.9%	33.0%	27.1%
African American	14.8%	17.2%	17.1%	11.4%
Hispanic	31.4%	28.1%	26.9%	23.0%
Female				
White	49.9%	43.7%	39.2%	24.1%
African American	14.1%	12.7%	12.6%	10.5%
Hispanic	24.8%	33.4%	23.2%	19.4%
Cook Total*	28.7%	28.4%	25.8%	20.0%

*Total represents Cook County total, including other racial/ethnic groups not listed.

There was a change in instrument between 1997 and 1998.

Smokeless Tobacco -- Lifetime Cook County Race Group by Gender				
	1995	1997	1998	2000
Male				
White	23.4%	18.8%	31.6%	25.4%
African American	1.5%	4.0%	7.2%	9.9%
Hispanic	6.4%	7.1%	13.9%	16.3%
Female				
White	6.7%	4.2%	7.8%	6.5%
African American	1.6%	2.4%	3.8%	4.6%
Hispanic	2.7%	2.8%	4.8%	9.0%
Cook Total*	7.6%	6.5%	11.5%	12.0%

Inhalants-- Lifetime Cook County Race Group by Gender				
	1995	1997	1998	2000
Male				
White	15.2%	13.7%	16.3%	15.5%
African American	3.1%	3.0%	2.8%	3.1%
Hispanic	13.3%	5.7%	11.8%	15.9%
Female				
White	13.4%	22.1%	17.1%	11.7%
African American	4.1%	3.0%	3.5%	1.9%
Hispanic	11.7%	10.7%	12.3%	15.6%
Cook Total*	9.9%	9.9%	10.8%	10.1%

Smokeless Tobacco -- Used Past Year Cook County Race Group by Gender				
	1995	1997	1998	2000
Male				
White	17.3%	9.9%	17.1%	18.7%
African American	1.2%	3.1%	6.0%	4.1%
Hispanic	3.6%	2.7%	6.6%	12.5%
Female				
White	2.6%	2.1%	3.8%	4.7%
African American	0.5%	0.0%	3.8%	3.2%
Hispanic	1.7%	1.9%	3.3%	7.8%
Cook Total*	5.0%	3.3%	6.8%	8.4%

Inhalants-- Used Past Year Cook County Race Group by Gender				
	1995	1997	1998	2000
Male				
White	6.6%	8.5%	10.8%	7.9%
African American	1.2%	1.4%	2.0%	1.4%
Hispanic	9.3%	2.6%	7.9%	5.2%
Female				
White	7.3%	13.3%	10.9%	5.5%
African American	2.5%	1.1%	1.6%	0.4%
Hispanic	6.8%	8.9%	6.2%	11.2%
Cook Total*	5.3%	6.0%	6.5%	5.0%

Smokeless Tobacco -- Used Past Month Cook County Race Group by Gender				
	1995	1997	1998	2000
Male				
White	7.2%	5.4%	5.8%	6.2%
African American	0.9%	1.4%	2.7%	3.0%
Hispanic	1.6%	1.6%	2.1%	5.4%
Female				
White	0.9%	1.6%	1.7%	1.1%
African American	0.5%	0.0%	1.8%	1.8%
Hispanic	1.3%	1.5%	1.5%	4.2%
Cook Total*	2.3%	1.8%	2.6%	3.5%

Inhalants-- Used Past Month Cook County Race Group by Gender				
	1995	1997	1998	2000
Male				
White	4.9%	5.2%	4.2%	2.1%
African American	1.2%	1.0%	1.1%	0.0%
Hispanic	6.5%	1.9%	4.3%	3.3%
Female				
White	4.9%	9.6%	2.8%	2.5%
African American	0.9%	0.6%	0.2%	0.0%
Hispanic	4.4%	6.3%	2.5%	4.3%
Cook Total*	3.6%	4.1%	2.4%	2.0%

*Total represents Cook County total, including other racial/ethnic groups not listed.

There was a change in instrument between 1997 and 1998.

Any Illicit -- Lifetime Cook County Race Group by Gender				
	1995	1997	1998	2000
Male				
White	42.9%	43.8%	53.4%	40.7%
African American	39.7%	41.6%	47.4%	43.8%
Hispanic	44.1%	51.2%	51.3%	45.7%
Female				
White	38.4%	47.5%	46.7%	32.8%
African American	36.3%	41.6%	45.4%	34.1%
Hispanic	30.4%	44.9%	39.8%	36.7%
Cook Total*	38.4%	44.2%	47.8%	37.9%

Marijuana -- Lifetime Cook County Race Group by Gender				
	1995	1997	1998	2000
Male				
White	37.1%	41.7%	52.0%	39.7%
African American	39.3%	41.2%	46.6%	44.4%
Hispanic	41.7%	49.1%	47.9%	43.6%
Female				
White	32.7%	36.7%	42.7%	31.1%
African American	33.1%	38.2%	42.5%	32.4%
Hispanic	23.1%	40.6%	37.9%	33.3%
Cook Total*	34.2%	40.1%	45.5%	36.2%

Any Illicit -- Used Past Year Cook County Race Group by Gender				
	1995	1997	1998	2000
Male				
White	36.2%	39.6%	44.1%	32.2%
African American	33.7%	32.7%	33.9%	33.1%
Hispanic	39.1%	42.8%	44.0%	38.8%
Female				
White	34.8%	41.7%	39.7%	24.5%
African American	29.8%	33.9%	30.7%	24.3%
Hispanic	24.8%	37.2%	31.5%	30.4%
Cook Total*	32.6%	37.1%	37.4%	29.1%

Marijuana -- Used Past Year Cook County Race Group by Gender				
	1995	1997	1998	2000
Male				
White	33.1%	38.1%	43.6%	30.4%
African American	34.1%	32.8%	33.3%	32.8%
Hispanic	36.4%	40.7%	40.8%	36.6%
Female				
White	30.5%	33.3%	35.1%	23.0%
African American	27.7%	33.2%	28.8%	23.5%
Hispanic	20.9%	33.0%	30.7%	26.0%
Cook Total*	30.0%	34.4%	35.5%	27.5%

Any Illicit -- Used Past Month Cook County Race Group by Gender				
	1995	1997	1998	2000
Male				
White	28.2%	30.4%	28.2%	22.4%
African American	27.0%	23.8%	25.7%	18.2%
Hispanic	27.1%	33.8%	28.3%	20.7%
Female				
White	28.0%	33.3%	22.3%	14.9%
African American	23.0%	27.3%	18.9%	13.1%
Hispanic	19.1%	28.8%	17.6%	17.1%
Cook Total*	25.3%	29.1%	23.5%	17.6%

Marijuana -- Used Past Month Cook County Race Group by Gender				
	1995	1997	1998	2000
Male				
White	26.0%	28.9%	26.7%	20.7%
African American	26.6%	24.1%	25.9%	17.4%
Hispanic	23.7%	32.9%	28.1%	19.2%
Female				
White	24.1%	26.4%	20.9%	12.9%
African American	22.4%	27.0%	17.9%	12.7%
Hispanic	14.3%	24.4%	16.7%	14.6%
Cook Total*	22.9%	26.9%	22.6%	16.0%

*Total represents Cook County total, including other racial/ethnic groups not listed.

There was a change in instrument between 1997 and 1998.

Cocaine/Crack -- Lifetime Cook County Race Group by Gender				
	1995	1997	1998	2000
Male				
White	6.8%	8.9%	5.5%	5.8%
African American	2.5%	1.4%	1.2%	0.5%
Hispanic	8.9%	6.9%	8.2%	8.1%
Female				
White	6.2%	10.1%	4.4%	5.1%
African American	1.1%	0.0%	0.9%	2.0%
Hispanic	7.6%	5.4%	3.7%	7.8%
Cook Total*	5.5%	5.2%	3.7%	4.5%

Any Hallucinogen -- Lifetime Cook County Race Group by Gender				
	1995	1997	1998	2000
Male				
White	14.3%	17.7%	14.7%	11.5%
African American	3.1%	2.7%	1.8%	0.6%
Hispanic	12.2%	12.2%	4.7%	4.3%
Female				
White	14.0%	18.6%	7.0%	7.3%
African American	2.5%	2.5%	0.9%	1.0%
Hispanic	11.8%	13.5%	5.6%	5.8%
Cook Total*	9.4%	11.0%	6.3%	6.3%

Cocaine/Crack -- Used Past Year Cook County Race Group by Gender				
	1995	1997	1998	2000
Male				
White	6.2%	7.5%	4.0%	3.0%
African American	2.1%	1.4%	0.4%	0.0%
Hispanic	5.1%	4.5%	2.6%	5.0%
Female				
White	5.0%	9.5%	3.0%	3.5%
African American	0.8%	0.0%	0.6%	0.0%
Hispanic	6.0%	4.2%	3.1%	6.4%
Cook Total*	4.3%	4.4%	2.4%	2.7%

Any Hallucinogen -- Used Past Year Cook County Race Group by Gender				
	1995	1997	1998	2000
Male				
White	11.2%	15.2%	11.1%	7.7%
African American	2.8%	2.3%	1.1%	0.6%
Hispanic	9.1%	8.6%	2.2%	2.5%
Female				
White	12.3%	16.2%	4.3%	4.9%
African American	1.5%	0.0%	0.6%	0.4%
Hispanic	9.7%	10.8%	3.9%	3.5%
Cook Total*	7.6%	8.8%	4.2%	4.3%

Cocaine/Crack -- Used Past Month Cook County Race Group by Gender				
	1995	1997	1998	2000
Male				
White	3.9%	6.3%	1.1%	2.3%
African American	1.9%	1.4%	0.4%	0.0%
Hispanic	3.6%	2.8%	0.9%	1.1%
Female				
White	3.9%	3.9%	1.6%	1.2%
African American	0.5%	0.0%	0.0%	0.0%
Hispanic	3.1%	2.6%	0.9%	2.3%
Cook Total*	3.1%	2.7%	0.9%	1.1%

Any Hallucinogen -- Used Past Month Cook County Race Group by Gender				
	1995	1997	1998	2000
Male				
White	9.0%	10.4%	2.1%	4.4%
African American	2.3%	2.0%	0.3%	0.0%
Hispanic	5.4%	5.1%	1.5%	0.7%
Female				
White	6.2%	10.5%	1.2%	1.0%
African American	1.2%	0.0%	0.3%	0.4%
Hispanic	7.2%	4.3%	1.9%	1.7%
Cook Total*	5.2%	5.5%	1.3%	1.8%

*Total represents Cook County total, including other racial/ethnic groups not listed.

There was a change in instrument between 1997 and 1998.

Any Substance -- Lifetime Cook County Race Group by Gender				
	1995	1997	1998	2000
Male				
White	76.5%	74.7%	85.6%	77.5%
African American	53.6%	60.2%	72.8%	64.5%
Hispanic	74.8%	73.3%	83.5%	80.0%
Female				
White	82.1%	83.1%	85.4%	81.8%
African American	58.8%	63.0%	75.1%	74.0%
Hispanic	75.1%	77.0%	84.8%	82.7%
Cook Total*	69.1%	71.3%	80.7%	77.0%

Number of Students Cook County Race Group by Gender				
	1995	1997	1998	2000
Male				
White	321	303	323	472
African American	297	315	283	305
Hispanic	184	170	163	202
Female				
White	341	343	345	583
African American	336	344	390	425
Hispanic	225	214	203	244
Cook Total*	1,826	1,793	1,872	2,458

Any Substance -- Used Past Year Region by Gender				
	1995	1997	1998	2000
Male				
White	69.1%	67.1%	80.4%	71.0%
African American	46.5%	48.0%	54.2%	52.3%
Hispanic	63.9%	64.5%	76.7%	70.9%
Female				
White	74.9%	78.9%	78.4%	73.0%
African American	48.1%	48.4%	58.9%	53.5%
Hispanic	65.9%	64.1%	77.6%	70.8%
Cook Total*	60.7%	61.2%	70.2%	65.7%

Any Substance -- Used Past Month Cook County Race Group by Gender				
	1995	1997	1998	2000
Male				
White	59.4%	56.4%	60.2%	47.0%
African American	36.7%	35.5%	40.1%	34.1%
Hispanic	52.3%	52.0%	50.9%	50.0%
Female				
White	62.3%	62.3%	55.5%	48.2%
African American	35.9%	38.8%	32.0%	29.0%
Hispanic	50.0%	50.5%	45.6%	48.2%
Cook Total*	48.8%	48.7%	47.4%	42.7%

*Total represents Cook County total, including other racial/ethnic groups not listed.

There was a change in instrument between 1997 and 1998.

Appendix B-6
Drug Prevalences:
Cook County Students:
Racial Groups By Grade

There was a change in instrument between 1997 and 1998.

Alcohol -- Lifetime Cook County Race Groups by Grade					
Gr	Racial Group	1995	1997	1998	2000
8 t h	White	62.5%	60.2%	68.9%	61.8%
	African Amer	54.4%	47.2%	57.3%	54.6%
	Hispanic	65.9%	65.8%	79.5%	74.2%
1 0 t h	White	70.0%	77.6%	84.1%	77.9%
	African Amer	37.5%	50.2%	63.8%	67.4%
	Hispanic	70.2%	65.6%	81.4%	82.2%
1 2 t h	White	87.3%	82.3%	89.1%	88.3%
	African Amer	48.4%	56.3%	71.9%	70.9%
	Hispanic	72.5%	70.2%	82.8%	78.5%
Cook Total*		61.3%	63.2%	73.9%	71.8%

Tobacco -- Lifetime Cook County Race Groups by Grade					
Gr	Racial Group	1995	1997	1998	2000
8 t h	White	53.0%	49.0%	54.4%	40.5%
	African Amer	31.9%	29.9%	55.4%	42.3%
	Hispanic	47.8%	57.9%	68.2%	53.2%
1 0 t h	White	53.9%	63.6%	68.3%	55.5%
	African Amer	21.2%	29.4%	51.1%	53.5%
	Hispanic	44.9%	50.6%	63.5%	60.4%
1 2 t h	White	69.3%	65.7%	76.4%	75.4%
	African Amer	23.8%	31.1%	44.9%	52.1%
	Hispanic	50.6%	46.3%	68.1%	68.2%
Cook Total*		44.0%	46.6%	60.7%	54.9%

Alcohol -- Used Past Year Cook County Race Groups by Grade					
Gr	Racial Group	1995	1997	1998	2000
8 t h	White	54.0%	49.4%	61.0%	56.3%
	African Amer	45.5%	31.6%	43.5%	36.7%
	Hispanic	56.8%	51.6%	68.4%	57.7%
1 0 t h	White	63.0%	71.1%	80.2%	69.7%
	African Amer	31.2%	37.3%	46.1%	54.9%
	Hispanic	62.5%	55.1%	77.2%	74.0%
1 2 t h	White	82.9%	77.7%	85.2%	83.9%
	African Amer	39.9%	50.0%	60.2%	62.6%
	Hispanic	62.4%	60.8%	72.8%	73.4%
Cook Total*		53.6%	53.1%	64.6%	62.6%

Tobacco -- Used Past Year Cook County Race Groups by Grade					
Gr	Racial Group	1995	1997	1998	2000
8 t h	White	40.5%	39.0%	37.5%	22.4%
	African Amer	25.2%	21.7%	27.7%	15.1%
	Hispanic	43.3%	43.8%	44.7%	25.3%
1 0 t h	White	47.9%	55.8%	46.5%	34.2%
	African Amer	14.4%	19.8%	23.5%	23.6%
	Hispanic	34.5%	40.3%	35.6%	32.4%
1 2 t h	White	62.1%	55.7%	54.9%	51.8%
	African Amer	17.3%	21.2%	17.7%	25.1%
	Hispanic	36.6%	38.0%	37.9%	38.9%
Cook Total*		36.2%	37.0%	36.5%	30.5%

Alcohol -- Used Past Month Cook County Race Groups by Grade					
Gr	Racial Group	1995	1997	1998	2000
8 t h	White	35.4%	29.9%	27.4%	23.9%
	African Amer	28.8%	21.3%	26.2%	14.0%
	Hispanic	40.3%	39.5%	40.5%	27.3%
1 0 t h	White	49.5%	59.4%	52.3%	39.4%
	African Amer	22.2%	25.6%	22.2%	30.1%
	Hispanic	48.1%	36.5%	34.4%	49.1%
1 2 t h	White	71.8%	66.2%	65.7%	59.3%
	African Amer	30.3%	41.5%	24.8%	37.6%
	Hispanic	51.3%	49.4%	46.5%	48.7%
Cook Total*		40.3%	40.4%	37.5%	35.7%

Tobacco -- Used Past Month Cook County Race Groups by Grade					
Gr	Racial Group	1995	1997	1998	2000
8 t h	White	32.2%	24.3%	25.4%	10.9%
	African Amer	19.1%	14.7%	18.4%	5.6%
	Hispanic	28.7%	35.4%	26.4%	16.2%
1 0 t h	White	40.4%	46.5%	36.1%	24.6%
	African Amer	10.7%	14.3%	11.6%	12.2%
	Hispanic	25.2%	28.9%	20.5%	21.4%
1 2 t h	White	55.3%	48.7%	48.2%	40.5%
	African Amer	15.2%	15.7%	13.1%	19.5%
	Hispanic	29.0%	27.0%	26.3%	26.9%
Cook Total*		28.7%	28.4%	25.8%	20.0%

There was a change in instrument between 1997 and 1998.

Smokeless Tobacco -- Lifetime Cook County Race Groups by Grade					
Gr	Racial Group	1995	1997	1998	2000
8 t h	White	11.1%	9.4%	9.8%	9.7%
	African Amer	1.4%	0.8%	6.9%	7.4%
	Hispanic	5.0%	5.3%	12.9%	8.8%
1 0 t h	White	13.5%	9.2%	16.7%	12.9%
	African Amer	1.1%	3.8%	3.1%	6.0%
	Hispanic	0.8%	4.5%	4.7%	15.1%
1 2 t h	White	20.8%	14.3%	31.0%	23.5%
	African Amer	2.5%	5.9%	5.8%	6.4%
	Hispanic	7.8%	3.9%	7.9%	14.0%
Cook Total*		7.6%	6.5%	11.5%	12.0%

Inhalants-- Lifetime Cook County Race Groups by Grade					
Gr	Racial Group	1995	1997	1998	2000
8 t h	White	16.3%	16.8%	16.8%	12.3%
	African Amer	5.9%	4.1%	4.5%	5.0%
	Hispanic	13.5%	13.5%	18.9%	24.2%
1 0 t h	White	13.2%	21.5%	17.3%	10.0%
	African Amer	3.4%	3.4%	3.2%	0.0%
	Hispanic	11.0%	5.8%	6.4%	10.0%
1 2 t h	White	13.7%	15.8%	16.7%	17.9%
	African Amer	1.1%	0.6%	1.0%	0.9%
	Hispanic	11.8%	4.1%	7.0%	8.9%
Cook Total*		9.9%	9.9%	10.8%	10.1%

Smokeless Tobacco -- Used Past Year Cook County Race Groups by Grade					
Gr	Racial Group	1995	1997	1998	2000
8 t h	White	7.6%	5.4%	4.8%	6.3%
	African Amer	1.1%	0.4%	6.7%	3.3%
	Hispanic	2.2%	2.3%	7.3%	8.2%
1 0 t h	White	9.6%	5.0%	9.6%	12.5%
	African Amer	0.0%	2.1%	3.9%	4.4%
	Hispanic	0.8%	2.4%	2.3%	12.2%
1 2 t h	White	12.5%	6.8%	15.9%	15.0%
	African Amer	1.9%	2.0%	2.4%	2.7%
	Hispanic	5.7%	1.9%	4.9%	9.5%
Cook Total*		5.0%	3.3%	6.8%	8.4%

Inhalants-- Used Past Year Cook County Race Groups by Grade					
Gr	Racial Group	1995	1997	1998	2000
8 t h	White	7.3%	11.6%	13.9%	7.2%
	African Amer	3.1%	1.9%	2.8%	1.9%
	Hispanic	8.9%	10.4%	13.6%	16.1%
1 0 t h	White	6.5%	14.9%	9.0%	4.8%
	African Amer	1.5%	1.4%	1.5%	0.0%
	Hispanic	6.9%	3.1%	2.4%	5.4%
1 2 t h	White	6.8%	6.4%	9.8%	7.7%
	African Amer	1.1%	0.0%	0.5%	0.0%
	Hispanic	7.1%	3.1%	1.4%	0.0%
Cook Total*		5.3%	6.0%	6.5%	5.0%

Smokeless Tobacco -- Used Past Month Cook County Race Groups by Grade					
Gr	Racial Group	1995	1997	1998	2000
8 t h	White	4.5%	3.6%	2.1%	1.8%
	African Amer	0.7%	0.4%	3.3%	1.4%
	Hispanic	1.9%	2.3%	2.5%	4.7%
1 0 t h	White	4.4%	3.4%	4.4%	3.5%
	African Amer	0.0%	1.3%	1.1%	3.7%
	Hispanic	0.0%	1.8%	0.6%	6.4%
1 2 t h	White	3.6%	3.0%	4.1%	5.7%
	African Amer	1.9%	0.0%	1.9%	1.8%
	Hispanic	2.3%	0.0%	2.7%	3.0%
Cook Total*		2.3%	1.8%	2.6%	3.5%

Inhalants-- Used Past Month Cook County Race Groups by Grade					
Gr	Racial Group	1995	1997	1998	2000
8 t h	White	5.9%	7.4%	3.9%	2.7%
	African Amer	2.1%	0.8%	1.2%	0.0%
	Hispanic	7.4%	7.0%	7.5%	8.0%
1 0 t h	White	4.2%	12.5%	2.7%	2.4%
	African Amer	0.4%	1.4%	0.4%	0.0%
	Hispanic	2.7%	2.6%	0.6%	1.8%
1 2 t h	White	4.5%	2.2%	3.8%	1.9%
	African Amer	1.1%	0.0%	0.0%	0.0%
	Hispanic	4.2%	2.6%	0.0%	0.0%
Cook Total*		3.6%	4.1%	2.4%	2.0%

There was a change in instrument between 1997 and 1998.

Any Illicit -- Lifetime Cook County Race Groups by Grade					
Gr	Racial Group	1995	1997	1998	2000
8 t h	White	30.5%	28.9%	32.1%	22.0%
	African Amer	40.6%	31.6%	36.0%	27.5%
	Hispanic	35.3%	46.8%	44.2%	29.9%
1 0 t h	White	36.8%	49.3%	51.7%	32.0%
	African Amer	32.8%	44.8%	54.5%	48.1%
	Hispanic	35.2%	44.7%	44.4%	48.6%
1 2 t h	White	54.2%	57.4%	65.8%	56.6%
	African Amer	43.9%	53.3%	51.1%	43.1%
	Hispanic	41.1%	53.2%	48.9%	48.9%
Cook Total*		38.4%	44.2%	47.8%	37.9%

Marijuana -- Lifetime Cook County Race Groups by Grade					
Gr	Racial Group	1995	1997	1998	2000
8 t h	White	21.0%	18.7%	25.8%	19.1%
	African Amer	37.3%	27.7%	33.5%	27.3%
	Hispanic	29.4%	40.8%	40.7%	26.8%
1 0 t h	White	32.6%	41.3%	49.9%	31.0%
	African Amer	31.7%	45.3%	52.4%	45.6%
	Hispanic	31.0%	44.6%	42.5%	45.3%
1 2 t h	White	50.4%	55.1%	65.2%	55.3%
	African Amer	42.2%	50.2%	49.7%	43.7%
	Hispanic	36.6%	49.9%	46.6%	47.4%
Cook Total*		34.2%	40.1%	45.5%	36.2%

Any Illicit -- Used Past Year Cook County Race Groups by Grade					
Gr	Racial Group	1995	1997	1998	2000
8 t h	White	25.6%	25.6%	27.8%	15.8%
	African Amer	32.5%	23.8%	27.6%	20.5%
	Hispanic	30.9%	39.9%	38.6%	26.2%
1 0 t h	White	34.2%	44.9%	47.7%	27.6%
	African Amer	27.1%	35.3%	37.4%	32.6%
	Hispanic	29.4%	37.2%	33.5%	40.5%
1 2 t h	White	46.6%	49.8%	49.7%	40.3%
	African Amer	38.5%	46.1%	33.0%	34.3%
	Hispanic	34.5%	42.7%	41.0%	37.9%
Cook Total*		32.6%	37.1%	37.4%	29.1%

Marijuana -- Used Past Year Cook County Race Groups by Grade					
Gr	Racial Group	1995	1997	1998	2000
8 t h	White	19.2%	17.8%	23.6%	15.0%
	African Amer	31.0%	21.7%	26.5%	19.9%
	Hispanic	27.6%	34.1%	35.8%	24.0%
1 0 t h	White	31.7%	38.1%	45.8%	25.5%
	African Amer	26.5%	36.7%	35.7%	31.3%
	Hispanic	28.3%	36.2%	32.9%	37.0%
1 2 t h	White	43.7%	48.8%	47.7%	38.4%
	African Amer	37.6%	45.5%	31.7%	34.8%
	Hispanic	27.7%	40.2%	38.5%	33.0%
Cook Total*		30.0%	34.4%	35.5%	27.5%

Any Illicit -- Used Past Month Cook County Race Groups by Grade					
Gr	Racial Group	1995	1997	1998	2000
8 t h	White	22.1%	20.1%	12.7%	8.6%
	African Amer	23.7%	16.7%	18.9%	10.1%
	Hispanic	21.3%	29.0%	24.7%	10.4%
1 0 t h	White	24.9%	36.0%	34.2%	18.4%
	African Amer	22.0%	27.6%	26.3%	17.8%
	Hispanic	21.1%	29.2%	18.0%	27.0%
1 2 t h	White	37.5%	38.2%	27.3%	27.1%
	African Amer	31.8%	37.6%	21.0%	20.7%
	Hispanic	27.7%	36.7%	25.7%	20.7%
Cook Total*		25.3%	29.1%	23.5%	17.6%

Marijuana -- Used Past Month Cook County Race Groups by Grade					
Gr	Racial Group	1995	1997	1998	2000
8 t h	White	15.6%	15.1%	11.9%	8.3%
	African Amer	22.8%	15.4%	17.7%	9.7%
	Hispanic	17.1%	23.9%	23.4%	9.6%
1 0 t h	White	23.6%	29.2%	32.9%	16.8%
	African Amer	22.2%	28.6%	26.3%	16.4%
	Hispanic	19.6%	28.1%	18.4%	23.7%
1 2 t h	White	35.4%	37.2%	25.0%	23.0%
	African Amer	30.4%	37.6%	20.6%	21.2%
	Hispanic	20.2%	35.2%	25.1%	19.2%
Cook Total*		22.9%	26.9%	22.6%	16.0%

There was a change in instrument between 1997 and 1998.

Cocaine/Crack -- Lifetime Cook County Race Groups by Grade					
Gr	Racial Group	1995	1997	1998	2000
8 t h	White	4.3%	3.0%	0.5%	4.5%
	African Amer	1.1%	0.5%	1.9%	1.3%
	Hispanic	4.4%	4.1%	7.1%	6.0%
1 0 t h	White	4.7%	13.2%	4.7%	3.0%
	African Amer	1.8%	1.3%	1.0%	0.9%
	Hispanic	12.1%	5.8%	5.8%	9.0%
1 2 t h	White	11.2%	11.5%	9.6%	8.6%
	African Amer	2.6%	0.0%	0.5%	2.4%
	Hispanic	11.2%	9.8%	4.0%	8.5%
Cook Total*		5.5%	5.2%	3.7%	4.5%

Any Hallucinogen -- Lifetime Cook County Race Groups by Grade					
Gr	Racial Group	1995	1997	1998	2000
8 t h	White	10.3%	7.9%	2.3%	4.2%
	African Amer	2.1%	1.6%	2.0%	0.0%
	Hispanic	9.7%	10.7%	3.4%	1.4%
1 0 t h	White	12.0%	23.8%	10.1%	7.1%
	African Amer	2.7%	2.1%	1.6%	2.3%
	Hispanic	14.0%	14.4%	5.1%	6.9%
1 2 t h	White	20.7%	21.3%	21.0%	16.2%
	African Amer	3.6%	4.9%	0.5%	0.0%
	Hispanic	14.3%	14.7%	8.5%	11.3%
Cook Total*		9.4%	11.0%	6.3%	6.3%

Cocaine/Crack -- Used Past Year Cook County Race Groups by Grade					
Gr	Racial Group	1995	1997	1998	2000
8 t h	White	3.6%	1.5%	0.5%	2.2%
	African Amer	1.1%	0.5%	1.0%	0.0%
	Hispanic	3.2%	2.9%	3.2%	4.7%
1 0 t h	White	4.1%	11.8%	3.6%	1.2%
	African Amer	1.4%	1.3%	0.4%	0.0%
	Hispanic	8.8%	4.2%	3.2%	6.5%
1 2 t h	White	9.8%	11.5%	6.5%	6.4%
	African Amer	1.8%	0.0%	0.0%	0.0%
	Hispanic	6.3%	6.8%	3.2%	5.5%
Cook Total*		4.3%	4.4%	2.4%	2.7%

Any Hallucinogen -- Used Past Year Cook County Race Groups by Grade					
Gr	Racial Group	1995	1997	1998	2000
8 t h	White	7.2%	5.8%	1.7%	3.2%
	African Amer	2.1%	1.2%	0.9%	0.0%
	Hispanic	7.2%	6.7%	2.9%	0.7%
1 0 t h	White	11.1%	21.2%	8.9%	5.3%
	African Amer	1.5%	1.3%	1.6%	1.4%
	Hispanic	11.5%	13.5%	3.2%	5.9%
1 2 t h	White	17.5%	18.7%	13.4%	10.1%
	African Amer	3.1%	0.6%	0.5%	0.0%
	Hispanic	11.4%	10.2%	3.2%	4.7%
Cook Total*		7.6%	8.8%	4.2%	4.3%

Cocaine/Crack -- Used Past Month Cook County Race Groups by Grade					
Gr	Racial Group	1995	1997	1998	2000
8 t h	White	2.2%	0.9%	0.5%	1.2%
	African Amer	0.8%	0.5%	0.4%	0.0%
	Hispanic	2.5%	2.5%	0.5%	0.7%
1 0 t h	White	3.2%	5.6%	1.7%	0.0%
	African Amer	1.4%	1.3%	0.0%	0.0%
	Hispanic	4.5%	3.1%	0.8%	3.1%
1 2 t h	White	7.0%	8.1%	2.1%	4.0%
	African Amer	1.1%	0.0%	0.0%	0.0%
	Hispanic	3.5%	2.3%	1.6%	1.2%
Cook Total*		3.1%	2.7%	0.9%	1.1%

Any Hallucinogen -- Used Past Month Cook County Race Groups by Grade					
Gr	Racial Group	1995	1997	1998	2000
8 t h	White	5.4%	3.9%	0.5%	2.1%
	African Amer	1.5%	1.2%	0.4%	0.0%
	Hispanic	5.9%	3.6%	1.6%	0.0%
1 0 t h	White	6.4%	16.7%	1.6%	0.6%
	African Amer	1.5%	1.3%	1.0%	0.7%
	Hispanic	6.3%	7.3%	2.1%	2.3%
1 2 t h	White	11.5%	9.3%	3.5%	5.0%
	African Amer	2.4%	0.0%	0.0%	0.0%
	Hispanic	7.4%	2.6%	1.2%	1.7%
Cook Total*		5.2%	5.5%	1.3%	1.8%

There was a change in instrument between 1997 and 1998.

Any Substance -- Lifetime Cook County Race Groups by Grade					
Gr	Racial Group	1995	1997	1998	2000
8 t h	White	76.1%	69.7%	76.2%	66.2%
	African Amer	67.6%	57.0%	70.6%	63.4%
	Hispanic	74.9%	73.4%	85.4%	76.7%
1 0 t h	White	74.2%	81.7%	88.0%	80.8%
	African Amer	45.8%	57.4%	75.4%	74.8%
	Hispanic	74.7%	76.4%	82.8%	87.3%
1 2 t h	White	89.1%	85.1%	92.0%	92.1%
	African Amer	60.9%	75.7%	78.1%	74.5%
	Hispanic	74.8%	77.4%	85.2%	82.5%
Cook Total*		69.1%	71.3%	80.7%	77.0%

Number of Students Cook County Race Groups by Grade					
Gr	Racial Group	1995	1997	1998	2000
8 t h	White	221	191	216	325
	African Amer	205	261	271	324
	Hispanic	192	154	161	195
1 0 t h	White	231	244	240	396
	African Amer	289	241	247	258
	Hispanic	119	134	122	178
1 2 t h	White	217	211	223	354
	African Amer	146	157	166	155
	Hispanic	99	96	94	92
Cook Total*		1,826	1,794	1,871	2,458

Any Substance -- Used Past Year Cook County Race Groups by Grade					
Gr	Racial Group	1995	1997	1998	2000
8 t h	White	64.7%	63.0%	67.9%	56.9%
	African Amer	57.1%	40.8%	51.9%	42.1%
	Hispanic	64.9%	62.0%	76.4%	61.7%
1 0 t h	White	67.4%	75.7%	82.9%	71.5%
	African Amer	38.5%	46.4%	57.9%	59.2%
	Hispanic	65.7%	64.5%	77.4%	77.6%
1 2 t h	White	85.2%	80.5%	87.2%	87.1%
	African Amer	51.0%	62.9%	63.5%	63.6%
	Hispanic	63.7%	67.6%	78.4%	77.4%
Cook Total*		60.7%	61.2%	70.2%	65.7%

Any Substance -- Used Past Month Cook County Race Groups by Grade					
Gr	Racial Group	1995	1997	1998	2000
8 t h	White	48.3%	41.2%	40.0%	29.0%
	African Amer	40.3%	29.9%	33.0%	19.7%
	Hispanic	49.5%	51.1%	47.7%	36.0%
1 0 t h	White	58.0%	64.9%	60.9%	46.1%
	African Amer	31.2%	35.2%	39.0%	37.0%
	Hispanic	52.6%	46.6%	43.5%	57.3%
1 2 t h	White	77.0%	70.4%	72.5%	67.7%
	African Amer	41.2%	52.4%	34.9%	44.3%
	Hispanic	51.8%	57.4%	55.3%	55.8%
Cook Total*		48.8%	48.7%	47.4%	42.7%

There was a change in instrument between 1997 and 1998.

Appendix C

Post-stratification and Weighting

There was a change in instrument between 1997 and 1998.

Appendix C

Post-stratification and Weighting

In 2000, all public schools were invited to participate in the survey. The sample was drawn from the large number of participating schools rather than specifically recruited a priori as in the past. The sampling design for the 2000 study mirrored that used in the earlier studies. A stratified sampling design was used to select respondents based on student population, region (Cook County or Non-Cook County) and school type (public or private). Schools from sample categories with insufficient voluntary participants were actively recruited as in past years.

The final sample was weighted by grade within region and school type in order to ensure that the sample of students for this study represented, as closely as possible, the statewide student population. Weights were based on enrollment in one of the following locations: Chicago Public Schools, Cook County (except CPS), or non-Cook County schools.

As in the earlier studies, responses were also weighted to account for rates of absenteeism within and across the location/grade strata, giving greater weight to students who missed more days of school. Weighting by absenteeism is especially important due to the correlation between substance abuse and missing days of school.

It was also necessary to weight by race within Chicago Public Schools to more closely represent the actual student population of these schools. Weights were computed for race within each grade. For the remaining schools in the sample, the distribution of race was as expected, so no adjustment was needed or made.

The difficulty reported in 1995 with the under representation of Cook County parochial schools has not recurred since.

In 1998 and 2000, only grades 8, 10 and 12 were surveyed (a small number of 6th grade classrooms were sampled as well.) The data for 1995 and 1997 represent re-analyzed data using only these grades. Therefore, data for those years in this report will not necessarily match corresponding data in the 1995 and 1997 reports. The 1998 report also used re-analyzed data for 1995 and 1997.

Rounding due to weighting and missing values accounts for minor discrepancies within and across tables. First, total percentages may not always total exactly 100%. Second, on occasion a value that appears as a total in one table is a sub-category in another. In these cases, the percents reported in the two tables may differ slightly. In each table, the value used was the one most appropriate for the particular table. In addition, since most tables include multiple comparisons, the total number of respondents reported in these tables represents the total number in the category rather than the total responses for a particular comparison (which may differ due to missing values).