

# *Appendices*

# *Table of Contents*

## **Appendices**

|   |            |
|---|------------|
| <b>Appendix A – 2004 Substance Use Tables .....</b>   | <b>A1</b>  |
| <b>Appendix B-1 – Drug Prevalences: Total Respondents by Gender, Grade and<br/>Region.....</b>    | <b>B1</b>  |
| <b>Appendix B-2 – Drug Prevalences: Total Respondents: Grade by Gender .....</b>                  | <b>B7</b>  |
| <b>Appendix B-3 – Drug Prevalences: Total Respondents: Region by Gender .....</b>                 | <b>B13</b> |
| <b>Appendix B-4 – Drug Prevalences: Total Respondents: Region by Grade .....</b>                  | <b>B19</b> |
| <b>Appendix B-5 – Drug Prevalences: Cook County Respondents:<br/>Racial Groups by Gender.....</b> | <b>B25</b> |
| <b>Appendix B-6 – Drug Prevalences: Cook County Respondents:<br/>Racial Groups by Grade.....</b>  | <b>B31</b> |
| <b>Appendix C – Post-stratification and Weighting .....</b>                                       | <b>C1</b>  |

***Appendix A***  
***2004 Substance Use Tables***

**Appendix A**  
**Table A-1**

2004 Substance Use Prevalences for Illinois Youth  
Percent of Respondents Using Indicated Substance

|                        | Total<br>Percent | Grade |       |       | Gender |        | Cook<br>County | Non-Cook<br>County |
|------------------------|------------------|-------|-------|-------|--------|--------|----------------|--------------------|
|                        |                  | 8     | 10    | 12    | Male   | Female |                |                    |
| <b>Lifetime</b>        |                  |       |       |       |        |        |                |                    |
| Any Substance*         | 74.2%            | 63.1% | 75.8% | 85.7% | 72.5%  | 75.9%  | 74.3%          | 74.3%              |
| Alcohol                | 67.4%            | 53.1% | 69.8% | 81.5% | 65.3%  | 69.4%  | 66.7%          | 67.4%              |
| Tobacco                | 43.1%            | 29.9% | 44.8% | 57.3% | 42.1%  | 44.1%  | 40.3%          | 43.2%              |
| Smokeless Tobacco      | 13.1%            | 9.0%  | 12.7% | 18.5% | 19.4%  | 7.1%   | 9.6%           | 13.1%              |
| Inhalants              | 11.7%            | 14.5% | 11.1% | 9.1%  | 12.1%  | 11.3%  | 9.9%           | 11.7%              |
| Marijuana              | 32.9%            | 16.8% | 36.0% | 48.2% | 35.0%  | 30.9%  | 32.5%          | 32.8%              |
| <b>Used Past Year</b>  |                  |       |       |       |        |        |                |                    |
| Any Substance*         | 67.2%            | 54.3% | 69.6% | 79.9% | 65.1%  | 69.2%  | 67.6%          | 67.2%              |
| Alcohol                | 60.1%            | 43.5% | 63.7% | 75.6% | 57.9%  | 62.2%  | 59.6%          | 60.1%              |
| Tobacco                | 25.6%            | 15.3% | 27.3% | 36.0% | 24.9%  | 26.3%  | 21.9%          | 25.6%              |
| Smokeless Tobacco      | 9.6%             | 6.9%  | 9.3%  | 13.1% | 14.1%  | 5.3%   | 8.2%           | 9.6%               |
| Inhalants              | 7.7%             | 10.0% | 6.8%  | 5.9%  | 7.4%   | 7.9%   | 6.3%           | 7.7%               |
| Marijuana              | 26.0%            | 13.8% | 29.2% | 36.6% | 27.6%  | 24.5%  | 24.7%          | 25.9%              |
| Any Illicit (Ex. MJ)** | 16.8%            | 11.6% | 18.9% | 20.8% | 18.1%  | 15.6%  | 13.8%          | 16.9%              |
| Crack/Cocaine          | 3.4%             | 2.3%  | 3.1%  | 5.0%  | 3.7%   | 3.0%   | 2.6%           | 3.4%               |
| Hallucinogens          | 2.4%             | 0.9%  | 1.8%  | 4.8%  | 3.3%   | 1.5%   | 1.8%           | 2.4%               |
| Ecstasy                | 2.0%             | 1.4%  | 1.6%  | 3.3%  | 2.2%   | 1.9%   | 1.9%           | 2.0%               |
| Methamphetamine        | 1.6%             | 1.3%  | 1.4%  | 2.1%  | 1.8%   | 1.3%   | 1.1%           | 1.6%               |
| Uppers                 | 4.4%             | 2.4%  | 5.1%  | 5.8%  | 4.1%   | 4.6%   | 2.6%           | 4.4%               |
| Downers                | 4.1%             | 2.0%  | 5.1%  | 5.4%  | 3.9%   | 4.2%   | 2.5%           | 4.1%               |
| Pain Pills             | 14.5%            | 13.7% | 15.8% | 14.2% | 13.0%  | 15.8%  | 14.3%          | 14.5%              |
| Steroids               | 0.9%             | 0.9%  | 0.7%  | 1.2%  | 1.4%   | 0.4%   | 1.0%           | 0.9%               |
| Other Rx Drugs         | 14.5%            | 13.9% | 15.5% | 14.3% | 13.3%  | 15.7%  | 13.5%          | 14.6%              |
| OTC Perform. Enh. †    | 7.5%             | 4.5%  | 7.7%  | 10.7% | 10.4%  | 4.7%   | 6.0%           | 7.5%               |
| OTC Weight Loss Aids   | 4.8%             | 2.5%  | 4.8%  | 7.7%  | 2.7%   | 6.8%   | 4.9%           | 4.8%               |
| <b>Used Past Month</b> |                  |       |       |       |        |        |                |                    |
| Any Substance          | 42.5%            | 25.8% | 45.3% | 59.2% | 43.3%  | 41.7%  | 40.3%          | 42.5%              |
| Alcohol                | 36.3%            | 19.1% | 39.7% | 53.0% | 36.6%  | 36.1%  | 34.5%          | 36.3%              |
| Tobacco                | 17.7%            | 9.8%  | 17.7% | 27.0% | 17.5%  | 17.9%  | 13.6%          | 17.7%              |
| Smokeless Tobacco      | 4.0%             | 2.7%  | 3.8%  | 5.7%  | 6.2%   | 2.0%   | 3.9%           | 4.0%               |
| Inhalants              | 3.4%             | 5.0%  | 2.8%  | 2.3%  | 3.3%   | 3.5%   | 2.5%           | 3.4%               |
| Marijuana              | 15.3%            | 8.1%  | 17.4% | 21.8% | 17.0%  | 13.7%  | 14.9%          | 15.4%              |
| # of Respondents       | 5,590            | 1,998 | 1,909 | 1,683 | 2,840  | 2,680  | 2,135          | 3,454              |

\*Definition is expanded to include drugs surveyed for the first time in 2004.

\*\*Any Illicit Substance (Excluding Marijuana)

†Over-the-Counter Performance Enhancement Supplements

**Appendix A**  
**Table A-2**

2004 Substance Use Prevalences: Gender and Cook vs Non-Cook Counties by Grade  
Percent of Respondents Using Indicated Substance

|                        | Gender by Grade   |        |       |        |       |        | Cook County by Grade |          |       |          |       |          |
|------------------------|-------------------|--------|-------|--------|-------|--------|----------------------|----------|-------|----------|-------|----------|
|                        | 8                 |        | 10    |        | 12    |        | 8                    |          | 10    |          | 12    |          |
|                        | Male              | Female | Male  | Female | Male  | Female | Cook                 | Non-Cook | Cook  | Non-Cook | Cook  | Non-Cook |
|                        | <b>Lifetime</b>   |        |       |        |       |        |                      |          |       |          |       |          |
| Any Substance*         | 62.2%             | 64.0%  | 73.4% | 77.8%  | 84.2% | 87.0%  | 65.1%                | 61.8%    | 74.2% | 76.9%    | 86.5% | 85.2%    |
| Alcohol                | 52.3%             | 54.1%  | 66.5% | 72.4%  | 79.6% | 83.2%  | 54.2%                | 52.4%    | 67.4% | 71.3%    | 82.1% | 81.2%    |
| Tobacco                | 28.6%             | 31.1%  | 43.7% | 45.4%  | 57.2% | 57.1%  | 29.2%                | 30.3%    | 42.4% | 46.4%    | 52.2% | 60.0%    |
| Smokeless Tobacco      | 11.8%             | 6.1%   | 19.6% | 6.3%   | 28.6% | 9.1%   | 6.8%                 | 10.4%    | 8.6%  | 15.4%    | 14.4% | 20.7%    |
| Inhalants              | 14.6%             | 14.2%  | 11.2% | 11.1%  | 10.0% | 8.4%   | 12.3%                | 15.9%    | 8.1%  | 13.0%    | 9.1%  | 9.1%     |
| Marijuana              | 19.4%             | 14.4%  | 38.9% | 32.9%  | 49.9% | 46.9%  | 18.7%                | 15.6%    | 34.8% | 36.7%    | 47.7% | 48.6%    |
|                        | <b>Past Year</b>  |        |       |        |       |        |                      |          |       |          |       |          |
| Any Substance*         | 53.3%             | 55.4%  | 65.8% | 72.6%  | 79.0% | 80.8%  | 56.8%                | 52.8%    | 67.4% | 70.9%    | 81.9% | 78.8%    |
| Alcohol                | 43.2%             | 43.9%  | 59.7% | 66.8%  | 73.8% | 77.3%  | 44.0%                | 43.2%    | 61.5% | 65.1%    | 77.6% | 74.5%    |
| Tobacco                | 13.2%             | 17.5%  | 26.6% | 27.5%  | 37.6% | 34.6%  | 13.6%                | 16.4%    | 22.2% | 30.6%    | 32.3% | 38.1%    |
| Smokeless Tobacco      | 9.3%              | 4.6%   | 14.4% | 4.6%   | 19.9% | 6.8%   | 6.4%                 | 7.3%     | 7.2%  | 10.7%    | 11.8% | 13.9%    |
| Inhalants              | 9.8%              | 10.1%  | 5.8%  | 7.7%   | 6.4%  | 5.5%   | 8.3%                 | 11.1%    | 4.7%  | 8.1%     | 5.7%  | 6.0%     |
| Marijuana              | 15.1%             | 12.6%  | 31.9% | 26.4%  | 38.1% | 35.6%  | 15.2%                | 12.9%    | 26.1% | 31.2%    | 35.3% | 37.3%    |
| Any Illicit (Ex. MJ)** | 11.6%             | 11.4%  | 19.5% | 18.3%  | 24.6% | 17.3%  | 10.8%                | 12.2%    | 13.9% | 22.2%    | 17.6% | 22.5%    |
| Crack/Cocaine          | 1.9%              | 2.6%   | 3.1%  | 3.0%   | 6.7%  | 3.5%   | 2.4%                 | 2.2%     | 2.1%  | 3.8%     | 3.6%  | 5.7%     |
| Hallucinogens          | 1.0%              | 0.8%   | 2.2%  | 1.4%   | 7.3%  | 2.6%   | 1.1%                 | 0.8%     | 0.7%  | 2.4%     | 4.2%  | 5.2%     |
| Ecstasy                | 1.2%              | 1.5%   | 1.3%  | 1.9%   | 4.4%  | 2.3%   | 1.7%                 | 1.2%     | 1.0%  | 2.1%     | 3.5%  | 3.2%     |
| Methamphetamine        | 1.7%              | 1.0%   | 1.1%  | 1.7%   | 2.8%  | 1.4%   | 1.4%                 | 1.3%     | 0.7%  | 1.8%     | 1.4%  | 2.4%     |
| Uppers                 | 2.6%              | 2.3%   | 4.2%  | 5.8%   | 5.8%  | 5.8%   | 1.2%                 | 3.2%     | 3.0%  | 6.5%     | 3.8%  | 6.8%     |
| Downers                | 1.5%              | 2.5%   | 4.5%  | 5.7%   | 6.2%  | 4.6%   | 1.5%                 | 2.3%     | 2.7%  | 6.6%     | 3.5%  | 6.4%     |
| Pain Pills             | 11.2%             | 15.7%  | 12.8% | 18.0%  | 15.4% | 13.3%  | 13.1%                | 14.0%    | 15.4% | 16.0%    | 14.3% | 14.1%    |
| Steroids               | 1.3%              | 0.3%   | 1.1%  | 0.3%   | 1.7%  | 0.7%   | 1.2%                 | 0.7%     | 0.5%  | 0.8%     | 1.4%  | 1.1%     |
| Other Rx Drugs         | 12.6%             | 15.2%  | 12.5% | 17.9%  | 15.0% | 13.7%  | 12.5%                | 14.8%    | 14.4% | 16.2%    | 13.7% | 14.6%    |
| OTC Perform. Enh.†     | 5.4%              | 3.6%   | 11.2% | 4.5%   | 15.8% | 6.2%   | 3.9%                 | 5.0%     | 5.1%  | 9.3%     | 9.7%  | 11.3%    |
| OTC Weight Loss Aids   | 1.7%              | 3.3%   | 2.5%  | 6.7%   | 4.3%  | 10.8%  | 1.8%                 | 2.9%     | 5.3%  | 4.5%     | 8.4%  | 7.3%     |
|                        | <b>Past Month</b> |        |       |        |       |        |                      |          |       |          |       |          |
| Any Substance          | 26.4%             | 25.1%  | 44.9% | 45.2%  | 62.3% | 56.5%  | 26.0%                | 25.7%    | 40.3% | 48.5%    | 58.8% | 59.4%    |
| Alcohol                | 18.4%             | 19.6%  | 39.0% | 40.0%  | 56.1% | 50.2%  | 18.5%                | 19.4%    | 36.6% | 41.6%    | 52.7% | 53.1%    |
| Tobacco                | 8.7%              | 10.9%  | 17.4% | 18.0%  | 28.5% | 25.5%  | 7.9%                 | 11.0%    | 12.1% | 21.3%    | 23.2% | 29.1%    |
| Smokeless Tobacco      | 3.6%              | 1.8%   | 6.5%  | 1.3%   | 8.9%  | 2.9%   | 2.8%                 | 2.7%     | 3.0%  | 4.3%     | 6.7%  | 5.2%     |
| Inhalants              | 5.1%              | 4.9%   | 2.3%  | 3.3%   | 2.4%  | 2.2%   | 3.4%                 | 6.0%     | 1.7%  | 3.5%     | 2.3%  | 2.2%     |
| Marijuana              | 9.4%              | 6.8%   | 18.8% | 15.5%  | 24.4% | 19.5%  | 9.1%                 | 7.4%     | 15.5% | 18.6%    | 21.9% | 21.7%    |
| # of Respondents       | 987               | 976    | 893   | 992    | 800   | 872    | 783                  | 1215     | 752   | 1157     | 601   | 1083     |

\*Definition is expanded to include drugs surveyed for the first time in 2004.

\*\*Any Illicit Substance (Excluding Marijuana)

†Over-the-Counter Performance Enhancement Supplements

**Appendix A**  
**Table A-3**

2004 Substance Use Prevalences: Regional Sub-groups by Grade  
Percent of Respondents Using Indicated Substance

|                        | Cook County School by Grade |         |       |         |       |         | Non-Cook Setting by Grade |       |       |       |       |       |
|------------------------|-----------------------------|---------|-------|---------|-------|---------|---------------------------|-------|-------|-------|-------|-------|
|                        | 8                           |         | 10    |         | 12    |         | 8                         |       | 10    |       | 12    |       |
|                        | CPS                         | Non-CPS | CPS   | Non-CPS | CPS   | Non-CPS | Urban                     | Rural | Urban | Rural | Urban | Rural |
|                        | <b>Lifetime</b>             |         |       |         |       |         |                           |       |       |       |       |       |
| Any Substance*         | 74.8%                       | 57.7%   | 76.2% | 72.9%   | 87.9% | 85.8%   | 58.7%                     | 64.1% | 76.5% | 77.3% | 83.8% | 87.0% |
| Alcohol                | 61.2%                       | 48.9%   | 65.5% | 68.7%   | 83.4% | 81.4%   | 50.7%                     | 53.7% | 71.7% | 70.9% | 79.9% | 82.9% |
| Tobacco                | 41.1%                       | 20.2%   | 46.7% | 39.3%   | 46.8% | 55.0%   | 27.8%                     | 32.2% | 45.2% | 47.7% | 60.6% | 59.3% |
| Smokeless Tobacco      | 8.6%                        | 5.4%    | 12.2% | 6.1%    | 5.5%  | 19.0%   | 5.2%                      | 14.2% | 13.4% | 17.7% | 20.0% | 21.6% |
| Inhalants              | 12.0%                       | 12.5%   | 4.7%  | 10.6%   | 8.1%  | 9.6%    | 16.2%                     | 15.7% | 11.9% | 14.2% | 9.1%  | 9.2%  |
| Marijuana              | 30.6%                       | 9.7%    | 38.4% | 32.2%   | 51.4% | 45.8%   | 14.6%                     | 16.2% | 40.4% | 32.7% | 52.7% | 43.1% |
|                        | <b>Used Past Year</b>       |         |       |         |       |         |                           |       |       |       |       |       |
| Any Substance*         | 65.4%                       | 50.1%   | 68.5% | 66.6%   | 82.3% | 81.6%   | 51.1%                     | 54.1% | 69.2% | 72.9% | 77.3% | 80.9% |
| Alcohol                | 49.4%                       | 40.0%   | 59.8% | 62.7%   | 78.3% | 77.2%   | 41.8%                     | 44.2% | 64.6% | 65.6% | 73.6% | 75.7% |
| Tobacco                | 20.6%                       | 8.2%    | 23.4% | 21.4%   | 21.9% | 37.6%   | 15.3%                     | 17.2% | 29.2% | 32.2% | 38.4% | 37.8% |
| Smokeless Tobacco      | 7.6%                        | 5.4%    | 8.9%  | 6.1%    | 5.3%  | 15.2%   | 4.1%                      | 9.6%  | 8.4%  | 13.1% | 13.0% | 14.9% |
| Inhalants              | 8.3%                        | 8.3%    | 1.3%  | 7.1%    | 2.6%  | 7.3%    | 10.5%                     | 11.5% | 7.4%  | 9.0%  | 5.8%  | 6.1%  |
| Marijuana              | 25.3%                       | 7.5%    | 27.6% | 25.1%   | 30.4% | 37.8%   | 11.8%                     | 13.7% | 34.1% | 28.0% | 41.8% | 31.4% |
| Any Illicit (Ex. MJ)** | 14.6%                       | 7.8%    | 12.3% | 15.0%   | 12.9% | 20.0%   | 11.0%                     | 13.0% | 23.6% | 20.6% | 25.8% | 18.2% |
| Crack/Cocaine          | 3.6%                        | 1.5%    | 0.0%  | 3.5%    | 0.5%  | 5.2%    | 1.1%                      | 3.0%  | 4.1%  | 3.5%  | 6.9%  | 4.1%  |
| Hallucinogens          | 0.8%                        | 1.4%    | 0.0%  | 1.2%    | 0.7%  | 5.9%    | 0.9%                      | 0.7%  | 2.7%  | 2.1%  | 6.5%  | 3.4%  |
| Ecstasy                | 1.7%                        | 1.7%    | 0.3%  | 1.5%    | 3.5%  | 3.4%    | 0.5%                      | 1.6%  | 2.2%  | 1.9%  | 4.0%  | 2.1%  |
| Methamphetamine        | 1.2%                        | 1.5%    | 0.6%  | 0.8%    | 0.7%  | 1.8%    | 0.5%                      | 1.9%  | 1.4%  | 2.1%  | 2.5%  | 2.3%  |
| Uppers                 | 1.8%                        | 0.6%    | 0.3%  | 4.9%    | 0.8%  | 5.4%    | 1.8%                      | 4.2%  | 6.3%  | 6.7%  | 8.7%  | 4.5%  |
| Downers                | 1.4%                        | 1.6%    | 1.9%  | 3.2%    | 0.2%  | 5.1%    | 1.2%                      | 3.1%  | 6.8%  | 6.3%  | 7.4%  | 5.2%  |
| Pain Pills             | 19.3%                       | 8.4%    | 18.9% | 13.1%   | 13.7% | 14.7%   | 12.8%                     | 14.9% | 15.0% | 17.1% | 15.9% | 11.9% |
| Steroids               | 0.4%                        | 1.8%    | 0.3%  | 0.7%    | 0.5%  | 1.9%    | 0.5%                      | 0.8%  | 0.3%  | 1.3%  | 0.9%  | 1.3%  |
| Other Rx Drugs         | 15.8%                       | 10.1%   | 16.4% | 13.0%   | 15.5% | 12.8%   | 11.7%                     | 17.1% | 16.0% | 16.4% | 15.2% | 13.8% |
| OTC Perform. Enh.†     | 3.3%                        | 4.3%    | 6.5%  | 4.2%    | 7.3%  | 10.9%   | 3.6%                      | 5.9%  | 8.9%  | 9.6%  | 9.8%  | 13.2% |
| OTC Weight Loss Aids   | 1.6%                        | 2.0%    | 6.7%  | 4.4%    | 8.7%  | 8.2%    | 2.0%                      | 3.5%  | 4.6%  | 4.4%  | 8.3%  | 6.0%  |
|                        | <b>Used Past Month</b>      |         |       |         |       |         |                           |       |       |       |       |       |
| Any Substance          | 32.5%                       | 21.0%   | 38.2% | 41.8%   | 45.7% | 65.5%   | 21.1%                     | 29.1% | 47.8% | 49.3% | 59.0% | 59.9% |
| Alcohol                | 22.8%                       | 15.2%   | 33.5% | 38.9%   | 40.6% | 58.6%   | 14.6%                     | 22.9% | 39.7% | 43.7% | 52.7% | 53.6% |
| Tobacco                | 10.8%                       | 5.6%    | 12.3% | 11.9%   | 12.7% | 28.6%   | 9.1%                      | 12.3% | 21.3% | 21.4% | 29.6% | 28.5% |
| Smokeless Tobacco      | 3.6%                        | 2.1%    | 5.3%  | 1.3%    | 2.1%  | 9.0%    | 0.7%                      | 4.2%  | 3.7%  | 5.0%  | 5.4%  | 4.8%  |
| Inhalants              | 3.8%                        | 3.2%    | 1.0%  | 2.2%    | 1.1%  | 2.9%    | 4.9%                      | 6.7%  | 3.2%  | 3.9%  | 2.0%  | 2.5%  |
| Marijuana              | 14.4%                       | 5.1%    | 16.9% | 14.5%   | 12.8% | 26.4%   | 6.5%                      | 8.2%  | 20.5% | 16.6% | 24.2% | 18.5% |
| # of Respondents       | 339                         | 444     | 311   | 441     | 202   | 398     | 511                       | 704   | 607   | 549   | 614   | 469   |

\*Definition is expanded to include drugs surveyed for the first time in 2004.

\*\*Any Illicit Substance (Excluding Marijuana)

†Over-the-Counter Performance Enhancement Supplements

**Appendix A**  
**Table A-4**

2004 Substance Use Prevalences:  
Cook County: Chicago Public vs. other schools and Non-Cook Counties: Urban vs Rural by Gender  
Percent of Respondents Using Indicated Substance

|                        | Males |         | Females |         | TOTAL |         | Males |       | Females |       | TOTAL |       |
|------------------------|-------|---------|---------|---------|-------|---------|-------|-------|---------|-------|-------|-------|
|                        | CPS   | Non-CPS | CPS     | Non-CPS | CPS   | Non-CPS | Urban | Rural | Urban   | Rural | Urban | Rural |
| <b>Lifetime</b>        |       |         |         |         |       |         |       |       |         |       |       |       |
| Any Substance*         | 72.8% | 70.9%   | 82.7%   | 72.5%   | 78.4% | 71.6%   | 73.3% | 72.8% | 74.0%   | 76.3% | 73.9% | 74.5% |
| Alcohol                | 62.7% | 64.5%   | 72.0%   | 67.6%   | 68.0% | 65.9%   | 67.6% | 64.5% | 69.1%   | 69.8% | 68.5% | 67.2% |
| Tobacco                | 44.0% | 36.5%   | 44.5%   | 38.9%   | 44.5% | 37.5%   | 44.1% | 43.5% | 46.8%   | 45.1% | 45.5% | 44.5% |
| Smokeless Tobacco      | 10.6% | 14.1%   | 7.3%    | 5.8%    | 9.2%  | 9.8%    | 20.7% | 25.7% | 6.0%    | 9.1%  | 13.3% | 17.3% |
| Inhalants              | 9.9%  | 11.4%   | 7.3%    | 10.5%   | 8.4%  | 10.9%   | 12.0% | 13.6% | 12.3%   | 13.3% | 12.2% | 13.5% |
| Marijuana              | 40.9% | 32.3%   | 36.3%   | 25.3%   | 38.4% | 28.6%   | 39.2% | 30.3% | 35.3%   | 27.6% | 37.2% | 28.9% |
| <b>Used Past Year</b>  |       |         |         |         |       |         |       |       |         |       |       |       |
| Any Substance*         | 64.2% | 64.2%   | 75.6%   | 67.1%   | 70.6% | 65.6%   | 65.2% | 66.1% | 68.0%   | 68.5% | 66.7% | 67.4% |
| Alcohol                | 55.4% | 57.2%   | 63.4%   | 61.8%   | 60.0% | 59.4%   | 59.6% | 57.7% | 62.5%   | 61.4% | 61.1% | 59.7% |
| Tobacco                | 22.6% | 23.0%   | 21.0%   | 21.0%   | 21.9% | 21.8%   | 26.1% | 26.1% | 30.6%   | 28.9% | 28.4% | 27.6% |
| Smokeless Tobacco      | 8.9%  | 12.5%   | 6.7%    | 5.0%    | 7.5%  | 8.6%    | 13.6% | 18.1% | 3.9%    | 6.1%  | 8.8%  | 12.2% |
| Inhalants              | 4.7%  | 6.9%    | 4.0%    | 8.4%    | 4.4%  | 7.6%    | 7.5%  | 8.9%  | 8.0%    | 9.6%  | 7.8%  | 9.2%  |
| Marijuana              | 30.8% | 26.0%   | 24.4%   | 20.2%   | 27.3% | 23.0%   | 31.3% | 23.6% | 29.6%   | 22.6% | 30.3% | 23.1% |
| Any Illicit (Ex. MJ)** | 14.0% | 15.6%   | 13.0%   | 12.7%   | 13.4% | 14.1%   | 21.9% | 17.9% | 19.2%   | 15.8% | 20.7% | 16.8% |
| Crack/Cocaine          | 1.5%  | 3.9%    | 1.6%    | 2.8%    | 1.6%  | 3.4%    | 4.8%  | 3.4%  | 3.5%    | 3.4%  | 4.2%  | 3.5%  |
| Hallucinogens          | 0.9%  | 4.2%    | 0.2%    | 1.3%    | 0.5%  | 2.7%    | 4.9%  | 2.0%  | 2.2%    | 1.8%  | 3.5%  | 1.9%  |
| Ecstasy                | 1.7%  | 2.7%    | 1.6%    | 1.7%    | 1.6%  | 2.2%    | 2.2%  | 2.0%  | 2.4%    | 1.7%  | 2.3%  | 1.8%  |
| Methamphetamine        | 1.4%  | 2.2%    | 0.5%    | 0.6%    | 0.8%  | 1.3%    | 1.7%  | 1.9%  | 1.4%    | 2.3%  | 1.5%  | 2.1%  |
| Uppers                 | 1.3%  | 3.3%    | 0.8%    | 3.9%    | 1.0%  | 3.6%    | 5.5%  | 4.4%  | 6.1%    | 5.8%  | 5.8%  | 5.1%  |
| Downers                | 1.1%  | 2.6%    | 1.4%    | 4.0%    | 1.3%  | 3.3%    | 5.5%  | 4.5%  | 5.3%    | 5.0%  | 5.4%  | 4.7%  |
| Pain Pills             | 10.9% | 11.4%   | 22.0%   | 12.3%   | 17.8% | 12.0%   | 14.0% | 14.1% | 15.5%   | 15.1% | 14.7% | 14.8% |
| Steroids               | 0.5%  | 1.8%    | 0.2%    | 1.0%    | 0.4%  | 1.4%    | 1.1%  | 1.8%  | 0.1%    | 0.5%  | 0.6%  | 1.1%  |
| Other Rx Drugs         | 12.3% | 9.7%    | 18.6%   | 13.7%   | 15.9% | 12.0%   | 14.3% | 15.2% | 14.8%   | 16.4% | 14.4% | 16.0% |
| OTC Perform. Enh. †    | 6.7%  | 9.6%    | 4.6%    | 3.3%    | 5.4%  | 6.3%    | 11.2% | 11.8% | 4.1%    | 6.4%  | 7.7%  | 9.1%  |
| OTC Weight Loss Aids   | 4.0%  | 3.5%    | 6.0%    | 5.9%    | 5.2%  | 4.8%    | 1.3%  | 3.2%  | 8.9%    | 5.8%  | 5.1%  | 4.5%  |
| <b>Used Past Month</b> |       |         |         |         |       |         |       |       |         |       |       |       |
| Any Substance          | 39.1% | 43.8%   | 36.5%   | 40.5%   | 37.7% | 42.0%   | 43.7% | 44.3% | 44.2%   | 43.2% | 43.9% | 43.9% |
| Alcohol                | 31.5% | 37.6%   | 30.0%   | 36.4%   | 30.9% | 36.8%   | 36.6% | 37.7% | 37.5%   | 38.1% | 37.0% | 37.9% |
| Tobacco                | 11.1% | 14.2%   | 12.5%   | 15.7%   | 11.8% | 14.9%   | 20.2% | 19.8% | 21.2%   | 19.2% | 20.7% | 19.6% |
| Smokeless Tobacco      | 7.0%  | 4.9%    | 1.6%    | 3.2%    | 3.9%  | 4.0%    | 5.5%  | 7.4%  | 1.3%    | 2.0%  | 3.4%  | 4.6%  |
| Inhalants              | 1.8%  | 3.0%    | 2.4%    | 2.6%    | 2.1%  | 2.8%    | 3.1%  | 4.5%  | 3.5%    | 4.9%  | 3.3%  | 4.7%  |
| Marijuana              | 17.4% | 16.6%   | 12.6%   | 13.4%   | 14.9% | 14.9%   | 18.8% | 15.4% | 16.5%   | 11.7% | 17.7% | 13.6% |
| # of Respondents       | 353   | 632     | 490     | 641     | 843   | 1,273   | 858   | 837   | 854     | 855   | 1,712 | 1,692 |

\*Definition is expanded to include drugs surveyed for the first time in 2004.

\*\*Any Illicit Substance (Excluding Marijuana)

†Over-the-Counter Performance Enhancement Supplements

**Appendix A**  
**Table A-5**

2004 Cook County Prevalences: Three Major Race-Ethnic Groups<sup>†</sup> by Grade  
Percent of Respondents Using Indicated Substance

|                                | 8th Grade |                  |          | 10th Grade |                  |          | 12th Grade |                  |          | Total |                  |          |
|--------------------------------|-----------|------------------|----------|------------|------------------|----------|------------|------------------|----------|-------|------------------|----------|
|                                | White     | African American | Hispanic | White      | African American | Hispanic | White      | African American | Hispanic | White | African American | Hispanic |
| <b>Lifetime</b>                |           |                  |          |            |                  |          |            |                  |          |       |                  |          |
| Any Substance*                 | 55.0%     | 65.3%            | 76.1%    | 75.4%      | 74.7%            | 73.7%    | 85.8%      | 80.3%            | 97.9%    | 71.4% | 72.6%            | 81.1%    |
| Alcohol                        | 49.3%     | 47.6%            | 67.2%    | 70.4%      | 63.7%            | 69.3%    | 83.9%      | 71.4%            | 95.9%    | 67.2% | 59.6%            | 75.7%    |
| Tobacco                        | 20.8%     | 27.2%            | 41.5%    | 51.3%      | 31.5%            | 46.4%    | 58.3%      | 30.6%            | 70.2%    | 42.7% | 29.6%            | 50.8%    |
| Smokeless Tobacco              | 4.4%      | 8.1%             | 8.5%     | 9.9%       | 6.1%             | 9.8%     | 20.0%      | 11.7%            | 9.2%     | 11.0% | 8.4%             | 9.2%     |
| Inhalants                      | 10.7%     | 13.3%            | 12.9%    | 13.3%      | 4.4%             | 6.2%     | 9.7%       | 6.4%             | 11.5%    | 11.3% | 8.3%             | 10.1%    |
| Marijuana                      | 8.0%      | 23.8%            | 26.2%    | 33.5%      | 34.4%            | 37.6%    | 44.4%      | 45.5%            | 57.7%    | 28.0% | 33.3%            | 38.6%    |
| <b>Used Past Year</b>          |           |                  |          |            |                  |          |            |                  |          |       |                  |          |
| Any Substance*                 | 47.3%     | 54.6%            | 69.7%    | 70.0%      | 65.2%            | 67.7%    | 82.0%      | 75.6%            | 92.5%    | 65.7% | 64.0%            | 75.2%    |
| Alcohol                        | 40.2%     | 35.4%            | 57.9%    | 66.7%      | 53.5%            | 65.2%    | 80.1%      | 65.3%            | 92.5%    | 61.5% | 49.8%            | 69.9%    |
| Tobacco                        | 10.0%     | 11.4%            | 20.7%    | 33.3%      | 13.3%            | 20.0%    | 43.4%      | 18.0%            | 34.2%    | 28.2% | 13.8%            | 24.0%    |
| Smokeless Tobacco              | 3.9%      | 7.1%             | 8.7%     | 7.9%       | 3.9%             | 10.1%    | 17.1%      | 7.2%             | 9.2%     | 9.3%  | 6.0%             | 9.3%     |
| Inhalants                      | 7.6%      | 7.9%             | 9.8%     | 9.9%       | 1.2%             | 2.1%     | 6.4%       | 4.2%             | 6.7%     | 8.0%  | 4.5%             | 6.3%     |
| Marijuana                      | 6.8%      | 18.6%            | 21.9%    | 29.7%      | 23.7%            | 25.2%    | 37.1%      | 33.7%            | 35.8%    | 23.9% | 24.4%            | 26.9%    |
| Any Illicit (Ex. MJ)**         | 5.8%      | 11.9%            | 15.2%    | 22.2%      | 10.9%            | 6.1%     | 23.1%      | 12.6%            | 16.7%    | 16.7% | 11.7%            | 12.4%    |
| Crack/Cocaine                  | 1.7%      | 1.9%             | 4.4%     | 3.6%       | 0.0%             | 2.2%     | 6.5%       | 0.5%             | 3.4%     | 3.8%  | 0.9%             | 3.3%     |
| Hallucinogens                  | 0.6%      | 1.2%             | 1.9%     | 1.2%       | 0.0%             | 0.0%     | 7.3%       | 0.5%             | 3.4%     | 2.8%  | 0.6%             | 1.6%     |
| Ecstasy                        | 1.2%      | 2.6%             | 1.5%     | 1.2%       | 1.4%             | 0.0%     | 5.3%       | 1.6%             | 2.1%     | 2.5%  | 1.9%             | 1.1%     |
| Methamphetamine                | 0.6%      | 2.4%             | 1.1%     | 0.8%       | 0.7%             | 0.0%     | 2.4%       | 0.6%             | 0.0%     | 1.2%  | 1.3%             | 0.4%     |
| Uppers                         | 0.8%      | 1.7%             | 1.2%     | 7.4%       | 0.3%             | 0.0%     | 9.2%       | 0.0%             | 0.0%     | 5.6%  | 0.8%             | 0.4%     |
| Downers                        | 1.1%      | 1.5%             | 2.4%     | 4.5%       | 0.7%             | 2.0%     | 7.0%       | 2.4%             | 0.0%     | 4.1%  | 1.4%             | 1.6%     |
| Pain Pills                     | 6.1%      | 19.0%            | 15.1%    | 13.2%      | 19.0%            | 13.2%    | 13.6%      | 15.9%            | 14.6%    | 10.8% | 18.1%            | 14.3%    |
| Steroids                       | 1.2%      | 1.2%             | 1.5%     | 1.2%       | 0.3%             | 0.0%     | 0.0%       | 1.3%             | 3.4%     | 0.8%  | 0.9%             | 1.5%     |
| Other Rx Drugs                 | 9.5%      | 15.8%            | 11.0%    | 12.8%      | 16.9%            | 11.0%    | 14.2%      | 15.1%            | 12.6%    | 12.1% | 16.0%            | 11.5%    |
| OTC Perform. Enh. <sup>‡</sup> | 2.8%      | 3.9%             | 5.8%     | 6.2%       | 2.9%             | 6.0%     | 10.6%      | 5.1%             | 14.6%    | 6.3%  | 3.9%             | 8.3%     |
| OTC Weight Loss Aids           | 2.0%      | 2.5%             | 0.8%     | 6.8%       | 1.0%             | 8.1%     | 6.4%       | 6.8%             | 14.7%    | 5.0%  | 3.1%             | 7.2%     |
| <b>Used Past Month</b>         |           |                  |          |            |                  |          |            |                  |          |       |                  |          |
| Any Substance                  | 20.6%     | 25.5%            | 32.9%    | 52.4%      | 30.0%            | 39.0%    | 64.9%      | 46.3%            | 66.7%    | 45.0% | 32.6%            | 44.2%    |
| Alcohol                        | 15.0%     | 17.3%            | 23.9%    | 46.4%      | 24.9%            | 39.8%    | 59.8%      | 36.6%            | 63.4%    | 39.5% | 25.1%            | 40.3%    |
| Tobacco                        | 7.8%      | 7.1%             | 8.9%     | 22.8%      | 6.3%             | 5.9%     | 33.4%      | 15.3%            | 17.0%    | 20.7% | 9.0%             | 10.0%    |
| Smokeless Tobacco              | 1.8%      | 3.8%             | 2.3%     | 2.9%       | 2.0%             | 3.9%     | 7.5%       | 6.0%             | 7.0%     | 3.9%  | 3.8%             | 4.1%     |
| Inhalants                      | 2.6%      | 3.3%             | 4.5%     | 3.7%       | 0.3%             | 0.0%     | 3.0%       | 0.5%             | 3.4%     | 3.1%  | 1.5%             | 2.6%     |
| Marijuana                      | 3.4%      | 13.2%            | 11.8%    | 16.6%      | 16.4%            | 12.8%    | 25.1%      | 20.9%            | 18.0%    | 14.6% | 16.4%            | 13.8%    |
| # of Respondents               | 266       | 267              | 213      | 261        | 252              | 202      | 229        | 188              | 154      | 756   | 707              | 569      |

<sup>†</sup>Excludes Native American, Asian, and Other

\*Definition is expanded to include drugs surveyed for the first time in 2004.

\*\*Any Illicit Substance (Excluding Marijuana)

<sup>‡</sup>Over-the-Counter Performance Enhancement Supplements

**Appendix A**  
**Table A-6**

2004 Problems and Risk Behaviors in the Past Year  
Percent of Respondents

|                    | Number of Students | Drunk or High at School in the Past Year |       | Attacked Someone to Hurt Them |       | Was Suspended in the Past Year |       | Was Arrested in the Past Year |       | Sold Illegal Drugs in the Past Year |       | Rode in Car Driven by Drunk or High Teen |       | Rode in Car Driven by Drunk or High Adult |       | Gambled for Money in the Past Year |       |
|--------------------|--------------------|--|-------|-------------------------------|-------|--------------------------------|-------|-------------------------------|-------|-------------------------------------|-------|--|-------|---|-------|------------------------------------|-------|
|                    |                    | 6+                                       |       | 6+                            |       | 6+                             |       | 6+                            |       | 6+                                  |       | 6+                                       |       | 6+  |       | 6+                                 |       |
|                    |                    | Ever                                     | Times | Ever                          | Times | Ever                           | Times | Ever                          | Times | Ever                                | Times | Ever                                     | Times | Ever                                      | Times | Ever                               | Times |
| Gender             |                    |  |       |                               |       |                                |       |                               |       |                                     |       |  |       |   |       |                                    |       |
| Male               | 2,840              | 12.9%                                    | 5.7%  | 14.1%                         | 3.9%  | 16.5%                          | 2.2%  | 10.2%                         | 1.1%  | 10.8%                               | 5.6%  | 23.0%                                    | 7.3%  | 23.8%                                     | 7.0%  | 58.4%                              | 22.1% |
| Female             | 2,680              | 11.7%                                    | 3.1%  | 8.8%                          | 1.4%  | 8.1%                           | 0.6%  | 4.4%                          | 0.1%  | 4.4%                                | 1.3%  | 30.3%                                    | 7.3%  | 33.1%                                     | 7.8%  | 23.2%                              | 3.4%  |
| Grade              |                    |  |       |                               |       |                                |       |                               |       |                                     |       |  |       |   |       |                                    |       |
| 8th Grade          | 1,998              | 7.7%                                     | 2.1%  | 12.8%                         | 3.1%  | 13.4%                          | 1.5%  | 6.9%                          | 0.7%  | 4.0%                                | 2.5%  | 14.5%                                    | 3.6%  | 25.5%                                     | 6.7%  | 37.7%                              | 10.5% |
| 10th Grade         | 1,909              | 15.0%                                    | 5.0%  | 11.9%                         | 2.9%  | 13.6%                          | 1.5%  | 8.3%                          | 0.9%  | 10.3%                               | 4.1%  | 29.7%                                    | 7.6%  | 29.9%                                     | 7.7%  | 40.0%                              | 12.2% |
| 12th Grade         | 1,683              | 14.4%                                    | 6.4%  | 9.3%                          | 1.6%  | 9.4%                           | 0.9%  | 6.3%                          | 0.4%  | 8.5%                                | 3.8%  | 38.7%                                    | 11.8% | 31.0%                                     | 8.2%  | 43.1%                              | 15.4% |
| Region             |                    |  |       |                               |       |                                |       |                               |       |                                     |       |  |       |   |       |                                    |       |
| Cook County        | 2,135              | 12.3%                                    | 4.1%  | 13.5%                         | 3.1%  | 15.1%                          | 1.5%  | 8.7%                          | 0.9%  | 7.7%                                | 3.7%  | 25.5%                                    | 6.6%  | 28.5%                                     | 6.8%  | 40.9%                              | 12.2% |
| CPS                | 843                | 13.8%                                    | 3.6%  | 15.3%                         | 2.8%  | 16.9%                          | 1.9%  | 8.4%                          | 0.6%  | 6.1%                                | 2.9%  | 23.4%                                    | 5.0%  | 28.6%                                     | 7.2%  | 34.5%                              | 9.0%  |
| Non-CPS            | 1,273              | 11.3%                                    | 4.4%  | 12.3%                         | 3.3%  | 14.0%                          | 1.3%  | 8.8%                          | 1.0%  | 8.7%                                | 4.1%  | 26.8%                                    | 7.6%  | 28.5%                                     | 6.6%  | 45.0%                              | 14.2% |
| Non-Cook Counties  | 3,454              | 12.1%                                    | 4.6%  | 10.3%                         | 2.3%  | 10.6%                          | 1.2%  | 6.3%                          | 0.5%  | 7.4%                                | 3.3%  | 27.6%                                    | 7.8%  | 28.7%                                     | 7.9%  | 39.7%                              | 12.8% |
| Urban              | 1,712              | 12.7%                                    | 5.6%  | 9.1%                          | 2.0%  | 11.3%                          | 1.5%  | 6.9%                          | 0.4%  | 7.8%                                | 3.8%  | 28.0%                                    | 7.6%  | 26.7%                                     | 6.4%  | 40.6%                              | 13.8% |
| Rural              | 1,692              | 11.6%                                    | 3.5%  | 11.4%                         | 2.5%  | 9.8%                           | 0.9%  | 5.8%                          | 0.6%  | 7.0%                                | 2.8%  | 27.3%                                    | 8.0%  | 30.6%                                     | 9.4%  | 38.7%                              | 11.8% |
| Cook Cty Race Grps |                    |  |       |                               |       |                                |       |                               |       |                                     |       |  |       |   |       |                                    |       |
| White              | 756                | 10.4%                                    | 3.6%  | 8.5%                          | 1.5%  | 8.5%                           | 0.6%  | 6.7%                          | 0.5%  | 7.1%                                | 2.6%  | 27.6%                                    | 7.0%  | 27.6%                                     | 6.2%  | 45.1%                              | 13.5% |
| African American   | 707                | 12.4%                                    | 4.3%  | 19.8%                         | 5.4%  | 23.4%                          | 2.7%  | 10.2%                         | 0.6%  | 7.9%                                | 4.2%  | 19.9%                                    | 4.9%  | 28.4%                                     | 5.7%  | 34.1%                              | 10.7% |
| Hispanic           | 569                | 14.9%                                    | 4.4%  | 12.1%                         | 2.2%  | 14.9%                          | 1.5%  | 9.9%                          | 1.8%  | 8.4%                                | 4.6%  | 29.6%                                    | 8.1%  | 30.8%                                     | 9.6%  | 43.8%                              | 13.0% |
| Total              | 5,589              | 12.2%                                    | 4.4%  | 11.5%                         | 2.6%  | 12.3%                          | 1.3%  | 7.2%                          | 0.7%  | 7.5%                                | 3.4%  | 26.8%                                    | 7.4%  | 28.6%                                     | 7.5%  | 40.1%                              | 12.6% |

**Appendix A**  
**Table A-7**

2004 Substance Use Prevalences for 6th Grade Illinois Youth  
Percent of Respondents Using Indicated Substance

|                        | Total Percent | Gender |        | Cook County |         |       | Non-Cook County |       |       |
|------------------------|---------------|--------|--------|-------------|---------|-------|-----------------|-------|-------|
|                        |               | Male   | Female | CPS         | Non-CPS | Total | Urban           | Rural | Total |
| <b>Lifetime</b>        |               |        |        |             |         |       |                 |       |       |
| Any Substance          | 37.4%         | 40.2%  | 34.6%  | 41.7%       | 36.6%   | 39.0% | 37.3%           | 35.4% | 36.2% |
| Alcohol                | 31.0%         | 33.6%  | 28.7%  | 35.9%       | 33.0%   | 34.4% | 31.0%           | 27.3% | 28.8% |
| Tobacco                | 14.1%         | 14.6%  | 13.1%  | 18.3%       | 8.6%    | 13.2% | 13.7%           | 15.4% | 14.7% |
| Smokeless Tobacco      | 4.3%          | 5.9%   | 2.6%   | 3.8%        | 3.5%    | 3.7%  | 3.9%            | 5.4%  | 4.8%  |
| Inhalants              | 9.5%          | 10.8%  | 8.1%   | 7.0%        | 9.9%    | 8.5%  | 12.9%           | 8.5%  | 10.3% |
| Marijuana              | 3.6%          | 3.9%   | 3.2%   | 7.2%        | 1.7%    | 4.3%  | 2.9%            | 3.2%  | 3.1%  |
| Other Drugs            | 2.2%          | 2.8%   | 1.3%   | 2.7%        | 0.3%    | 1.4%  | 2.7%            | 2.8%  | 2.7%  |
| <b>Used Past Year</b>  |               |        |        |             |         |       |                 |       |       |
| Any Substance          | 24.5%         | 25.9%  | 22.9%  | 29.8%       | 24.3%   | 26.9% | 26.1%           | 20.7% | 22.9% |
| Alcohol                | 20.7%         | 22.0%  | 19.4%  | 26.3%       | 21.2%   | 23.7% | 21.6%           | 16.8% | 18.7% |
| Tobacco                | 5.2%          | 4.5%   | 5.6%   | 5.8%        | 3.6%    | 4.6%  | 4.7%            | 6.1%  | 5.5%  |
| Smokeless Tobacco      | 2.7%          | 3.6%   | 1.6%   | 3.5%        | 1.9%    | 2.7%  | 3.0%            | 2.6%  | 2.8%  |
| Inhalants              | 6.5%          | 6.7%   | 6.2%   | 3.9%        | 6.2%    | 5.1%  | 9.2%            | 6.4%  | 7.5%  |
| Marijuana              | 2.5%          | 2.7%   | 2.3%   | 4.1%        | 1.7%    | 2.9%  | 1.9%            | 2.6%  | 2.3%  |
| Other Drugs            | 1.7%          | 2.1%   | 1.1%   | 2.5%        | 0.3%    | 1.3%  | 1.6%            | 2.2%  | 2.0%  |
| <b>Used Past Month</b> |               |        |        |             |         |       |                 |       |       |
| Any Substance          | 11.9%         | 12.0%  | 11.8%  | 16.5%       | 10.8%   | 13.5% | 13.2%           | 9.1%  | 10.8% |
| Alcohol                | 8.1%          | 8.4%   | 7.9%   | 13.2%       | 6.9%    | 9.9%  | 8.4%            | 5.9%  | 6.9%  |
| Tobacco                | 2.7%          | 2.3%   | 2.9%   | 3.4%        | 1.6%    | 2.5%  | 2.8%            | 2.7%  | 2.8%  |
| Smokeless Tobacco      | 1.4%          | 1.3%   | 1.2%   | 2.5%        | 1.4%    | 1.9%  | 0.8%            | 1.1%  | 1.0%  |
| Inhalants              | 4.0%          | 3.7%   | 4.1%   | 2.9%        | 4.1%    | 3.5%  | 6.2%            | 3.1%  | 4.4%  |
| Marijuana              | 1.3%          | 1.8%   | 0.9%   | 2.1%        | 1.4%    | 1.8%  | 0.9%            | 1.1%  | 1.0%  |
| Other Drugs            | 0.9%          | 1.4%   | 0.4%   | 0.9%        | 0.3%    | 0.6%  | 0.6%            | 1.4%  | 1.1%  |
| # of Respondents       | 2,044         | 968    | 1,002  | 407         | 439     | 846   | 484             | 714   | 1,198 |

**Appendix A**  
**Table A-8**

2004 Substance Use Prevalences for 6th Grade Illinois Youth:  
Cook County: Chicago Public vs. other schools and Non-Cook Counties: Urban vs Rural by Gender  
and Cook County by Three Major Racial-Ethnic Groups\*  
Percent of Respondents Using Indicated Substance

|                        | Males |         | Females |         | Males |       | Females |       | White | African American | Hispanic |
|------------------------|-------|---------|---------|---------|-------|-------|---------|-------|-------|------------------|----------|
|                        | CPS   | Non-CPS | CPS     | Non-CPS | Urban | Rural | Urban   | Rural |       |                  |          |
| <b>Lifetime</b>        |       |         |         |         |       |       |         |       |       |                  |          |
| Any Substance          | 44.6% | 40.3%   | 38.9%   | 32.1%   | 39.2% | 38.7% | 36.2%   | 32.3% | 35.6% | 34.4%            | 49.0%    |
| Alcohol                | 39.1% | 35.6%   | 33.1%   | 30.1%   | 33.7% | 29.6% | 29.0%   | 25.1% | 33.8% | 27.3%            | 44.1%    |
| Tobacco                | 18.7% | 8.9%    | 16.5%   | 6.1%    | 14.7% | 16.4% | 12.5%   | 15.4% | 6.2%  | 14.8%            | 20.6%    |
| Smokeless Tobacco      | 3.8%  | 3.7%    | 2.6%    | 3.6%    | 5.4%  | 8.9%  | 1.7%    | 2.5%  | 2.0%  | 4.8%             | 4.6%     |
| Inhalants              | 6.9%  | 10.6%   | 6.7%    | 8.8%    | 17.0% | 8.6%  | 8.9%    | 8.1%  | 6.9%  | 9.3%             | 9.3%     |
| Marijuana              | 8.2%  | 2.0%    | 5.7%    | 1.5%    | 3.5%  | 3.2%  | 2.1%    | 3.4%  | 0.8%  | 7.3%             | 5.5%     |
| Other Drugs            | 3.5%  | 0.5%    | 0.9%    | 0.0%    | 4.3%  | 2.9%  | 1.3%    | 2.3%  | 0.4%  | 1.9%             | 2.3%     |
| <b>Used Past Year</b>  |       |         |         |         |       |       |         |       |       |                  |          |
| Any Substance          | 32.5% | 25.6%   | 27.0%   | 22.0%   | 28.1% | 21.2% | 23.9%   | 20.1% | 23.5% | 25.4%            | 33.5%    |
| Alcohol                | 28.5% | 22.3%   | 24.4%   | 19.7%   | 24.4% | 17.1% | 18.7%   | 16.5% | 21.2% | 19.8%            | 32.7%    |
| Tobacco                | 5.2%  | 3.3%    | 5.8%    | 3.0%    | 3.3%  | 5.8%  | 5.7%    | 6.9%  | 2.3%  | 4.7%             | 7.6%     |
| Smokeless Tobacco      | 4.3%  | 3.3%    | 1.8%    | 0.6%    | 3.3%  | 3.7%  | 2.1%    | 1.7%  | 1.8%  | 2.6%             | 3.8%     |
| Inhalants              | 3.1%  | 5.5%    | 4.4%    | 7.2%    | 11.4% | 6.0%  | 6.7%    | 6.4%  | 5.3%  | 4.0%             | 5.6%     |
| Marijuana              | 5.0%  | 2.0%    | 2.5%    | 1.5%    | 2.2%  | 2.3%  | 1.7%    | 3.1%  | 0.8%  | 4.2%             | 4.2%     |
| Other Drugs            | 3.0%  | 0.5%    | 0.9%    | 0.0%    | 2.6%  | 2.3%  | 0.8%    | 2.0%  | 0.4%  | 1.6%             | 2.2%     |
| <b>Used Past Month</b> |       |         |         |         |       |       |         |       |       |                  |          |
| Any Substance          | 18.6% | 11.1%   | 14.2%   | 11.2%   | 13.6% | 7.9%  | 12.5%   | 10.1% | 12.2% | 12.8%            | 16.0%    |
| Alcohol                | 15.5% | 8.0%    | 11.1%   | 6.2%    | 8.9%  | 4.9%  | 7.7%    | 7.0%  | 8.7%  | 8.0%             | 14.6%    |
| Tobacco                | 2.9%  | 1.9%    | 3.3%    | 1.5%    | 2.1%  | 2.3%  | 3.3%    | 3.3%  | 2.2%  | 2.6%             | 2.9%     |
| Smokeless Tobacco      | 3.2%  | 1.4%    | 1.2%    | 1.5%    | 0.0%  | 1.1%  | 1.2%    | 1.1%  | 0.8%  | 2.6%             | 2.5%     |
| Inhalants              | 3.0%  | 1.9%    | 2.6%    | 6.7%    | 7.5%  | 2.5%  | 5.0%    | 3.0%  | 3.7%  | 1.9%             | 4.5%     |
| Marijuana              | 3.5%  | 2.0%    | 0.8%    | 1.0%    | 1.4%  | 1.2%  | 0.4%    | 1.1%  | 0.4%  | 2.5%             | 2.7%     |
| Other Drugs            | 2.2%  | 0.5%    | 0.0%    | 0.0%    | 1.3%  | 1.7%  | 0.0%    | 1.1%  | 0.4%  | 0.5%             | 0.9%     |
| # of Respondents       | 173   | 221     | 218     | 202     | 235   | 338   | 231     | 350   | 269   | 300              | 237      |

\* Excludes Native American, Asian, and Other



## *Appendix B-1*

### *Drug Prevalences: Total Respondents By Gender, Grade and Region*

For all “B” appendices:

- Most tables have three columns of figures to show changes from 2000 to 2002 to 2004.
- The Lifetime and Past Year tables for “Any Illicit” and “Any Substance” have two columns (third and fourth from the left) with 2004 results. The first 2004 column shows the figure obtained from including just the substances that were included in previous years, so that valid comparisons can be made to the two earlier figures. The second 2004 column in those tables shows percentages that include all illicit drugs covered by the 2004 survey, even if 2004 was the first time they were on the survey.
- The tables for “Ecstasy” (MDMA) include just two columns, as that substance first appeared on the survey in 2002.

| Alcohol -- Lifetime<br>All Respondents |              |              |              |
|--|--------------|--------------|--------------|
|  | 2000         | 2002         | 2004         |
| <b>Grade</b>                           |              |              |              |
| 8th Grade                              | 60.6%        | 54.2%        | 53.1%        |
| 10th Grade                             | 74.6%        | 69.9%        | 69.8%        |
| 12th Grade                             | 81.6%        | 79.9%        | 81.5%        |
| <b>Gender</b>                          |              |              |              |
| Male                                   | 71.4%        | 67.3%        | 65.3%        |
| Female                                 | 72.1%        | 67.9%        | 69.4%        |
| <b>Region</b>                          |              |              |              |
| Cook                                   | 72.3%        | 69.1%        | 66.7%        |
| CPS                                    | 70.1%        | 65.2%        | 68.0%        |
| Non-CPS                                | 73.8%        | 71.7%        | 65.9%        |
| Non-Cook                               | 71.3%        | 66.3%        | 67.8%        |
| Urban                                  | 72.6%        | 67.9%        | 68.5%        |
| Rural                                  | 70.3%        | 65.4%        | 67.2%        |
| <b>Total</b>                           | <b>71.7%</b> | <b>67.4%</b> | <b>67.4%</b> |

| Tobacco -- Lifetime<br>All Respondents |              |              |              |
|--|--------------|--------------|--------------|
|  | 2000         | 2002         | 2004         |
| <b>Grade</b>                           |              |              |              |
| 8th Grade                              | 45.9%        | 35.7%        | 29.9%        |
| 10th Grade                             | 59.5%        | 49.5%        | 44.8%        |
| 12th Grade                             | 67.7%        | 61.4%        | 57.3%        |
| <b>Gender</b>                          |              |              |              |
| Male                                   | 56.4%        | 48.6%        | 42.1%        |
| Female                                 | 57.7%        | 48.0%        | 44.1%        |
| <b>Region</b>                          |              |              |              |
| Cook                                   | 54.8%        | 47.5%        | 40.3%        |
| CPS                                    | 54.5%        | 47.2%        | 44.5%        |
| Non-CPS                                | 55.0%        | 47.6%        | 37.5%        |
| Non-Cook                               | 58.5%        | 48.7%        | 45.0%        |
| Urban                                  | 60.4%        | 48.1%        | 45.5%        |
| Rural                                  | 57.0%        | 49.0%        | 44.5%        |
| <b>Total</b>                           | <b>57.1%</b> | <b>48.2%</b> | <b>43.2%</b> |

| Alcohol -- Used Past Year<br>All Respondents |              |              |              |
|--|--------------|--------------|--------------|
|  | 2000         | 2002         | 2004         |
| <b>Grade</b>                                 |              |              |              |
| 8th Grade                                    | 49.5%        | 43.7%        | 43.5%        |
| 10th Grade                                   | 67.5%        | 62.5%        | 63.7%        |
| 12th Grade                                   | 76.2%        | 74.9%        | 75.6%        |
| <b>Gender</b>                                |              |              |              |
| Male   | 63.5%        | 59.3%        | 57.9%        |
| Female                                       | 64.0%        | 60.1%        | 62.2%        |
| <b>Region</b>                                |              |              |              |
| Cook   | 62.7%        | 61.2%        | 59.6%        |
| CPS  | 58.7%        | 55.4%        | 60.0%        |
| Non-CPS                                      | 65.3%        | 64.9%        | 59.4%        |
| Non-Cook                                     | 64.3%        | 58.6%        | 60.4%        |
| Urban  | 66.4%        | 59.3%        | 61.1%        |
| Rural  | 62.6%        | 58.1%        | 59.7%        |
| <b>Total</b>                                 | <b>63.7%</b> | <b>59.6%</b> | <b>60.1%</b> |

| Tobacco -- Used Past Year<br>All Respondents |              |              |              |
|--|--------------|--------------|--------------|
|  | 2000         | 2002         | 2004         |
| <b>Grade</b>                                 |              |              |              |
| 8th Grade                                    | 23.7%        | 16.0%        | 15.3%        |
| 10th Grade                                   | 37.5%        | 25.9%        | 27.3%        |
| 12th Grade                                   | 46.0%        | 38.5%        | 36.0%        |
| <b>Gender</b>                                |              |              |              |
| Male   | 35.7%        | 25.7%        | 26.3%        |
| Female                                       | 34.7%        | 26.8%        | 24.9%        |
| <b>Region</b>                                |              |              |              |
| Cook   | 31.2%        | 24.0%        | 21.9%        |
| CPS  | 27.2%        | 19.3%        | 21.9%        |
| Non-CPS                                      | 33.7%        | 26.9%        | 21.8%        |
| Non-Cook                                     | 37.6%        | 27.5%        | 28.0%        |
| Urban  | 38.7%        | 26.1%        | 28.4%        |
| Rural  | 36.8%        | 28.4%        | 27.6%        |
| <b>Total</b>                                 | <b>35.1%</b> | <b>26.1%</b> | <b>25.6%</b> |

| Alcohol -- Used Past Month<br>All Respondents |              |              |              |
|---|--------------|--------------|--------------|
|   | 2000         | 2002         | 2004         |
| <b>Grade</b>                                  |              |              |              |
| 8th Grade                                     | 22.9%        | 18.9%        | 19.1%        |
| 10th Grade                                    | 41.8%        | 36.1%        | 39.7%        |
| 12th Grade                                    | 52.6%        | 52.8%        | 53.0%        |
| <b>Gender</b>                                 |              |              |              |
| Male  | 40.7%        | 35.9%        | 36.6%        |
| Female  | 36.4%        | 34.5%        | 36.1%        |
| <b>Region</b>                                 |              |              |              |
| Cook  | 36.2%        | 35.7%        | 34.5%        |
| CPS   | 35.1%        | 34.3%        | 30.9%        |
| Non-CPS                                       | 37.0%        | 36.6%        | 36.8%        |
| Non-Cook                                      | 39.6%        | 34.6%        | 37.5%        |
| Urban   | 41.1%        | 36.4%        | 37.0%        |
| Rural   | 38.5%        | 33.5%        | 37.9%        |
| <b>Total</b>                                  | <b>38.3%</b> | <b>35.0%</b> | <b>36.3%</b> |

| Tobacco -- Used Past Month<br>All Respondents |              |              |              |
|---|--------------|--------------|--------------|
|   | 2000         | 2002         | 2004         |
| <b>Grade</b>                                  |              |              |              |
| 8th Grade                                     | 14.1%        | 9.5%         | 9.8%         |
| 10th Grade                                    | 26.7%        | 18.1%        | 17.7%        |
| 12th Grade                                    | 34.7%        | 31.0%        | 27.0%        |
| <b>Gender</b>                                 |              |              |              |
| Male  | 25.3%        | 18.8%        | 17.5%        |
| Female  | 23.9%        | 19.2%        | 17.9%        |
| <b>Region</b>                                 |              |              |              |
| Cook  | 20.5%        | 16.8%        | 13.6%        |
| CPS   | 17.5%        | 13.8%        | 11.8%        |
| Non-CPS                                       | 22.5%        | 18.8%        | 14.9%        |
| Non-Cook                                      | 27.1%        | 20.3%        | 20.1%        |
| Urban   | 28.0%        | 19.6%        | 20.7%        |
| Rural   | 26.4%        | 20.6%        | 19.6%        |
| <b>Total</b>                                  | <b>24.6%</b> | <b>18.9%</b> | <b>17.7%</b> |

| Smokeless Tobacco -- Lifetime<br>All Respondents |              |              |              |
|--|--------------|--------------|--------------|
|  | 2000         | 2002         | 2004         |
| <b>Grade</b>                                     |              |              |              |
| 8th Grade  | 9.9%         | 7.7%         | 9.0%         |
| 10th Grade                                       | 17.8%        | 11.4%        | 12.7%        |
| 12th Grade                                       | 23.8%        | 21.9%        | 18.5%        |
| <b>Gender</b>                                    |              |              |              |
| Male   | 26.9%        | 20.5%        | 19.4%        |
| Female   | 7.8%         | 6.4%         | 7.1%         |
| <b>Region</b>                                    |              |              |              |
| Cook   | 12.8%        | 9.0%         | 9.6%         |
| CPS  | 8.5%         | 7.4%         | 9.2%         |
| Non-CPS  | 15.6%        | 10.1%        | 9.8%         |
| Non-Cook   | 19.3%        | 15.9%        | 15.3%        |
| Urban  | 15.5%        | 12.7%        | 13.3%        |
| Rural  | 22.2%        | 17.8%        | 17.3%        |
| <b>Total</b>                                     | <b>16.8%</b> | <b>13.3%</b> | <b>13.1%</b> |

| Inhalants -- Lifetime<br>All Respondents |              |              |              |
|--|--------------|--------------|--------------|
|  | 2000         | 2002         | 2004         |
| <b>Grade</b>                             |              |              |              |
| 8th Grade                                | 14.6%        | 13.2%        | 14.5%        |
| 10th Grade                               | 10.4%        | 10.4%        | 11.1%        |
| 12th Grade                               | 11.3%        | 10.1%        | 9.1%         |
| <b>Gender</b>                            |              |              |              |
| Male                                     | 12.5%        | 11.7%        | 12.1%        |
| Female                                   | 11.9%        | 11.1%        | 11.3%        |
| <b>Region</b>                            |              |              |              |
| Cook                                     | 10.9%        | 9.9%         | 9.9%         |
| CPS                                      | 7.8%         | 7.5%         | 8.4%         |
| Non-CPS                                  | 12.8%        | 11.5%        | 10.9%        |
| Non-Cook                                 | 13.0%        | 12.1%        | 12.8%        |
| Urban                                    | 11.9%        | 11.3%        | 12.2%        |
| Rural                                    | 13.8%        | 12.6%        | 13.5%        |
| <b>Total</b>                             | <b>12.2%</b> | <b>11.3%</b> | <b>11.7%</b> |

| Smokeless Tobacco -- Used Past Year<br>All Respondents |              |             |             |
|--|--------------|-------------|-------------|
|  | 2000         | 2002        | 2004        |
| <b>Grade</b>   |              |             |             |
| 8th Grade  | 6.6%         | 4.4%        | 6.9%        |
| 10th Grade   | 12.7%        | 8.7%        | 9.3%        |
| 12th Grade   | 14.8%        | 13.4%       | 13.1%       |
| <b>Gender</b>  |              |             |             |
| Male   | 18.1%        | 13.5%       | 14.1%       |
| Female   | 4.9%         | 3.8%        | 5.3%        |
| <b>Region</b>  |              |             |             |
| Cook   | 9.2%         | 6.5%        | 8.2%        |
| CPS  | 7.2%         | 7.7%        | 7.5%        |
| Non-CPS  | 10.5%        | 5.7%        | 8.6%        |
| Non-Cook   | 12.4%        | 9.9%        | 10.5%       |
| Urban  | 9.0%         | 8.3%        | 8.8%        |
| Rural  | 15.0%        | 10.8%       | 12.2%       |
| <b>Total</b>   | <b>11.2%</b> | <b>8.6%</b> | <b>9.6%</b> |

| Inhalants -- Used Past Year<br>All Respondents |             |             |             |
|--|-------------|-------------|-------------|
|  | 2000        | 2002        | 2004        |
| <b>Grade</b>                                   |             |             |             |
| 8th Grade                                      | 9.6%        | 8.0%        | 10.0%       |
| 10th Grade                                     | 5.4%        | 6.4%        | 6.8%        |
| 12th Grade                                     | 4.1%        | 4.7%        | 5.9%        |
| <b>Gender</b>                                  |             |             |             |
| Male   | 6.7%        | 7.1%        | 7.4%        |
| Female   | 6.3%        | 5.9%        | 7.9%        |
| <b>Region</b>                                  |             |             |             |
| Cook   | 4.8%        | 5.4%        | 6.3%        |
| CPS  | 3.7%        | 4.0%        | 4.4%        |
| Non-CPS  | 5.5%        | 6.3%        | 7.6%        |
| Non-Cook                                       | 7.6%        | 7.1%        | 8.5%        |
| Urban  | 6.9%        | 6.6%        | 7.8%        |
| Rural  | 8.1%        | 7.5%        | 9.2%        |
| <b>Total</b>                                   | <b>6.5%</b> | <b>6.5%</b> | <b>7.7%</b> |

| Smokeless Tobacco -- Used Past Month<br>All Respondents |             |             |             |
|---|-------------|-------------|-------------|
|   | 2000        | 2002        | 2004        |
| <b>Grade</b>  |             |             |             |
| 8th Grade   | 2.9%        | 2.4%        | 2.7%        |
| 10th Grade  | 5.9%        | 3.4%        | 3.8%        |
| 12th Grade  | 7.4%        | 6.3%        | 5.7%        |
| <b>Gender</b>   |             |             |             |
| Male  | 8.6%        | 5.9%        | 6.2%        |
| Female  | 2.2%        | 1.8%        | 2.0%        |
| <b>Region</b>   |             |             |             |
| Cook  | 4.2%        | 2.7%        | 3.9%        |
| CPS   | 4.4%        | 3.6%        | 3.9%        |
| Non-CPS   | 4.0%        | 2.2%        | 4.0%        |
| Non-Cook  | 5.9%        | 4.6%        | 4.0%        |
| Urban   | 4.0%        | 4.1%        | 3.4%        |
| Rural   | 7.5%        | 4.9%        | 4.6%        |
| <b>Total</b>  | <b>5.3%</b> | <b>3.9%</b> | <b>4.0%</b> |

| Inhalants -- Used Past Month<br>All Respondents |             |             |             |
|---|-------------|-------------|-------------|
|   | 2000        | 2002        | 2004        |
| <b>Grade</b>                                    |             |             |             |
| 8th Grade                                       | 4.1%        | 4.2%        | 5.0%        |
| 10th Grade                                      | 1.8%        | 2.8%        | 2.8%        |
| 12th Grade                                      | 1.3%        | 2.1%        | 2.3%        |
| <b>Gender</b>                                   |             |             |             |
| Male  | 2.5%        | 3.7%        | 3.3%        |
| Female  | 2.4%        | 2.5%        | 3.5%        |
| <b>Region</b>                                   |             |             |             |
| Cook  | 1.8%        | 2.9%        | 2.5%        |
| CPS   | 1.4%        | 2.7%        | 2.1%        |
| Non-CPS   | 2.1%        | 2.9%        | 2.8%        |
| Non-Cook  | 2.9%        | 3.3%        | 4.0%        |
| Urban   | 2.5%        | 3.3%        | 3.3%        |
| Rural   | 3.2%        | 3.3%        | 4.7%        |
| <b>Total</b>                                    | <b>2.5%</b> | <b>3.1%</b> | <b>3.4%</b> |

| Marijuana -- Lifetime<br>All Respondents |              |              |              |
|--|--------------|--------------|--------------|
|  | 2000         | 2002         | 2004         |
| <b>Grade</b>                             |              |              |              |
| 8th Grade                                | 21.2%        | 16.4%        | 16.8%        |
| 10th Grade                               | 40.2%        | 35.6%        | 36.0%        |
| 12th Grade                               | 49.4%        | 49.2%        | 48.2%        |
| <b>Gender</b>                            |              |              |              |
| Male                                     | 39.5%        | 35.2%        | 35.0%        |
| Female                                   | 33.2%        | 31.2%        | 30.9%        |
| <b>Region</b>                            |              |              |              |
| Cook                                     | 37.0%        | 35.0%        | 32.5%        |
| CPS                                      | 41.3%        | 36.8%        | 38.4%        |
| Non-CPS                                  | 34.1%        | 33.9%        | 28.6%        |
| Non-Cook                                 | 35.7%        | 31.7%        | 33.0%        |
| Urban                                    | 40.6%        | 35.1%        | 37.2%        |
| Rural                                    | 31.9%        | 29.6%        | 28.9%        |
| <b>Total</b>                             | <b>36.2%</b> | <b>33.0%</b> | <b>32.8%</b> |

| Any Illicit (Excluding Marijuana) -- Lifetime<br>All Respondents |              |              |              |              |
|--|--------------|--------------|--------------|--------------|
|  | 2000         | 2002         | 2004         | 2004*        |
| <b>Grade</b>   |              |              |              |              |
| 8th Grade  | 13.2%        | 12.1%        | 13.7%        | 14.9%        |
| 10th Grade   | 23.1%        | 18.2%        | 22.2%        | 24.3%        |
| 12th Grade   | 27.5%        | 20.6%        | 25.6%        | 27.8%        |
| <b>Gender</b>  |              |              |              |              |
| Male   | 22.2%        | 18.4%        | 21.6%        | 23.3%        |
| Female   | 19.8%        | 15.4%        | 18.9%        | 20.8%        |
| <b>Region</b>  |              |              |              |              |
| Cook   | 19.6%        | 15.7%        | 17.7%        | 18.9%        |
| CPS  | 17.9%        | 14.5%        | 17.7%        | 19.6%        |
| Non-CPS  | 20.8%        | 16.5%        | 17.7%        | 18.4%        |
| Non-Cook   | 21.7%        | 17.4%        | 21.8%        | 24.0%        |
| Urban  | 24.8%        | 17.3%        | 24.4%        | 26.4%        |
| Rural  | 19.2%        | 17.5%        | 19.2%        | 21.5%        |
| <b>Total</b>   | <b>20.9%</b> | <b>16.8%</b> | <b>20.2%</b> | <b>22.0%</b> |

| Marijuana -- Used Past Year<br>All Respondents |              |              |              |
|--|--------------|--------------|--------------|
|  | 2000         | 2002         | 2004         |
| <b>Grade</b>                                   |              |              |              |
| 8th Grade                                      | 17.2%        | 12.4%        | 13.8%        |
| 10th Grade                                     | 30.9%        | 28.5%        | 29.2%        |
| 12th Grade                                     | 37.4%        | 37.8%        | 36.6%        |
| <b>Gender</b>                                  |              |              |              |
| Male   | 31.8%        | 27.5%        | 27.6%        |
| Female   | 24.8%        | 24.2%        | 24.5%        |
| <b>Region</b>                                  |              |              |              |
| Cook   | 28.7%        | 27.5%        | 24.7%        |
| CPS  | 31.1%        | 27.7%        | 27.3%        |
| Non-CPS  | 27.0%        | 27.4%        | 23.0%        |
| Non-Cook                                       | 27.6%        | 24.5%        | 26.7%        |
| Urban  | 32.2%        | 27.4%        | 30.3%        |
| Rural  | 24.0%        | 22.7%        | 23.1%        |
| <b>Total</b>                                   | <b>28.0%</b> | <b>25.6%</b> | <b>25.9%</b> |

| Any Illicit (Excluding Marijuana) -- Used Past Year<br>All Respondents |              |              |              |              |
|--|--------------|--------------|--------------|--------------|
|  | 2000         | 2002         | 2004         | 2004*        |
| <b>Grade</b>   |              |              |              |              |
| 8th Grade  | 10.2%        | 9.1%         | 10.2%        | 11.6%        |
| 10th Grade   | 17.1%        | 14.3%        | 16.3%        | 18.9%        |
| 12th Grade   | 20.4%        | 15.3%        | 18.1%        | 20.8%        |
| <b>Gender</b>  |              |              |              |              |
| Male   | 17.9%        | 14.0%        | 16.2%        | 18.1%        |
| Female   | 13.6%        | 11.6%        | 13.2%        | 15.6%        |
| <b>Region</b>  |              |              |              |              |
| Cook   | 14.8%        | 11.6%        | 12.3%        | 13.8%        |
| CPS  | 12.1%        | 10.9%        | 11.4%        | 13.3%        |
| Non-CPS  | 16.5%        | 12.0%        | 12.9%        | 14.1%        |
| Non-Cook   | 16.1%        | 13.5%        | 16.1%        | 18.8%        |
| Urban  | 18.2%        | 13.2%        | 18.1%        | 20.7%        |
| Rural  | 14.5%        | 13.6%        | 14.0%        | 16.8%        |
| <b>Total</b>   | <b>15.6%</b> | <b>12.7%</b> | <b>14.6%</b> | <b>16.9%</b> |

| Marijuana -- Used Past Month<br>All Respondents |              |              |              |
|---|--------------|--------------|--------------|
|   | 2000         | 2002         | 2004         |
| <b>Grade</b>                                    |              |              |              |
| 8th Grade                                       | 9.0%         | 7.2%         | 8.1%         |
| 10th Grade                                      | 18.6%        | 16.0%        | 17.4%        |
| 12th Grade                                      | 22.2%        | 23.9%        | 21.8%        |
| <b>Gender</b>                                   |              |              |              |
| Male  | 18.6%        | 17.4%        | 17.0%        |
| Female  | 14.1%        | 13.6%        | 13.7%        |
| <b>Region</b>                                   |              |              |              |
| Cook  | 16.0%        | 16.3%        | 14.9%        |
| CPS   | 17.5%        | 16.3%        | 14.9%        |
| Non-CPS   | 15.0%        | 16.4%        | 14.9%        |
| Non-Cook  | 16.4%        | 14.7%        | 15.7%        |
| Urban   | 19.1%        | 16.9%        | 17.7%        |
| Rural   | 14.3%        | 13.4%        | 13.6%        |
| <b>Total</b>                                    | <b>16.2%</b> | <b>15.3%</b> | <b>15.4%</b> |

| Any Illicit (Ex. Marijuana) -- Used Past Month<br>All Respondents |             |             |             |
|---|-------------|-------------|-------------|
|   | 2000        | 2002        | 2004        |
| <b>Grade</b>  |             |             |             |
| 8th Grade   | 5.4%        | 5.1%        | 5.8%        |
| 10th Grade  | 9.4%        | 7.5%        | 8.7%        |
| 12th Grade  | 12.5%       | 9.0%        | 9.0%        |
| <b>Gender</b>   |             |             |             |
| Male  | 10.9%       | 8.1%        | 8.2%        |
| Female  | 7.1%        | 6.1%        | 7.3%        |
| <b>Region</b>   |             |             |             |
| Cook  | 8.5%        | 6.4%        | 6.5%        |
| CPS   | 5.8%        | 6.3%        | 5.6%        |
| Non-CPS   | 10.2%       | 6.4%        | 7.1%        |
| Non-Cook  | 9.1%        | 7.6%        | 8.5%        |
| Urban   | 9.8%        | 7.8%        | 9.4%        |
| Rural   | 8.7%        | 7.4%        | 7.6%        |
| <b>Total</b>  | <b>8.9%</b> | <b>7.1%</b> | <b>7.7%</b> |

\*With definition of "Any Illicit" expanded to include drugs surveyed for the first time in 2004.

| Cocaine/Crack -- Lifetime<br>All Respondents |             |             |             |
|--|-------------|-------------|-------------|
|  | 2000        | 2002        | 2004        |
| <b>Grade</b>                                 |             |             |             |
| 8th Grade                                    | 2.9%        | 3.2%        | 2.9%        |
| 10th Grade                                   | 4.7%        | 4.9%        | 3.8%        |
| 12th Grade                                   | 8.7%        | 7.2%        | 6.6%        |
| <b>Gender</b>                                |             |             |             |
| Male   | 6.0%        | 5.7%        | 4.8%        |
| Female                                       | 4.7%        | 4.4%        | 3.8%        |
| <b>Region</b>                                |             |             |             |
| Cook   | 4.8%        | 4.8%        | 3.2%        |
| CPS  | 4.0%        | 4.5%        | 2.0%        |
| Non-CPS                                      | 5.4%        | 5.0%        | 3.9%        |
| Non-Cook                                     | 5.5%        | 5.1%        | 5.0%        |
| Urban  | 6.2%        | 5.4%        | 5.5%        |
| Rural  | 4.9%        | 4.9%        | 4.5%        |
| <b>Total</b>                                 | <b>5.2%</b> | <b>5.0%</b> | <b>4.3%</b> |

| Hallucinogens -- Lifetime<br>All Respondents |             |             |             |
|--|-------------|-------------|-------------|
|  | 2000        | 2002        | 2004        |
| <b>Grade</b>                                 |             |             |             |
| 8th Grade                                    | 2.2%        | 2.1%        | 1.3%        |
| 10th Grade                                   | 6.4%        | 4.0%        | 2.5%        |
| 12th Grade                                   | 13.2%       | 9.1%        | 6.9%        |
| <b>Gender</b>                                |             |             |             |
| Male   | 7.5%        | 5.9%        | 4.5%        |
| Female                                       | 6.7%        | 4.0%        | 2.5%        |
| <b>Region</b>                                |             |             |             |
| Cook   | 5.2%        | 3.6%        | 2.8%        |
| CPS  | 3.7%        | 2.0%        | 1.0%        |
| Non-CPS                                      | 6.2%        | 4.7%        | 4.0%        |
| Non-Cook                                     | 8.0%        | 5.7%        | 3.8%        |
| Urban  | 9.9%        | 5.0%        | 4.7%        |
| Rural  | 6.5%        | 6.1%        | 2.8%        |
| <b>Total</b>                                 | <b>7.0%</b> | <b>4.9%</b> | <b>3.4%</b> |

| Cocaine/Crack -- Used Past Year<br>All Respondents |             |             |             |
|--|-------------|-------------|-------------|
|  | 2000        | 2002        | 2004        |
| <b>Grade</b>                                       |             |             |             |
| 8th Grade  | 2.0%        | 2.0%        | 2.3%        |
| 10th Grade   | 2.9%        | 4.2%        | 3.1%        |
| 12th Grade   | 6.5%        | 5.5%        | 5.0%        |
| <b>Gender</b>                                      |             |             |             |
| Male   | 4.0%        | 4.4%        | 3.7%        |
| Female   | 3.4%        | 3.4%        | 3.0%        |
| <b>Region</b>                                      |             |             |             |
| Cook   | 2.8%        | 3.4%        | 2.6%        |
| CPS  | 2.3%        | 3.3%        | 1.6%        |
| Non-CPS  | 3.2%        | 3.5%        | 3.4%        |
| Non-Cook   | 4.2%        | 4.1%        | 3.8%        |
| Urban  | 4.6%        | 4.2%        | 4.2%        |
| Rural  | 3.8%        | 4.1%        | 3.5%        |
| <b>Total</b>                                       | <b>3.7%</b> | <b>3.8%</b> | <b>3.4%</b> |

| Hallucinogens -- Used Past Year<br>All Respondents |             |             |             |
|--|-------------|-------------|-------------|
|  | 2000        | 2002        | 2004        |
| <b>Grade</b>                                       |             |             |             |
| 8th Grade  | 1.7%        | 1.5%        | 0.9%        |
| 10th Grade   | 5.3%        | 2.9%        | 1.8%        |
| 12th Grade   | 9.0%        | 5.3%        | 4.8%        |
| <b>Gender</b>                                      |             |             |             |
| Male   | 6.1%        | 3.9%        | 3.3%        |
| Female   | 4.5%        | 2.4%        | 1.5%        |
| <b>Region</b>                                      |             |             |             |
| Cook   | 4.0%        | 2.2%        | 1.8%        |
| CPS  | 3.0%        | 1.3%        | 0.5%        |
| Non-CPS  | 4.7%        | 2.8%        | 2.7%        |
| Non-Cook   | 5.9%        | 3.7%        | 2.7%        |
| Urban  | 6.8%        | 3.3%        | 3.5%        |
| Rural  | 5.2%        | 4.0%        | 1.9%        |
| <b>Total</b>                                       | <b>5.2%</b> | <b>3.2%</b> | <b>2.4%</b> |

| Cocaine/Crack -- Used Past Month<br>All Respondents |             |             |             |
|---|-------------|-------------|-------------|
|   | 2000        | 2002        | 2004        |
| <b>Grade</b>  |             |             |             |
| 8th Grade   | 0.5%        | 1.3%        | 1.2%        |
| 10th Grade  | 1.0%        | 1.5%        | 1.1%        |
| 12th Grade  | 3.1%        | 2.9%        | 1.9%        |
| <b>Gender</b>                                       |             |             |             |
| Male  | 1.9%        | 2.3%        | 1.3%        |
| Female  | 1.1%        | 1.5%        | 1.5%        |
| <b>Region</b>                                       |             |             |             |
| Cook  | 1.2%        | 1.9%        | 1.3%        |
| CPS   | 0.7%        | 1.7%        | 0.8%        |
| Non-CPS   | 1.5%        | 2.0%        | 1.5%        |
| Non-Cook  | 1.6%        | 1.8%        | 1.5%        |
| Urban   | 1.9%        | 1.9%        | 1.9%        |
| Rural   | 1.4%        | 1.8%        | 1.2%        |
| <b>Total</b>  | <b>1.5%</b> | <b>1.9%</b> | <b>1.4%</b> |

| Hallucinogens -- Used Past Month<br>All Respondents |             |             |             |
|---|-------------|-------------|-------------|
|   | 2000        | 2002        | 2004        |
| <b>Grade</b>  |             |             |             |
| 8th Grade   | 0.8%        | 0.8%        | 0.3%        |
| 10th Grade  | 1.6%        | 1.2%        | 0.9%        |
| 12th Grade  | 3.2%        | 1.3%        | 1.5%        |
| <b>Gender</b>                                       |             |             |             |
| Male  | 2.2%        | 1.4%        | 1.3%        |
| Female  | 1.5%        | 0.8%        | 0.5%        |
| <b>Region</b>                                       |             |             |             |
| Cook  | 1.3%        | 0.8%        | 0.5%        |
| CPS   | 0.7%        | 0.6%        | 0.4%        |
| Non-CPS   | 1.7%        | 0.9%        | 0.6%        |
| Non-Cook  | 2.1%        | 1.3%        | 1.1%        |
| Urban   | 2.5%        | 1.1%        | 1.6%        |
| Rural   | 1.7%        | 1.4%        | 0.6%        |
| <b>Total</b>  | <b>1.8%</b> | <b>1.1%</b> | <b>0.9%</b> |

| Any Substance -- Lifetime<br>All Respondents |              |              |              |              |
|--|--------------|--------------|--------------|--------------|
|  | 2000         | 2002         | 2004         | 2004*        |
| <b>Grade</b>                                 |              |              |              |              |
| 8th Grade                                    | 67.5%        | 61.1%        | 59.0%        | 63.1%        |
| 10th Grade                                   | 79.7%        | 74.1%        | 73.9%        | 75.8%        |
| 12th Grade                                   | 85.1%        | 84.1%        | 84.7%        | 85.7%        |
| <b>Gender</b>                                |              |              |              |              |
| Male   | 76.3%        | 73.4%        | 70.5%        | 72.5%        |
| Female                                       | 77.6%        | 71.9%        | 73.1%        | 75.9%        |
| <b>Region</b>                                |              |              |              |              |
| Cook   | 76.9%        | 73.6%        | 71.4%        | 74.3%        |
| CPS  | 75.2%        | 71.0%        | 74.3%        | 78.4%        |
| Non-CPS                                      | 78.0%        | 75.2%        | 69.5%        | 71.6%        |
| Non-Cook                                     | 77.0%        | 71.9%        | 72.1%        | 74.2%        |
| Urban  | 79.4%        | 72.6%        | 72.0%        | 73.9%        |
| Rural  | 75.2%        | 71.4%        | 72.1%        | 74.5%        |
| <b>Total</b>                                 | <b>77.0%</b> | <b>72.5%</b> | <b>71.8%</b> | <b>74.3%</b> |

| Number of Students<br>All Respondents |              |              |              |
|---------------------------------------|--------------|--------------|--------------|
|                                       | 2000         | 2002         | 2004         |
| <b>Grade</b>                          |              |              |              |
| 8th Grade                             | 1,793        | 1,855        | 1,998        |
| 10th Grade                            | 1,714        | 1,795        | 1,909        |
| 12th Grade                            | 1,497        | 1,572        | 1,683        |
| <b>Gender**</b>                       |              |              |              |
| Male                                  | 2,315        | 2,484        | 2,680        |
| Female                                | 2,618        | 2,634        | 2,840        |
| <b>Region</b>                         |              |              |              |
| Cook                                  | 1,926        | 1,999        | 2,135        |
| CPS                                   | 761          | 782          | 853          |
| Non-CPS                               | 1,164        | 1,217        | 1,283        |
| Non-Cook                              | 3,078        | 3,223        | 3,454        |
| Urban                                 | 1,350        | 1,202        | 1,732        |
| Rural                                 | 1,728        | 2,021        | 1,722        |
| <b>Total</b>                          | <b>5,004</b> | <b>5,222</b> | <b>5,590</b> |

| Any Substance -- Used Past Year<br>All Respondents |              |              |              |              |
|--|--------------|--------------|--------------|--------------|
|  | 2000         | 2002         | 2004         | 2004*        |
| <b>Grade</b>                                       |              |              |              |              |
| 8th Grade  | 54.1%        | 48.2%        | 48.5%        | 54.3%        |
| 10th Grade   | 71.1%        | 65.6%        | 66.1%        | 69.6%        |
| 12th Grade   | 78.4%        | 77.6%        | 77.9%        | 79.9%        |
| <b>Gender</b>                                      |              |              |              |              |
| Male   | 67.0%        | 63.6%        | 61.8%        | 65.1%        |
| Female   | 67.5%        | 62.7%        | 64.8%        | 69.2%        |
| <b>Region</b>                                      |              |              |              |              |
| Cook   | 65.9%        | 63.9%        | 63.0%        | 67.6%        |
| CPS  | 62.2%        | 58.9%        | 64.1%        | 70.6%        |
| Non-CPS  | 68.3%        | 67.1%        | 62.3%        | 65.6%        |
| Non-Cook   | 68.0%        | 62.5%        | 63.6%        | 67.0%        |
| Urban  | 70.5%        | 62.5%        | 63.8%        | 66.7%        |
| Rural  | 66.0%        | 62.5%        | 63.4%        | 67.4%        |
| <b>Total</b>                                       | <b>67.2%</b> | <b>63.0%</b> | <b>63.4%</b> | <b>67.2%</b> |

| Ecstasy (MDMA) -- Used Past Year***<br>All Respondents |             |             |
|--|-------------|-------------|
|  | 2002        | 2004        |
| <b>Grade</b>   |             |             |
| 8th Grade  | 0.9%        | 1.4%        |
| 10th Grade   | 1.6%        | 1.6%        |
| 12th Grade   | 2.9%        | 3.3%        |
| <b>Gender</b>  |             |             |
| Male   | 2.1%        | 2.2%        |
| Female   | 1.4%        | 1.9%        |
| <b>Region</b>  |             |             |
| Cook   | 1.1%        | 1.9%        |
| CPS  | 0.8%        | 1.6%        |
| Non-CPS  | 1.3%        | 2.2%        |
| Non-Cook   | 2.1%        | 2.1%        |
| Urban  | 2.1%        | 2.3%        |
| Rural  | 2.2%        | 1.8%        |
| <b>Total</b>   | <b>1.7%</b> | <b>2.0%</b> |

| Any Substance -- Used Past Month<br>All Respondents |              |              |              |
|---|--------------|--------------|--------------|
|   | 2000         | 2002         | 2004         |
| <b>Grade</b>  |              |              |              |
| 8th Grade   | 30.0%        | 25.0%        | 25.8%        |
| 10th Grade  | 49.7%        | 42.9%        | 45.3%        |
| 12th Grade  | 60.1%        | 59.1%        | 59.2%        |
| <b>Gender</b>                                       |              |              |              |
| Male  | 48.0%        | 42.3%        | 43.3%        |
| Female  | 43.9%        | 40.8%        | 41.7%        |
| <b>Region</b>                                       |              |              |              |
| Cook  | 43.1%        | 41.0%        | 40.3%        |
| CPS   | 42.2%        | 40.3%        | 37.7%        |
| Non-CPS   | 43.6%        | 41.5%        | 42.0%        |
| Non-Cook  | 47.4%        | 41.7%        | 43.9%        |
| Urban   | 49.6%        | 42.6%        | 43.9%        |
| Rural   | 45.7%        | 41.2%        | 43.9%        |
| <b>Total</b>  | <b>45.7%</b> | <b>41.5%</b> | <b>42.5%</b> |

| Ecstasy (MDMA) -- Used Past Month***<br>All Respondents |             |             |
|---|-------------|-------------|
|   | 2002        | 2004        |
| <b>Grade</b>  |             |             |
| 8th Grade   | 0.6%        | 0.5%        |
| 10th Grade  | 0.4%        | 0.5%        |
| 12th Grade  | 0.8%        | 0.7%        |
| <b>Gender</b>   |             |             |
| Male  | 0.8%        | 0.7%        |
| Female  | 0.4%        | 0.5%        |
| <b>Region</b>   |             |             |
| Cook  | 0.5%        | 0.5%        |
| CPS   | 0.4%        | 0.4%        |
| Non-CPS   | 0.6%        | 0.6%        |
| Non-Cook  | 0.6%        | 0.6%        |
| Urban   | 0.8%        | 0.6%        |
| Rural   | 0.5%        | 0.7%        |
| <b>Total</b>  | <b>0.6%</b> | <b>0.6%</b> |

\*With definition of "Any Substance" expanded to include drugs surveyed for the first time in 2004.

\*\*Gender is missing for 71 in 2000, 104 in 2002, 70 in 2004.

\*\*\*Lifetime Ecstasy use omitted to conserve space. Ecstasy use was not surveyed in 2000.

## ***Appendix B-2***

### ***Drug Prevalences:***

### ***Total Respondents: Grade By Gender***

For all “B” appendices:

- Most tables have three columns of figures to show changes from 2000 to 2002 to 2004.
- The Lifetime and Past Year tables for “Any Illicit” and “Any Substance” have two columns (third and fourth from the left) with 2004 results. The first 2004 column shows the figure obtained from including just the substances that were included in previous years, so that valid comparisons can be made to the two earlier figures. The second 2004 column in those tables shows percentages that include all illicit drugs covered by the 2004 survey, even if 2004 was the first time they were on the survey.
- The tables for “Ecstasy” (MDMA) include just two columns, as that substance first appeared on the survey in 2002.

| Alcohol -- Lifetime<br>Grade by Gender |       |       |       |
|--|-------|-------|-------|
|  | 2000  | 2002  | 2004  |
| <b>Male</b>                            | 71.4% | 67.3% | 65.3% |
| 8th                                    | 60.9% | 55.4% | 52.3% |
| 10th                                   | 74.2% | 68.3% | 66.5% |
| 12th                                   | 80.6% | 79.7% | 79.6% |
| <b>Female</b>                          | 72.1% | 67.9% | 69.4% |
| 8th                                    | 60.4% | 53.7% | 54.1% |
| 10th                                   | 75.0% | 71.5% | 72.4% |
| 12th                                   | 82.4% | 80.2% | 83.2% |
| <b>Total</b>                           | 71.7% | 67.4% | 67.4% |

| Tobacco -- Lifetime<br>Grade by Gender |       |       |       |
|--|-------|-------|-------|
|  | 2000  | 2002  | 2004  |
| <b>Male</b>                            | 56.4% | 48.6% | 42.1% |
| 8th                                    | 44.2% | 35.2% | 28.6% |
| 10th                                   | 58.9% | 49.9% | 43.7% |
| 12th                                   | 68.2% | 62.4% | 57.2% |
| <b>Female</b>                          | 57.7% | 48.0% | 44.1% |
| 8th                                    | 47.5% | 36.3% | 31.1% |
| 10th                                   | 59.6% | 48.9% | 45.4% |
| 12th                                   | 67.5% | 60.5% | 57.1% |
| <b>Total</b>                           | 57.1% | 48.2% | 43.2% |

| Alcohol -- Used Past Year<br>Grade by Gender |       |       |       |
|--|-------|-------|-------|
|  | 2000  | 2002  | 2004  |
| <b>Male</b>                                  | 63.5% | 59.3% | 57.9% |
| 8th  | 50.3% | 44.4% | 43.2% |
| 10th   | 66.8% | 60.6% | 59.7% |
| 12th   | 75.4% | 75.1% | 73.8% |
| <b>Female</b>                                | 64.0% | 60.1% | 62.2% |
| 8th  | 48.8% | 43.4% | 43.9% |
| 10th   | 68.2% | 64.3% | 66.8% |
| 12th   | 76.8% | 74.8% | 77.3% |
| <b>Total</b>                                 | 63.7% | 59.6% | 60.1% |

| Tobacco -- Used Past Year<br>Grade by Gender |       |       |       |
|--|-------|-------|-------|
|  | 2000  | 2002  | 2004  |
| <b>Male</b>                                  | 35.7% | 25.7% | 26.3% |
| 8th  | 22.8% | 13.6% | 13.2% |
| 10th   | 39.1% | 25.4% | 26.6% |
| 12th   | 47.4% | 39.9% | 37.6% |
| <b>Female</b>                                | 34.7% | 26.8% | 24.9% |
| 8th  | 24.6% | 18.7% | 17.5% |
| 10th   | 36.1% | 26.1% | 27.5% |
| 12th   | 44.9% | 37.3% | 34.6% |
| <b>Total</b>                                 | 35.1% | 26.1% | 25.6% |

| Alcohol -- Used Past Month<br>Grade by Gender |       |       |       |
|---|-------|-------|-------|
|   | 2000  | 2002  | 2004  |
| <b>Male</b>                                   | 40.7% | 35.9% | 36.6% |
| 8th   | 24.5% | 18.6% | 18.4% |
| 10th  | 44.1% | 36.6% | 39.0% |
| 12th  | 56.1% | 55.0% | 56.1% |
| <b>Female</b>                                 | 36.4% | 34.5% | 36.1% |
| 8th   | 21.6% | 19.6% | 19.6% |
| 10th  | 40.2% | 35.3% | 40.0% |
| 12th  | 49.3% | 50.8% | 50.2% |
| <b>Total</b>                                  | 38.3% | 35.0% | 36.3% |

| Tobacco -- Used Past Month<br>Grade by Gender |       |       |       |
|---|-------|-------|-------|
|   | 2000  | 2002  | 2004  |
| <b>Male</b>                                   | 25.3% | 18.8% | 17.5% |
| 8th   | 13.8% | 7.8%  | 8.7%  |
| 10th  | 28.1% | 17.4% | 17.4% |
| 12th  | 35.9% | 32.8% | 28.5% |
| <b>Female</b>                                 | 23.9% | 19.2% | 17.9% |
| 8th   | 14.4% | 11.4% | 10.9% |
| 10th  | 25.2% | 18.3% | 18.0% |
| 12th  | 33.5% | 29.5% | 25.5% |
| <b>Total</b>                                  | 24.6% | 18.9% | 17.7% |

| Smokeless Tobacco -- Lifetime<br>Grade by Gender |       |       |       |
|--|-------|-------|-------|
|  | 2000  | 2002  | 2004  |
| <b>Male</b>                                      | 26.9% | 20.5% | 19.4% |
| 8th  | 14.6% | 10.4% | 11.8% |
| 10th   | 29.3% | 18.8% | 19.6% |
| 12th   | 38.8% | 33.8% | 28.6% |
| <b>Female</b>                                    | 7.8%  | 6.4%  | 7.1%  |
| 8th  | 5.5%  | 5.3%  | 6.1%  |
| 10th   | 8.4%  | 4.9%  | 6.3%  |
| 12th   | 10.0% | 9.5%  | 9.1%  |
| <b>Total</b>                                     | 16.8% | 13.3% | 13.1% |

| Inhalants-- Lifetime<br>Grade by Gender |       |       |       |
|---|-------|-------|-------|
|   | 2000  | 2002  | 2004  |
| <b>Male</b>                             | 12.5% | 11.7% | 12.1% |
| 8th                                     | 14.6% | 12.4% | 14.6% |
| 10th                                    | 10.2% | 9.6%  | 11.2% |
| 12th                                    | 12.6% | 13.1% | 10.0% |
| <b>Female</b>                           | 11.9% | 11.1% | 11.3% |
| 8th                                     | 14.5% | 14.2% | 14.2% |
| 10th                                    | 10.8% | 11.2% | 11.1% |
| 12th                                    | 10.0% | 7.3%  | 8.4%  |
| <b>Total</b>                            | 12.2% | 11.3% | 11.7% |

| Smokeless Tobacco -- Used Past Year<br>Grade by Gender |       |       |       |
|--|-------|-------|-------|
|  | 2000  | 2002  | 2004  |
| <b>Male</b>  | 18.1% | 13.5% | 14.1% |
| 8th  | 9.2%  | 6.1%  | 9.3%  |
| 10th   | 21.2% | 14.0% | 14.4% |
| 12th   | 25.4% | 21.4% | 19.9% |
| <b>Female</b>  | 4.9%  | 3.8%  | 5.3%  |
| 8th  | 4.0%  | 2.9%  | 4.6%  |
| 10th   | 5.8%  | 3.7%  | 4.6%  |
| 12th   | 5.0%  | 5.0%  | 6.8%  |
| <b>Total</b>   | 11.2% | 8.6%  | 9.6%  |

| Inhalants-- Used Past Year<br>Grade by Gender |      |      |       |
|---|------|------|-------|
|   | 2000 | 2002 | 2004  |
| <b>Male</b>                                   | 6.7% | 7.1% | 7.4%  |
| 8th   | 9.0% | 7.6% | 9.8%  |
| 10th  | 5.3% | 6.8% | 5.8%  |
| 12th  | 5.5% | 6.9% | 6.4%  |
| <b>Female</b>                                 | 6.3% | 5.9% | 7.9%  |
| 8th   | 9.9% | 8.6% | 10.1% |
| 10th  | 5.5% | 6.2% | 7.7%  |
| 12th  | 3.0% | 2.6% | 5.5%  |
| <b>Total</b>                                  | 6.5% | 6.5% | 7.7%  |

| Smokeless Tobacco -- Used Past Month<br>Grade by Gender |       |       |      |
|---|-------|-------|------|
|   | 2000  | 2002  | 2004 |
| <b>Male</b>   | 8.6%  | 5.9%  | 6.2% |
| 8th   | 3.5%  | 2.8%  | 3.6% |
| 10th  | 9.7%  | 4.7%  | 6.5% |
| 12th  | 13.4% | 10.7% | 8.9% |
| <b>Female</b>   | 2.2%  | 1.8%  | 2.0% |
| 8th   | 2.0%  | 1.8%  | 1.8% |
| 10th  | 2.8%  | 1.9%  | 1.3% |
| 12th  | 1.8%  | 1.9%  | 2.9% |
| <b>Total</b>  | 5.3%  | 3.9%  | 4.0% |

| Inhalants-- Used Past Month<br>Grade by Gender |      |      |      |
|--|------|------|------|
|  | 2000 | 2002 | 2004 |
| <b>Male</b>                                    | 2.5% | 3.7% | 3.3% |
| 8th  | 3.9% | 3.9% | 5.1% |
| 10th   | 1.6% | 3.8% | 2.3% |
| 12th   | 1.9% | 3.3% | 2.4% |
| <b>Female</b>                                  | 2.4% | 2.5% | 3.5% |
| 8th  | 4.3% | 4.6% | 4.9% |
| 10th   | 1.9% | 1.8% | 3.3% |
| 12th   | 0.9% | 1.1% | 2.2% |
| <b>Total</b>                                   | 2.5% | 3.1% | 3.4% |

| Marijuana -- Lifetime<br>Grade by Gender |       |       |       |
|--|-------|-------|-------|
|  | 2000  | 2002  | 2004  |
| <b>Male</b>                              | 39.5% | 35.2% | 35.0% |
| 8th                                      | 23.5% | 17.3% | 19.4% |
| 10th                                     | 45.8% | 38.2% | 38.9% |
| 12th                                     | 51.5% | 52.2% | 49.9% |
| <b>Female</b>                            | 33.2% | 31.2% | 30.9% |
| 8th                                      | 18.6% | 16.1% | 14.4% |
| 10th                                     | 35.3% | 33.5% | 32.9% |
| 12th                                     | 47.7% | 46.2% | 46.9% |
| <b>Total</b>                             | 36.2% | 33.0% | 32.8% |

| Any Illicit (Excluding Marijuana) -- Lifetime<br>Grade by Gender |       |       |       |       |
|--|-------|-------|-------|-------|
|  | 2000  | 2002  | 2004  | 2004* |
| <b>Male</b>  | 22.2% | 18.4% | 21.6% | 23.3% |
| 8th  | 15.1% | 12.1% | 14.0% | 15.0% |
| 10th   | 24.3% | 19.6% | 23.6% | 25.6% |
| 12th   | 28.5% | 24.3% | 28.8% | 30.9% |
| <b>Female</b>  | 19.8% | 15.4% | 18.9% | 20.8% |
| 8th  | 11.4% | 12.3% | 13.2% | 14.6% |
| 10th   | 22.2% | 16.9% | 20.9% | 23.1% |
| 12th   | 26.7% | 17.1% | 22.8% | 25.1% |
| <b>Total</b>   | 20.9% | 16.8% | 20.2% | 22.0% |

| Marijuana -- Used Past Year<br>Grade by Gender |       |       |       |
|--|-------|-------|-------|
|  | 2000  | 2002  | 2004  |
| <b>Male</b>                                    | 31.8% | 27.5% | 27.6% |
| 8th  | 19.0% | 12.8% | 15.1% |
| 10th   | 37.2% | 30.4% | 31.9% |
| 12th   | 40.9% | 41.1% | 38.1% |
| <b>Female</b>                                  | 24.8% | 24.2% | 24.5% |
| 8th  | 15.2% | 12.3% | 12.6% |
| 10th   | 26.0% | 27.0% | 26.4% |
| 12th   | 34.5% | 34.5% | 35.6% |
| <b>Total</b>                                   | 28.0% | 25.6% | 25.9% |

| Any Illicit (Excluding Marijuana) -- Used Past Year<br>Grade by Gender |       |       |       |       |
|--|-------|-------|-------|-------|
|  | 2000  | 2002  | 2004  | 2004* |
| <b>Male</b>  | 17.9% | 14.0% | 16.2% | 18.1% |
| 8th  | 11.5% | 9.1%  | 10.4% | 11.6% |
| 10th   | 20.2% | 15.4% | 17.3% | 19.5% |
| 12th   | 23.1% | 18.2% | 22.0% | 24.6% |
| <b>Female</b>  | 13.6% | 11.6% | 13.2% | 15.6% |
| 8th  | 8.8%  | 9.2%  | 9.7%  | 11.4% |
| 10th   | 14.8% | 13.1% | 15.5% | 18.3% |
| 12th   | 18.0% | 12.6% | 14.5% | 17.3% |
| <b>Total</b>   | 15.6% | 12.7% | 14.6% | 16.9% |

| Marijuana -- Used Past Month<br>Grade by Gender |       |       |       |
|---|-------|-------|-------|
|   | 2000  | 2002  | 2004  |
| <b>Male</b>                                     | 18.6% | 17.4% | 17.0% |
| 8th   | 9.6%  | 7.3%  | 9.4%  |
| 10th  | 23.2% | 18.0% | 18.8% |
| 12th  | 24.4% | 28.2% | 24.4% |
| <b>Female</b>                                   | 14.1% | 13.6% | 13.7% |
| 8th   | 8.3%  | 7.4%  | 6.8%  |
| 10th  | 14.8% | 14.2% | 15.5% |
| 12th  | 20.1% | 19.9% | 19.5% |
| <b>Total</b>                                    | 16.2% | 15.3% | 15.4% |

| Any Illicit (Ex. Marijuana) -- Used Past Month<br>Grade by Gender |       |       |       |
|---|-------|-------|-------|
|   | 2000  | 2002  | 2004  |
| <b>Male</b>   | 10.9% | 8.1%  | 8.2%  |
| 8th   | 5.8%  | 5.2%  | 6.3%  |
| 10th  | 12.2% | 8.6%  | 8.1%  |
| 12th  | 15.7% | 10.7% | 10.7% |
| <b>Female</b>   | 7.1%  | 6.1%  | 7.3%  |
| 8th   | 4.9%  | 5.1%  | 5.1%  |
| 10th  | 7.2%  | 6.1%  | 9.3%  |
| 12th  | 9.6%  | 7.3%  | 7.5%  |
| <b>Total</b>  | 8.9%  | 7.1%  | 7.7%  |

\*With definition of "Any Illicit" expanded to include drugs surveyed for the first time in 2004.

| Cocaine/Crack -- Lifetime<br>Grade by Gender |       |      |      |
|--|-------|------|------|
|  | 2000  | 2002 | 2004 |
| <b>Male</b>                                  | 6.0%  | 5.7% | 4.8% |
| 8th  | 3.1%  | 2.7% | 2.6% |
| 10th   | 5.2%  | 5.3% | 3.6% |
| 12th   | 10.2% | 9.5% | 8.8% |
| <b>Female</b>                                | 4.7%  | 4.4% | 3.8% |
| 8th  | 2.8%  | 3.7% | 3.1% |
| 10th   | 4.4%  | 4.6% | 3.9% |
| 12th   | 7.2%  | 5.0% | 4.7% |
| <b>Total</b>                                 | 5.2%  | 5.0% | 4.3% |

| Hallucinogens -- Lifetime<br>Grade by Gender |       |       |       |
|--|-------|-------|-------|
|  | 2000  | 2002  | 2004  |
| <b>Male</b>                                  | 7.5%  | 5.9%  | 4.5%  |
| 8th  | 2.7%  | 1.8%  | 1.5%  |
| 10th   | 6.7%  | 4.7%  | 2.8%  |
| 12th   | 13.8% | 11.7% | 10.1% |
| <b>Female</b>                                | 6.7%  | 4.0%  | 2.5%  |
| 8th  | 1.8%  | 2.5%  | 1.1%  |
| 10th   | 6.3%  | 3.4%  | 2.3%  |
| 12th   | 12.8% | 6.6%  | 4.1%  |
| <b>Total</b>                                 | 7.0%  | 4.9%  | 3.4%  |

| Cocaine/Crack -- Used Past Year<br>Grade by Gender |      |      |      |
|--|------|------|------|
|  | 2000 | 2002 | 2004 |
| <b>Male</b>  | 4.0% | 4.4% | 3.7% |
| 8th  | 1.8% | 1.6% | 1.9% |
| 10th   | 3.8% | 4.9% | 3.1% |
| 12th   | 6.9% | 6.9% | 6.7% |
| <b>Female</b>                                      | 3.4% | 3.4% | 3.0% |
| 8th  | 2.2% | 2.4% | 2.6% |
| 10th   | 2.3% | 3.7% | 3.0% |
| 12th   | 6.0% | 4.2% | 3.5% |
| <b>Total</b>                                       | 3.7% | 3.8% | 3.4% |

| Hallucinogens -- Used Past Year<br>Grade by Gender |       |      |      |
|--|-------|------|------|
|  | 2000  | 2002 | 2004 |
| <b>Male</b>  | 6.1%  | 3.9% | 3.3% |
| 8th  | 1.9%  | 1.2% | 1.0% |
| 10th   | 6.3%  | 3.5% | 2.2% |
| 12th   | 10.7% | 7.5% | 7.3% |
| <b>Female</b>                                      | 4.5%  | 2.4% | 1.5% |
| 8th  | 1.7%  | 1.8% | 0.8% |
| 10th   | 4.6%  | 2.3% | 1.4% |
| 12th   | 7.6%  | 3.3% | 2.6% |
| <b>Total</b>                                       | 5.2%  | 3.2% | 2.4% |

| Cocaine/Crack -- Used Past Month<br>Grade by Gender |      |      |      |
|---|------|------|------|
|   | 2000 | 2002 | 2004 |
| <b>Male</b>   | 1.9% | 2.3% | 1.3% |
| 8th   | 0.4% | 0.9% | 0.9% |
| 10th  | 1.4% | 2.3% | 1.1% |
| 12th  | 4.2% | 3.8% | 2.1% |
| <b>Female</b>                                       | 1.1% | 1.5% | 1.5% |
| 8th   | 0.7% | 1.5% | 1.5% |
| 10th  | 0.7% | 1.0% | 1.2% |
| 12th  | 2.2% | 2.1% | 1.8% |
| <b>Total</b>  | 1.5% | 1.9% | 1.4% |

| Hallucinogens -- Used Past Month<br>Grade by Gender |      |      |      |
|---|------|------|------|
|   | 2000 | 2002 | 2004 |
| <b>Male</b>   | 2.2% | 1.4% | 1.3% |
| 8th   | 0.7% | 0.7% | 0.6% |
| 10th  | 1.8% | 1.4% | 1.2% |
| 12th  | 4.3% | 2.3% | 2.2% |
| <b>Female</b>                                       | 1.5% | 0.8% | 0.5% |
| 8th   | 0.9% | 0.8% | 0.0% |
| 10th  | 1.4% | 1.0% | 0.6% |
| 12th  | 2.2% | 0.4% | 1.0% |
| <b>Total</b>  | 1.8% | 1.1% | 0.9% |

| Any Substance -- Lifetime<br>Grade by Gender |       |       |       |       |
|--|-------|-------|-------|-------|
|  | 2000  | 2002  | 2004  | 2004* |
| <b>Male</b>                                  | 76.3% | 73.4% | 70.5% | 72.5% |
| 8th  | 66.6% | 63.5% | 58.8% | 62.2% |
| 10th   | 79.3% | 73.5% | 72.3% | 73.4% |
| 12th   | 84.7% | 84.6% | 82.8% | 84.2% |
| <b>Female</b>                                | 77.6% | 71.9% | 73.1% | 75.9% |
| 8th  | 68.6% | 59.1% | 59.2% | 64.0% |
| 10th   | 79.8% | 74.7% | 75.0% | 77.8% |
| 12th   | 85.4% | 83.6% | 86.4% | 87.0% |
| <b>Total</b>                                 | 77.0% | 72.5% | 71.8% | 74.3% |

| Number of Students<br>Grade by Gender |       |       |       |
|---------------------------------------|-------|-------|-------|
|                                       | 2000  | 2002  | 2004  |
| <b>Male</b>                           | 2,315 | 2,484 | 2,680 |
| 8th                                   | 845   | 888   | 987   |
| 10th                                  | 758   | 817   | 893   |
| 12th                                  | 712   | 779   | 800   |
| <b>Female</b>                         | 2,618 | 2,634 | 2,840 |
| 8th                                   | 913   | 916   | 976   |
| 10th                                  | 931   | 943   | 992   |
| 12th                                  | 774   | 776   | 872   |
| <b>Total</b>                          | 5,004 | 5,222 | 5,590 |

| Any Substance -- Used Past Year<br>Grade by Gender |       |       |       |       |
|--|-------|-------|-------|-------|
|  | 2000  | 2002  | 2004  | 2004* |
| <b>Male</b>  | 67.0% | 63.6% | 61.8% | 65.1% |
| 8th  | 54.3% | 50.0% | 48.6% | 53.3% |
| 10th   | 70.8% | 64.4% | 63.2% | 65.8% |
| 12th   | 78.0% | 78.1% | 76.6% | 79.0% |
| <b>Female</b>                                      | 67.5% | 62.7% | 64.8% | 69.2% |
| 8th  | 54.2% | 46.7% | 48.3% | 55.4% |
| 10th   | 71.1% | 66.5% | 68.3% | 72.6% |
| 12th   | 78.7% | 77.0% | 79.2% | 80.8% |
| <b>Total</b>                                       | 67.2% | 63.0% | 63.4% | 67.2% |

| Ecstasy (MDMA) -- Used Past Year***<br>Grade by Gender |      |      |
|--|------|------|
|  | 2002 | 2004 |
| <b>Male</b>  | 2.1% | 2.2% |
| 8th  | 0.9% | 1.2% |
| 10th   | 1.5% | 1.3% |
| 12th   | 4.0% | 4.4% |
| <b>Female</b>  | 1.4% | 1.9% |
| 8th  | 0.8% | 1.5% |
| 10th   | 1.6% | 1.9% |
| 12th   | 1.7% | 2.3% |
| <b>Total</b>   | 1.7% | 2.0% |

| Any Substance -- Used Past Month<br>Grade by Gender |       |       |       |
|---|-------|-------|-------|
|   | 2000  | 2002  | 2004  |
| <b>Male</b>   | 48.0% | 42.3% | 43.3% |
| 8th   | 31.4% | 24.7% | 26.4% |
| 10th  | 51.4% | 43.8% | 44.9% |
| 12th  | 63.9% | 60.7% | 62.3% |
| <b>Female</b>                                       | 43.9% | 40.8% | 41.7% |
| 8th   | 28.7% | 25.7% | 25.1% |
| 10th  | 48.2% | 41.6% | 45.2% |
| 12th  | 56.7% | 57.8% | 56.5% |
| <b>Total</b>  | 45.7% | 41.5% | 42.5% |

| Ecstasy (MDMA) -- Used Past Month***<br>Grade by Gender |      |      |
|---|------|------|
|   | 2002 | 2004 |
| <b>Male</b>   | 0.8% | 0.7% |
| 8th   | 0.3% | 0.6% |
| 10th  | 0.6% | 0.5% |
| 12th  | 1.4% | 1.2% |
| <b>Female</b>   | 0.4% | 0.5% |
| 8th   | 0.7% | 0.5% |
| 10th  | 0.2% | 0.5% |
| 12th  | 0.2% | 0.4% |
| <b>Total</b>  | 0.6% | 0.6% |

\*With definition of "Any Substance" expanded to include drugs surveyed for the first time in 2004.

\*\*Gender is missing for 71 in 2000, 104 in 2002, 70 in 2004.

\*\*\*Lifetime Ecstasy use omitted to conserve space. Ecstasy use was not surveyed in 2000.

***Appendix B-3***  
***Drug Prevalences:***  
***Total Respondents: Region by Gender***

For all “B” appendices:

- Most tables have three columns of figures to show changes from 2000 to 2002 to 2004.
- The Lifetime and Past Year tables for “Any Illicit” and “Any Substance” have two columns (third and fourth from the left) with 2004 results. The first 2004 column shows the figure obtained from including just the substances that were included in previous years, so that valid comparisons can be made to the two earlier figures. The second 2004 column in those tables shows percentages that include all illicit drugs covered by the 2004 survey, even if 2004 was the first time they were on the survey.
- The tables for “Ecstasy” (MDMA) include just two columns, as that substance first appeared on the survey in 2002.

| Alcohol -- Lifetime<br>Region by Gender |       |       |       |
|---|-------|-------|-------|
|   | 2000  | 2002  | 2004  |
| <b>Male</b>                             | 71.4% | 67.3% | 65.3% |
| Cook                                    | 71.5% | 70.7% | 63.9% |
| Non-Cook                                | 71.3% | 65.3% | 66.1% |
| Urban                                   | 72.7% | 68.0% | 67.6% |
| Rural                                   | 70.2% | 63.6% | 64.5% |
| <b>Female</b>                           | 72.1% | 67.9% | 69.4% |
| Cook                                    | 73.0% | 68.4% | 69.5% |
| Non-Cook                                | 71.5% | 67.6% | 69.4% |
| Urban                                   | 72.8% | 68.1% | 69.1% |
| Rural                                   | 70.4% | 67.2% | 69.8% |
| <b>Total</b>                            | 71.7% | 67.4% | 67.4% |

| Tobacco -- Lifetime<br>Region by Gender |       |       |       |
|---|-------|-------|-------|
|   | 2000  | 2002  | 2004  |
| <b>Male</b>                             | 56.4% | 48.6% | 42.1% |
| Cook                                    | 55.1% | 47.8% | 39.2% |
| Non-Cook                                | 57.2% | 49.0% | 43.8% |
| Urban                                   | 58.1% | 48.8% | 44.1% |
| Rural                                   | 56.5% | 49.2% | 43.5% |
| <b>Female</b>                           | 57.7% | 48.0% | 44.1% |
| Cook                                    | 54.8% | 47.3% | 41.3% |
| Non-Cook                                | 59.7% | 48.4% | 46.0% |
| Urban                                   | 62.6% | 47.3% | 46.8% |
| Rural                                   | 57.4% | 49.0% | 45.1% |
| <b>Total</b>                            | 57.1% | 48.2% | 43.2% |

| Alcohol -- Used Past Year<br>Region by Gender |       |       |       |
|---|-------|-------|-------|
|   | 2000  | 2002  | 2004  |
| <b>Male</b>                                   | 63.5% | 59.3% | 57.9% |
| Cook  | 61.8% | 62.6% | 56.6% |
| Non-Cook                                      | 64.5% | 57.5% | 58.6% |
| Urban   | 66.8% | 59.7% | 59.6% |
| Rural   | 62.7% | 56.1% | 57.7% |
| <b>Female</b>                                 | 64.0% | 60.1% | 62.2% |
| Cook  | 63.7% | 60.6% | 62.5% |
| Non-Cook                                      | 64.2% | 59.8% | 61.9% |
| Urban   | 66.3% | 59.2% | 62.5% |
| Rural   | 62.5% | 60.2% | 61.4% |
| <b>Total</b>                                  | 63.7% | 59.6% | 60.1% |

| Tobacco -- Used Past Year<br>Region by Gender |       |       |       |
|---|-------|-------|-------|
|   | 2000  | 2002  | 2004  |
| <b>Male</b>                                   | 35.7% | 25.7% | 26.3% |
| Cook  | 32.5% | 23.7% | 22.9% |
| Non-Cook                                      | 37.6% | 27.0% | 26.1% |
| Urban   | 37.3% | 26.5% | 26.1% |
| Rural   | 37.7% | 27.2% | 26.1% |
| <b>Female</b>                                 | 34.7% | 26.8% | 24.9% |
| Cook  | 30.4% | 24.7% | 21.0% |
| Non-Cook                                      | 37.7% | 28.2% | 29.8% |
| Urban   | 40.2% | 25.9% | 30.6% |
| Rural   | 35.6% | 29.6% | 28.9% |
| <b>Total</b>                                  | 35.1% | 26.1% | 25.6% |

| Alcohol -- Used Past Month<br>Region by Gender |       |       |       |
|--|-------|-------|-------|
|  | 2000  | 2002  | 2004  |
| <b>Male</b>                                    | 40.7% | 35.9% | 36.6% |
| Cook   | 39.3% | 36.6% | 35.5% |
| Non-Cook                                       | 41.5% | 35.5% | 37.2% |
| Urban  | 43.2% | 37.3% | 36.6% |
| Rural  | 40.2% | 34.4% | 37.7% |
| <b>Female</b>                                  | 36.4% | 34.5% | 36.1% |
| Cook   | 34.5% | 35.3% | 33.6% |
| Non-Cook                                       | 37.7% | 34.0% | 37.8% |
| Urban  | 38.9% | 36.0% | 37.5% |
| Rural  | 36.7% | 32.7% | 38.1% |
| <b>Total</b>                                   | 38.3% | 35.0% | 36.3% |

| Tobacco -- Used Past Month<br>Region by Gender |       |       |       |
|--|-------|-------|-------|
|  | 2000  | 2002  | 2004  |
| <b>Male</b>                                    | 25.3% | 18.8% | 17.5% |
| Cook   | 22.5% | 16.6% | 13.1% |
| Non-Cook                                       | 26.9% | 20.1% | 20.0% |
| Urban  | 26.9% | 20.5% | 20.2% |
| Rural  | 26.9% | 19.8% | 19.8% |
| <b>Female</b>                                  | 23.9% | 19.2% | 17.9% |
| Cook   | 19.0% | 17.4% | 14.3% |
| Non-Cook                                       | 27.2% | 20.4% | 20.2% |
| Urban  | 29.2% | 18.9% | 21.2% |
| Rural  | 25.5% | 21.3% | 19.2% |
| <b>Total</b>                                   | 24.6% | 18.9% | 17.7% |

| Smokeless Tobacco -- Lifetime<br>Region by Gender |       |       |       |
|---|-------|-------|-------|
|   | 2000  | 2002  | 2004  |
| <b>Male</b>                                       | 26.9% | 20.5% | 19.4% |
| Cook  | 20.2% | 13.5% | 12.8% |
| Non-Cook  | 30.7% | 24.7% | 23.2% |
| Urban   | 23.9% | 19.3% | 20.7% |
| Rural   | 35.8% | 27.9% | 25.7% |
| <b>Female</b>                                     | 7.8%  | 6.4%  | 7.1%  |
| Cook  | 7.0%  | 5.1%  | 6.5%  |
| Non-Cook  | 8.4%  | 7.2%  | 7.6%  |
| Urban   | 7.4%  | 6.2%  | 6.0%  |
| Rural   | 9.2%  | 7.8%  | 9.1%  |
| <b>Total</b>                                      | 16.8% | 13.3% | 13.1% |

| Inhalants-- Lifetime<br>Region by Gender |       |       |       |
|--|-------|-------|-------|
|  | 2000  | 2002  | 2004  |
| <b>Male</b>                              | 12.5% | 11.7% | 12.1% |
| Cook                                     | 11.5% | 10.7% | 10.9% |
| Non-Cook                                 | 13.1% | 12.2% | 12.8% |
| Urban                                    | 12.9% | 10.6% | 12.0% |
| Rural                                    | 13.2% | 13.2% | 13.6% |
| <b>Female</b>                            | 11.9% | 11.1% | 11.3% |
| Cook                                     | 10.4% | 9.4%  | 9.1%  |
| Non-Cook                                 | 12.8% | 12.2% | 12.8% |
| Urban                                    | 11.1% | 12.5% | 12.3% |
| Rural                                    | 14.2% | 12.1% | 13.3% |
| <b>Total</b>                             | 12.2% | 11.3% | 11.7% |

| Smokeless Tobacco -- Used Past Year<br>Region by Gender |       |       |       |
|---|-------|-------|-------|
|   | 2000  | 2002  | 2004  |
| <b>Male</b>   | 18.1% | 13.5% | 14.1% |
| Cook  | 13.5% | 9.8%  | 11.2% |
| Non-Cook  | 20.7% | 15.6% | 15.9% |
| Urban   | 14.6% | 12.5% | 13.6% |
| Rural   | 25.4% | 17.5% | 18.1% |
| <b>Female</b>   | 4.9%  | 3.8%  | 5.3%  |
| Cook  | 5.8%  | 3.7%  | 5.7%  |
| Non-Cook  | 4.4%  | 3.9%  | 5.0%  |
| Urban   | 3.5%  | 3.8%  | 3.9%  |
| Rural   | 5.1%  | 3.9%  | 6.1%  |
| <b>Total</b>  | 11.2% | 8.6%  | 9.6%  |

| Inhalants-- Used Past Year<br>Region by Gender |      |      |      |
|--|------|------|------|
|  | 2000 | 2002 | 2004 |
| <b>Male</b>                                    | 6.7% | 7.1% | 7.4% |
| Cook   | 5.0% | 6.2% | 6.1% |
| Non-Cook                                       | 7.6% | 7.7% | 8.2% |
| Urban  | 7.6% | 6.8% | 7.5% |
| Rural  | 7.6% | 8.2% | 8.9% |
| <b>Female</b>                                  | 6.3% | 5.9% | 7.9% |
| Cook   | 4.5% | 4.8% | 6.5% |
| Non-Cook                                       | 7.5% | 6.7% | 8.8% |
| Urban  | 6.2% | 6.6% | 8.0% |
| Rural  | 8.6% | 6.7% | 9.6% |
| <b>Total</b>                                   | 6.5% | 6.5% | 7.7% |

| Smokeless Tobacco -- Used Past Month<br>Region by Gender |       |      |      |
|--|-------|------|------|
|  | 2000  | 2002 | 2004 |
| <b>Male</b>  | 8.6%  | 5.9% | 6.2% |
| Cook   | 5.9%  | 3.6% | 5.6% |
| Non-Cook   | 10.1% | 7.2% | 6.5% |
| Urban  | 6.8%  | 5.4% | 5.5% |
| Rural  | 12.6% | 8.3% | 7.4% |
| <b>Female</b>  | 2.2%  | 1.8% | 2.0% |
| Cook   | 2.6%  | 2.0% | 2.5% |
| Non-Cook   | 1.9%  | 1.7% | 1.6% |
| Urban  | 1.1%  | 2.5% | 1.3% |
| Rural  | 2.6%  | 1.3% | 2.0% |
| <b>Total</b>   | 5.3%  | 3.9% | 4.0% |

| Inhalants-- Used Past Month<br>Region by Gender |      |      |      |
|---|------|------|------|
|   | 2000 | 2002 | 2004 |
| <b>Male</b>                                     | 2.5% | 3.7% | 3.3% |
| Cook  | 1.5% | 3.6% | 2.5% |
| Non-Cook  | 3.1% | 3.7% | 3.8% |
| Urban   | 2.9% | 4.0% | 3.1% |
| Rural   | 3.2% | 3.5% | 4.5% |
| <b>Female</b>                                   | 2.4% | 2.5% | 3.5% |
| Cook  | 2.0% | 2.3% | 2.5% |
| Non-Cook  | 2.7% | 2.7% | 4.2% |
| Urban   | 2.1% | 2.6% | 3.5% |
| Rural   | 3.2% | 2.7% | 4.9% |
| <b>Total</b>                                    | 2.5% | 3.1% | 3.4% |

| Marijuana -- Lifetime<br>Region by Gender |       |       |       |
|---|-------|-------|-------|
|   | 2000  | 2002  | 2004  |
| <b>Male</b>                               | 39.5% | 35.2% | 35.0% |
| Cook                                      | 42.5% | 37.6% | 35.4% |
| Non-Cook                                  | 37.8% | 33.8% | 34.8% |
| Urban                                     | 42.7% | 38.9% | 39.2% |
| Rural                                     | 34.1% | 30.8% | 30.3% |
| <b>Female</b>                             | 33.2% | 31.2% | 30.9% |
| Cook                                      | 32.6% | 33.4% | 30.0% |
| Non-Cook                                  | 33.6% | 29.9% | 31.4% |
| Urban                                     | 38.7% | 31.6% | 35.3% |
| Rural                                     | 29.6% | 28.8% | 27.6% |
| <b>Total</b>                              | 36.2% | 33.0% | 32.8% |

| Any Illicit (Excluding Marijuana) -- Lifetime<br>Region by Gender |       |       |       |       |
|---|-------|-------|-------|-------|
|   | 2000  | 2002  | 2004  | 2004* |
| <b>Male</b>   | 22.2% | 18.4% | 21.6% | 23.3% |
| Cook  | 22.3% | 18.6% | 19.5% | 20.2% |
| Non-Cook  | 22.2% | 18.3% | 22.9% | 25.1% |
| Urban   | 25.1% | 19.2% | 26.0% | 27.8% |
| Rural   | 19.9% | 17.8% | 19.6% | 22.3% |
| <b>Female</b>   | 19.8% | 15.4% | 18.9% | 20.8% |
| Cook  | 17.8% | 13.4% | 16.2% | 17.8% |
| Non-Cook  | 21.1% | 16.7% | 20.6% | 22.8% |
| Urban   | 24.6% | 15.8% | 22.5% | 24.9% |
| Rural   | 18.4% | 17.3% | 18.8% | 20.7% |
| <b>Total</b>  | 20.9% | 16.8% | 20.2% | 22.0% |

| Marijuana -- Used Past Year<br>Region by Gender |       |       |       |
|---|-------|-------|-------|
|   | 2000  | 2002  | 2004  |
| <b>Male</b>                                     | 31.8% | 27.5% | 27.6% |
| Cook  | 34.8% | 29.5% | 27.7% |
| Non-Cook  | 30.1% | 26.4% | 27.5% |
| Urban   | 35.5% | 31.0% | 31.3% |
| Rural   | 25.9% | 23.6% | 23.6% |
| <b>Female</b>                                   | 24.8% | 24.2% | 24.5% |
| Cook  | 24.2% | 26.0% | 22.0% |
| Non-Cook  | 25.1% | 23.0% | 26.1% |
| Urban   | 29.2% | 24.4% | 29.6% |
| Rural   | 21.9% | 22.1% | 22.6% |
| <b>Total</b>                                    | 28.0% | 25.6% | 25.9% |

| Any Illicit (Excluding Marijuana) -- Used Past Year<br>Region by Gender |       |       |       |       |
|---|-------|-------|-------|-------|
|   | 2000  | 2002  | 2004  | 2004* |
| <b>Male</b>   | 17.9% | 14.0% | 16.2% | 18.1% |
| Cook  | 18.6% | 13.6% | 14.2% | 15.0% |
| Non-Cook  | 17.5% | 14.3% | 17.3% | 19.9% |
| Urban   | 19.6% | 15.4% | 19.6% | 21.9% |
| Rural   | 15.9% | 13.6% | 14.9% | 17.9% |
| <b>Female</b>   | 13.6% | 11.6% | 13.2% | 15.6% |
| Cook  | 11.9% | 9.8%  | 10.7% | 12.8% |
| Non-Cook  | 14.8% | 12.8% | 14.8% | 17.5% |
| Urban   | 16.8% | 11.3% | 16.4% | 19.2% |
| Rural   | 13.1% | 13.6% | 13.3% | 15.8% |
| <b>Total</b>  | 15.6% | 12.7% | 14.6% | 16.9% |

| Marijuana -- Used Past Month<br>Region by Gender |       |       |       |
|--|-------|-------|-------|
|  | 2000  | 2002  | 2004  |
| <b>Male</b>                                      | 18.6% | 17.4% | 17.0% |
| Cook   | 19.2% | 18.4% | 16.8% |
| Non-Cook   | 18.4% | 16.9% | 17.1% |
| Urban  | 21.7% | 20.5% | 18.8% |
| Rural  | 15.9% | 14.7% | 15.4% |
| <b>Female</b>                                    | 14.1% | 13.6% | 13.7% |
| Cook   | 13.8% | 14.9% | 13.1% |
| Non-Cook   | 14.3% | 12.7% | 14.1% |
| Urban  | 16.7% | 13.6% | 16.5% |
| Rural  | 12.4% | 12.1% | 11.7% |
| <b>Total</b>                                     | 16.2% | 15.3% | 15.4% |

| Any Illicit (Ex. Marijuana) -- Used Past Month<br>Region by Gender |       |      |       |
|--|-------|------|-------|
|  | 2000  | 2002 | 2004  |
| <b>Male</b>  | 10.9% | 8.1% | 8.2%  |
| Cook   | 11.4% | 7.6% | 7.0%  |
| Non-Cook   | 10.6% | 8.4% | 8.9%  |
| Urban  | 11.2% | 9.2% | 10.5% |
| Rural  | 10.2% | 7.9% | 7.3%  |
| <b>Female</b>  | 7.1%  | 6.1% | 7.3%  |
| Cook   | 6.2%  | 5.2% | 6.0%  |
| Non-Cook   | 7.7%  | 6.7% | 8.2%  |
| Urban  | 8.4%  | 6.4% | 8.4%  |
| Rural  | 7.2%  | 6.8% | 8.0%  |
| <b>Total</b>   | 8.9%  | 7.1% | 7.7%  |

\*With definition of "Any Illicit" expanded to include drugs surveyed for the first time in 2004.

| Cocaine/Crack -- Lifetime |      |      |      |
|---------------------------|------|------|------|
| Region by Gender          |      |      |      |
|                           | 2000 | 2002 | 2004 |
| <b>Male</b>               | 6.0% | 5.7% | 4.8% |
| Cook                      | 6.6% | 6.5% | 3.9% |
| Non-Cook                  | 5.6% | 5.3% | 5.3% |
| Urban                     | 6.7% | 5.3% | 6.1% |
| Rural                     | 4.8% | 5.2% | 4.4% |
| <b>Female</b>             | 4.7% | 4.4% | 3.8% |
| Cook                      | 3.6% | 3.5% | 2.7% |
| Non-Cook                  | 5.4% | 5.0% | 4.6% |
| Urban                     | 5.8% | 5.7% | 4.8% |
| Rural                     | 5.0% | 4.6% | 4.5% |
| <b>Total</b>              | 5.2% | 5.0% | 4.3% |

| Hallucinogens -- Lifetime |       |      |      |
|---------------------------|-------|------|------|
| Region by Gender          |       |      |      |
|                           | 2000  | 2002 | 2004 |
| <b>Male</b>               | 7.5%  | 5.9% | 4.5% |
| Cook                      | 6.5%  | 5.5% | 3.9% |
| Non-Cook                  | 8.0%  | 6.1% | 4.8% |
| Urban                     | 10.2% | 5.5% | 6.6% |
| Rural                     | 6.3%  | 6.5% | 3.0% |
| <b>Female</b>             | 6.7%  | 4.0% | 2.5% |
| Cook                      | 4.3%  | 2.1% | 1.9% |
| Non-Cook                  | 8.3%  | 5.3% | 2.8% |
| Urban                     | 10.0% | 4.8% | 2.9% |
| Rural                     | 6.8%  | 5.5% | 2.7% |
| <b>Total</b>              | 7.0%  | 4.9% | 3.4% |

| Cocaine/Crack -- Used Past Year |      |      |      |
|---------------------------------|------|------|------|
| Region by Gender                |      |      |      |
|                                 | 2000 | 2002 | 2004 |
| <b>Male</b>                     | 4.0% | 4.4% | 3.7% |
| Cook                            | 3.6% | 4.6% | 3.1% |
| Non-Cook                        | 4.3% | 4.2% | 4.1% |
| Urban                           | 5.2% | 4.0% | 4.8% |
| Rural                           | 3.6% | 4.3% | 3.4% |
| <b>Female</b>                   | 3.4% | 3.4% | 3.0% |
| Cook                            | 2.3% | 2.4% | 2.3% |
| Non-Cook                        | 4.1% | 4.0% | 3.5% |
| Urban                           | 4.2% | 4.5% | 3.5% |
| Rural                           | 4.0% | 3.8% | 3.4% |
| <b>Total</b>                    | 3.7% | 3.8% | 3.4% |

| Hallucinogens -- Used Past Year |      |      |      |
|---------------------------------|------|------|------|
| Region by Gender                |      |      |      |
|                                 | 2000 | 2002 | 2004 |
| <b>Male</b>                     | 6.1% | 3.9% | 3.3% |
| Cook                            | 5.8% | 3.4% | 3.0% |
| Non-Cook                        | 6.2% | 4.3% | 3.5% |
| Urban                           | 7.4% | 3.7% | 4.9% |
| Rural                           | 5.3% | 4.6% | 2.0% |
| <b>Female</b>                   | 4.5% | 2.4% | 1.5% |
| Cook                            | 2.7% | 1.3% | 0.9% |
| Non-Cook                        | 5.6% | 3.2% | 2.0% |
| Urban                           | 6.4% | 3.0% | 2.2% |
| Rural                           | 5.1% | 3.4% | 1.8% |
| <b>Total</b>                    | 5.2% | 3.2% | 2.4% |

| Cocaine/Crack -- Used Past Month |      |      |      |
|----------------------------------|------|------|------|
| Region by Gender                 |      |      |      |
|                                  | 2000 | 2002 | 2004 |
| <b>Male</b>                      | 1.9% | 2.3% | 1.3% |
| Cook                             | 1.9% | 2.6% | 0.8% |
| Non-Cook                         | 1.9% | 2.1% | 1.6% |
| Urban                            | 2.4% | 1.9% | 2.1% |
| Rural                            | 1.5% | 2.2% | 1.1% |
| <b>Female</b>                    | 1.1% | 1.5% | 1.5% |
| Cook                             | 0.7% | 1.4% | 1.7% |
| Non-Cook                         | 1.4% | 1.5% | 1.4% |
| Urban                            | 1.6% | 1.9% | 1.6% |
| Rural                            | 1.3% | 1.3% | 1.2% |
| <b>Total</b>                     | 1.5% | 1.9% | 1.4% |

| Hallucinogens -- Used Past Month |      |      |      |
|----------------------------------|------|------|------|
| Region by Gender                 |      |      |      |
|                                  | 2000 | 2002 | 2004 |
| <b>Male</b>                      | 2.2% | 1.4% | 1.3% |
| Cook                             | 2.1% | 1.5% | 0.9% |
| Non-Cook                         | 2.2% | 1.4% | 1.5% |
| Urban                            | 2.7% | 0.9% | 2.2% |
| Rural                            | 1.8% | 1.8% | 0.8% |
| <b>Female</b>                    | 1.5% | 0.8% | 0.5% |
| Cook                             | 0.8% | 0.2% | 0.2% |
| Non-Cook                         | 2.0% | 1.1% | 0.7% |
| Urban                            | 2.4% | 1.4% | 1.1% |
| Rural                            | 1.6% | 1.0% | 0.4% |
| <b>Total</b>                     | 1.8% | 1.1% | 0.9% |

| Any Substance -- Lifetime<br>Region by Gender |       |       |       |       |
|---|-------|-------|-------|-------|
|   | 2000  | 2002  | 2004  | 2004* |
| <b>Male</b>                                   | 76.3% | 73.4% | 70.5% | 72.5% |
| Cook  | 75.5% | 76.1% | 69.7% | 71.6% |
| Non-Cook                                      | 76.8% | 71.8% | 70.9% | 73.0% |
| Urban   | 79.3% | 73.4% | 71.5% | 73.3% |
| Rural   | 74.8% | 70.8% | 70.4% | 72.8% |
| <b>Female</b>                                 | 77.6% | 71.9% | 73.1% | 75.9% |
| Cook  | 77.8% | 71.6% | 73.3% | 76.9% |
| Non-Cook                                      | 77.4% | 72.0% | 72.9% | 75.2% |
| Urban   | 79.7% | 72.2% | 72.2% | 74.0% |
| Rural   | 75.6% | 71.9% | 73.7% | 76.3% |
| <b>Total</b>                                  | 77.0% | 72.5% | 71.8% | 74.3% |

| Number of Students<br>Region by Gender** |       |       |       |
|--|-------|-------|-------|
|  | 2000  | 2002  | 2004  |
| <b>Male</b>                              | 2,315 | 2,484 | 2,680 |
| Cook                                     | 840   | 919   | 985   |
| Non-Cook                                 | 1,475 | 1,566 | 1,695 |
| Urban                                    | 637   | 585   | 858   |
| Rural                                    | 838   | 981   | 837   |
| <b>Female</b>                            | 2,618 | 2,634 | 2,840 |
| Cook                                     | 1,058 | 1,039 | 1,131 |
| Non-Cook                                 | 1,560 | 1,595 | 1,709 |
| Urban                                    | 693   | 594   | 854   |
| Rural                                    | 866   | 1,002 | 855   |
| <b>Total</b>                             | 5,004 | 5,222 | 5,590 |

| Any Substance -- Used Past Year<br>Region by Gender |       |       |       |       |
|---|-------|-------|-------|-------|
|   | 2000  | 2002  | 2004  | 2004* |
| <b>Male</b>   | 67.0% | 63.6% | 61.8% | 65.1% |
| Cook  | 64.9% | 66.1% | 61.0% | 64.2% |
| Non-Cook  | 68.2% | 62.1% | 62.3% | 65.7% |
| Urban   | 71.7% | 63.4% | 62.3% | 65.2% |
| Rural   | 65.6% | 61.3% | 62.3% | 66.1% |
| <b>Female</b>                                       | 67.5% | 62.7% | 64.8% | 69.2% |
| Cook  | 66.7% | 62.5% | 65.0% | 70.7% |
| Non-Cook  | 68.0% | 62.9% | 64.6% | 68.2% |
| Urban   | 69.8% | 62.0% | 65.1% | 68.0% |
| Rural   | 66.5% | 63.5% | 64.2% | 68.5% |
| <b>Total</b>  | 67.2% | 63.0% | 63.4% | 67.2% |

| Ecstasy (MDMA) -- Used Past Year***<br>Region by Gender** |      |      |  |
|---|------|------|--|
|   | 2002 | 2004 |  |
| <b>Male</b>   | 2.1% | 2.2% |  |
| Cook  | 1.6% | 2.3% |  |
| Non-Cook  | 2.4% | 2.1% |  |
| Urban   | 2.4% | 2.2% |  |
| Rural   | 2.4% | 2.0% |  |
| <b>Female</b>   | 1.4% | 1.9% |  |
| Cook  | 0.7% | 1.6% |  |
| Non-Cook  | 1.8% | 2.1% |  |
| Urban   | 1.7% | 2.4% |  |
| Rural   | 1.9% | 1.7% |  |
| <b>Total</b>  | 1.7% | 2.0% |  |

| Any Substance -- Used Past Month<br>Region by Gender |       |       |       |
|--|-------|-------|-------|
|  | 2000  | 2002  | 2004  |
| <b>Male</b>  | 48.0% | 42.3% | 43.3% |
| Cook   | 45.0% | 41.9% | 42.1% |
| Non-Cook   | 49.6% | 42.5% | 44.0% |
| Urban  | 52.5% | 43.5% | 43.7% |
| Rural  | 47.4% | 41.9% | 44.3% |
| <b>Female</b>  | 43.9% | 40.8% | 41.7% |
| Cook   | 42.0% | 40.7% | 38.8% |
| Non-Cook   | 45.2% | 40.9% | 43.7% |
| Urban  | 46.9% | 41.9% | 44.2% |
| Rural  | 43.9% | 40.4% | 43.2% |
| <b>Total</b>   | 45.7% | 41.5% | 42.5% |

| Ecstasy (MDMA) -- Used Past Month***<br>Region by Gender** |      |      |
|--|------|------|
|  | 2002 | 2004 |
| <b>Male</b>  | 0.8% | 0.7% |
| Cook   | 0.8% | 0.8% |
| Non-Cook   | 0.7% | 0.7% |
| Urban  | 1.0% | 0.6% |
| Rural  | 0.5% | 0.9% |
| <b>Female</b>  | 0.4% | 0.5% |
| Cook   | 0.3% | 0.4% |
| Non-Cook   | 0.4% | 0.5% |
| Urban  | 0.6% | 0.6% |
| Rural  | 0.4% | 0.5% |
| <b>Total</b>   | 0.6% | 0.6% |

\*With definition of "Any Substance" expanded to include drugs surveyed for the first time in 2004.

\*\*Gender is missing for 71 in 2000, 104 in 2002, 70 in 2004.

\*\*\*Lifetime Ecstasy use omitted to conserve space. Ecstasy use was not surveyed in 2000.

***Appendix B-4***  
***Drug Prevalences:***  
***Total Respondents: Region by Grade***

For all “B” appendices:

- Most tables have three columns of figures to show changes from 2000 to 2002 to 2004.
- The Lifetime and Past Year tables for “Any Illicit” and “Any Substance” have two columns (third and fourth from the left) with 2004 results. The first 2004 column shows the figure obtained from including just the substances that were included in previous years, so that valid comparisons can be made to the two earlier figures. The second 2004 column in those tables shows percentages that include all illicit drugs covered by the 2004 survey, even if 2004 was the first time they were on the survey.
- The tables for “Ecstasy” (MDMA) include just two columns, as that substance first appeared on the survey in 2002.

| Alcohol -- Lifetime<br>Region by Grade |             |              |              |              |
|--|-------------|--------------|--------------|--------------|
|  |             | 2000         | 2002         | 2004         |
| 8<br>t<br>h                            | Cook County | 64.3%        | 57.6%        | 54.2%        |
|  | Non-Cook    | 58.2%        | 52.1%        | 52.4%        |
|  | Urban       | 59.7%        | 54.3%        | 50.7%        |
|  | Rural       | 57.2%        | 50.6%        | 53.7%        |
| 1<br>0<br>t<br>h                       | Cook County | 74.9%        | 72.9%        | 67.4%        |
|  | Non-Cook    | 74.4%        | 67.9%        | 71.3%        |
|  | Urban       | 74.6%        | 70.4%        | 71.7%        |
|  | Rural       | 74.1%        | 66.5%        | 70.9%        |
| 1<br>2<br>t<br>h                       | Cook County | 80.0%        | 79.4%        | 82.1%        |
|  | Non-Cook    | 82.4%        | 80.2%        | 81.2%        |
|  | Urban       | 81.9%        | 82.0%        | 79.9%        |
|  | Rural       | 82.8%        | 79.2%        | 82.9%        |
| <b>Total</b>                           |             | <b>71.7%</b> | <b>67.4%</b> | <b>67.4%</b> |

| Tobacco -- Lifetime<br>Region by Grade |             |              |              |              |
|--|-------------|--------------|--------------|--------------|
|  |             | 2000         | 2002         | 2004         |
| 8<br>t<br>h                            | Cook County | 44.0%        | 35.5%        | 29.2%        |
|  | Non-Cook    | 47.1%        | 35.9%        | 30.3%        |
|  | Urban       | 51.6%        | 34.8%        | 27.8%        |
|  | Rural       | 44.4%        | 36.6%        | 32.2%        |
| 1<br>0<br>t<br>h                       | Cook County | 57.9%        | 50.4%        | 42.4%        |
|  | Non-Cook    | 60.5%        | 48.8%        | 46.4%        |
|  | Urban       | 60.8%        | 49.1%        | 45.2%        |
|  | Rural       | 60.3%        | 48.7%        | 47.7%        |
| 1<br>2<br>t<br>h                       | Cook County | 65.8%        | 59.4%        | 52.2%        |
|  | Non-Cook    | 68.6%        | 62.5%        | 60.0%        |
|  | Urban       | 67.7%        | 63.4%        | 60.6%        |
|  | Rural       | 69.4%        | 62.0%        | 59.3%        |
| <b>Total</b>                           |             | <b>57.1%</b> | <b>48.2%</b> | <b>43.2%</b> |

| Alcohol -- Used Past Year<br>Region by Grade |             |              |              |              |
|--|-------------|--------------|--------------|--------------|
|  |             | 2000         | 2002         | 2004         |
| 8<br>t<br>h                                  | Cook County | 49.9%        | 45.6%        | 44.0%        |
|  | Non-Cook    | 49.2%        | 42.4%        | 43.2%        |
|  | Urban       | 51.8%        | 44.3%        | 41.8%        |
|  | Rural       | 47.6%        | 41.2%        | 44.2%        |
| 1<br>0<br>t<br>h                             | Cook County | 67.1%        | 66.4%        | 61.5%        |
|  | Non-Cook    | 67.7%        | 60.0%        | 65.1%        |
|  | Urban       | 69.6%        | 60.8%        | 64.6%        |
|  | Rural       | 65.9%        | 59.5%        | 65.6%        |
| 1<br>2<br>t<br>h                             | Cook County | 74.6%        | 75.1%        | 77.6%        |
|  | Non-Cook    | 77.0%        | 74.8%        | 74.5%        |
|  | Urban       | 76.2%        | 76.4%        | 73.6%        |
|  | Rural       | 77.7%        | 73.8%        | 75.7%        |
| <b>Total</b>                                 |             | <b>63.7%</b> | <b>59.6%</b> | <b>60.1%</b> |

| Tobacco -- Used Past Year<br>Region by Grade |             |              |              |              |
|--|-------------|--------------|--------------|--------------|
|  |             | 2000         | 2002         | 2004         |
| 8<br>t<br>h                                  | Cook County | 19.6%        | 16.7%        | 13.6%        |
|  | Non-Cook    | 26.5%        | 15.5%        | 16.4%        |
|  | Urban       | 28.6%        | 14.1%        | 15.3%        |
|  | Rural       | 25.3%        | 16.4%        | 17.2%        |
| 1<br>0<br>t<br>h                             | Cook County | 35.0%        | 23.6%        | 22.2%        |
|  | Non-Cook    | 39.2%        | 27.3%        | 30.6%        |
|  | Urban       | 39.9%        | 26.4%        | 29.2%        |
|  | Rural       | 38.5%        | 27.9%        | 32.2%        |
| 1<br>2<br>t<br>h                             | Cook County | 42.2%        | 34.1%        | 32.3%        |
|  | Non-Cook    | 48.0%        | 40.9%        | 38.1%        |
|  | Urban       | 46.5%        | 40.6%        | 38.4%        |
|  | Rural       | 49.3%        | 41.0%        | 37.8%        |
| <b>Total</b>                                 |             | <b>35.1%</b> | <b>26.1%</b> | <b>25.6%</b> |

| Alcohol -- Used Past Month<br>Region by Grade |             |              |              |              |
|---|-------------|--------------|--------------|--------------|
|   |             | 2000         | 2002         | 2004         |
| 8<br>t<br>h                                   | Cook County | 21.0%        | 20.5%        | 18.5%        |
|   | Non-Cook    | 24.2%        | 17.8%        | 19.4%        |
|   | Urban       | 27.3%        | 19.0%        | 14.6%        |
|   | Rural       | 22.3%        | 17.0%        | 22.9%        |
| 1<br>0<br>t<br>h                              | Cook County | 40.5%        | 37.5%        | 36.6%        |
|   | Non-Cook    | 42.7%        | 35.2%        | 41.6%        |
|   | Urban       | 41.4%        | 40.1%        | 39.7%        |
|   | Rural       | 43.9%        | 32.5%        | 43.7%        |
| 1<br>2<br>t<br>h                              | Cook County | 51.7%        | 53.6%        | 52.7%        |
|   | Non-Cook    | 53.0%        | 52.3%        | 53.1%        |
|   | Urban       | 53.0%        | 54.1%        | 52.7%        |
|   | Rural       | 53.0%        | 51.3%        | 53.6%        |
| <b>Total</b>                                  |             | <b>38.3%</b> | <b>35.0%</b> | <b>36.3%</b> |

| Tobacco -- Used Past Month<br>Region by Grade |             |              |              |              |
|---|-------------|--------------|--------------|--------------|
|   |             | 2000         | 2002         | 2004         |
| 8<br>t<br>h                                   | Cook County | 10.0%        | 9.2%         | 7.9%         |
|   | Non-Cook    | 16.9%        | 9.7%         | 11.0%        |
|   | Urban       | 18.7%        | 8.9%         | 9.1%         |
|   | Rural       | 15.9%        | 10.2%        | 12.3%        |
| 1<br>0<br>t<br>h                              | Cook County | 24.3%        | 16.4%        | 12.1%        |
|   | Non-Cook    | 28.3%        | 19.3%        | 21.3%        |
|   | Urban       | 28.4%        | 18.4%        | 21.3%        |
|   | Rural       | 28.2%        | 19.8%        | 21.4%        |
| 1<br>2<br>t<br>h                              | Cook County | 30.2%        | 27.5%        | 23.2%        |
|   | Non-Cook    | 37.0%        | 32.9%        | 29.1%        |
|   | Urban       | 36.0%        | 34.4%        | 29.6%        |
|   | Rural       | 37.7%        | 32.0%        | 28.5%        |
| <b>Total</b>                                  |             | <b>24.6%</b> | <b>18.9%</b> | <b>17.7%</b> |

| Smokeless Tobacco -- Lifetime |             |              |              |              |
|-------------------------------|-------------|--------------|--------------|--------------|
| Region by Grade               |             |              |              |              |
|                               |             | 2000         | 2002         | 2004         |
| 8<br>t<br>h                   | Cook County | 8.1%         | 6.3%         | 6.8%         |
|                               | Non-Cook    | 11.2%        | 8.7%         | 10.4%        |
|                               | Urban       | 9.1%         | 7.6%         | 5.2%         |
|                               | Rural       | 12.4%        | 9.4%         | 14.2%        |
| 1<br>0<br>t<br>h              | Cook County | 15.1%        | 7.4%         | 8.6%         |
|                               | Non-Cook    | 19.6%        | 14.0%        | 15.4%        |
|                               | Urban       | 15.2%        | 10.0%        | 13.4%        |
|                               | Rural       | 23.6%        | 16.3%        | 17.7%        |
| 1<br>2<br>t<br>h              | Cook County | 16.3%        | 14.9%        | 14.4%        |
|                               | Non-Cook    | 27.7%        | 25.7%        | 20.7%        |
|                               | Urban       | 21.5%        | 22.0%        | 20.0%        |
|                               | Rural       | 33.1%        | 27.8%        | 21.6%        |
| <b>Total</b>                  |             | <b>16.8%</b> | <b>13.3%</b> | <b>13.1%</b> |

| Inhalants -- Lifetime |             |              |              |              |
|-----------------------|-------------|--------------|--------------|--------------|
| Region by Grade       |             |              |              |              |
|                       |             | 2000         | 2002         | 2004         |
| 8<br>t<br>h           | Cook County | 13.7%        | 11.1%        | 12.3%        |
|                       | Non-Cook    | 15.2%        | 14.6%        | 15.9%        |
|                       | Urban       | 15.0%        | 14.3%        | 16.2%        |
|                       | Rural       | 15.3%        | 14.7%        | 15.7%        |
| 1<br>0<br>t<br>h      | Cook County | 8.2%         | 9.1%         | 8.1%         |
|                       | Non-Cook    | 12.0%        | 11.3%        | 13.0%        |
|                       | Urban       | 11.4%        | 11.4%        | 11.9%        |
|                       | Rural       | 12.5%        | 11.2%        | 14.2%        |
| 1<br>2<br>t<br>h      | Cook County | 10.6%        | 9.5%         | 9.1%         |
|                       | Non-Cook    | 11.6%        | 10.5%        | 9.1%         |
|                       | Urban       | 9.7%         | 7.5%         | 9.1%         |
|                       | Rural       | 13.2%        | 12.1%        | 9.2%         |
| <b>Total</b>          |             | <b>12.2%</b> | <b>11.3%</b> | <b>11.7%</b> |

| Smokeless Tobacco -- Used Past Year |             |              |             |             |
|-------------------------------------|-------------|--------------|-------------|-------------|
| Region by Grade                     |             |              |             |             |
|                                     |             | 2000         | 2002        | 2004        |
| 8<br>t<br>h                         | Cook County | 5.0%         | 3.8%        | 6.4%        |
|                                     | Non-Cook    | 7.8%         | 4.8%        | 7.3%        |
|                                     | Urban       | 5.7%         | 4.1%        | 4.1%        |
|                                     | Rural       | 9.0%         | 5.3%        | 9.6%        |
| 1<br>0<br>t<br>h                    | Cook County | 13.1%        | 7.7%        | 7.2%        |
|                                     | Non-Cook    | 12.4%        | 9.4%        | 10.7%       |
|                                     | Urban       | 9.2%         | 8.2%        | 8.4%        |
|                                     | Rural       | 15.4%        | 10.1%       | 13.1%       |
| 1<br>2<br>t<br>h                    | Cook County | 10.0%        | 8.5%        | 11.8%       |
|                                     | Non-Cook    | 17.3%        | 16.0%       | 13.9%       |
|                                     | Urban       | 11.6%        | 13.8%       | 13.0%       |
|                                     | Rural       | 22.1%        | 17.2%       | 14.9%       |
| <b>Total</b>                        |             | <b>11.2%</b> | <b>8.6%</b> | <b>9.6%</b> |

| Inhalants -- Used Past Year |             |             |             |             |
|-----------------------------|-------------|-------------|-------------|-------------|
| Region by Grade             |             |             |             |             |
|                             |             | 2000        | 2002        | 2004        |
| 8<br>t<br>h                 | Cook County | 8.3%        | 6.4%        | 8.3%        |
|                             | Non-Cook    | 10.5%       | 9.1%        | 11.1%       |
|                             | Urban       | 10.1%       | 8.8%        | 10.5%       |
|                             | Rural       | 10.7%       | 9.3%        | 11.5%       |
| 1<br>0<br>t<br>h            | Cook County | 3.2%        | 5.2%        | 4.7%        |
|                             | Non-Cook    | 6.9%        | 7.3%        | 8.1%        |
|                             | Urban       | 6.2%        | 7.0%        | 7.4%        |
|                             | Rural       | 7.5%        | 7.4%        | 9.0%        |
| 1<br>2<br>t<br>h            | Cook County | 2.1%        | 4.3%        | 5.7%        |
|                             | Non-Cook    | 5.2%        | 4.9%        | 6.0%        |
|                             | Urban       | 4.7%        | 3.4%        | 5.8%        |
|                             | Rural       | 5.6%        | 5.7%        | 6.1%        |
| <b>Total</b>                |             | <b>6.5%</b> | <b>6.5%</b> | <b>7.7%</b> |

| Smokeless Tobacco -- Used Past Month |             |             |             |             |
|--------------------------------------|-------------|-------------|-------------|-------------|
| Region by Grade                      |             |             |             |             |
|                                      |             | 2000        | 2002        | 2004        |
| 8<br>t<br>h                          | Cook County | 2.4%        | 2.3%        | 2.8%        |
|                                      | Non-Cook    | 3.2%        | 2.4%        | 2.7%        |
|                                      | Urban       | 1.4%        | 2.7%        | 0.7%        |
|                                      | Rural       | 4.2%        | 2.2%        | 4.2%        |
| 1<br>0<br>t<br>h                     | Cook County | 5.8%        | 3.1%        | 3.0%        |
|                                      | Non-Cook    | 5.9%        | 3.6%        | 4.3%        |
|                                      | Urban       | 4.6%        | 3.3%        | 3.7%        |
|                                      | Rural       | 7.1%        | 3.7%        | 5.0%        |
| 1<br>2<br>t<br>h                     | Cook County | 4.5%        | 2.8%        | 6.7%        |
|                                      | Non-Cook    | 8.9%        | 8.1%        | 5.2%        |
|                                      | Urban       | 5.5%        | 6.8%        | 5.4%        |
|                                      | Rural       | 11.8%       | 8.9%        | 4.8%        |
| <b>Total</b>                         |             | <b>5.3%</b> | <b>3.9%</b> | <b>4.0%</b> |

| Inhalants -- Used Past Month |             |             |             |             |
|------------------------------|-------------|-------------|-------------|-------------|
| Region by Grade              |             |             |             |             |
|                              |             | 2000        | 2002        | 2004        |
| 8<br>t<br>h                  | Cook County | 3.9%        | 3.5%        | 3.4%        |
|                              | Non-Cook    | 4.2%        | 4.7%        | 6.0%        |
|                              | Urban       | 4.4%        | 4.6%        | 4.9%        |
|                              | Rural       | 4.1%        | 4.8%        | 6.7%        |
| 1<br>0<br>t<br>h             | Cook County | 0.6%        | 3.0%        | 1.7%        |
|                              | Non-Cook    | 2.6%        | 2.7%        | 3.5%        |
|                              | Urban       | 1.9%        | 2.6%        | 3.2%        |
|                              | Rural       | 3.1%        | 2.7%        | 3.9%        |
| 1<br>2<br>t<br>h             | Cook County | 0.6%        | 1.8%        | 2.3%        |
|                              | Non-Cook    | 1.7%        | 2.3%        | 2.2%        |
|                              | Urban       | 1.4%        | 2.3%        | 2.0%        |
|                              | Rural       | 2.0%        | 2.3%        | 2.5%        |
| <b>Total</b>                 |             | <b>2.5%</b> | <b>3.1%</b> | <b>3.4%</b> |

| Marijuana -- Lifetime<br>Region by Grade |             |              |              |              |
|--|-------------|--------------|--------------|--------------|
|  |             | 2000         | 2002         | 2004         |
| 8<br>t<br>h                              | Cook County | 22.7%        | 17.4%        | 18.7%        |
|  | Non-Cook    | 20.2%        | 15.7%        | 15.6%        |
|  | Urban       | 25.0%        | 17.4%        | 14.6%        |
|  | Rural       | 17.2%        | 14.6%        | 16.2%        |
| 1<br>0<br>t<br>h                         | Cook County | 42.1%        | 39.7%        | 34.8%        |
|  | Non-Cook    | 38.9%        | 32.8%        | 36.7%        |
|  | Urban       | 44.1%        | 39.2%        | 40.4%        |
|  | Rural       | 34.2%        | 29.2%        | 32.7%        |
| 1<br>2<br>t<br>h                         | Cook County | 50.0%        | 52.1%        | 47.7%        |
|  | Non-Cook    | 49.1%        | 47.7%        | 48.6%        |
|  | Urban       | 50.7%        | 52.4%        | 52.7%        |
|  | Rural       | 47.7%        | 45.1%        | 43.1%        |
| <b>Total</b>                             |             | <b>36.2%</b> | <b>33.0%</b> | <b>32.8%</b> |

| Any Illicit (Excluding Marijuana) -- Lifetime<br>Region by Grade |             |              |              |              |              |
|--|-------------|--------------|--------------|--------------|--------------|
|  |             | 2000         | 2002         | 2004         | 2004*        |
| 8<br>t<br>h  | Cook County | 10.9%        | 10.5%        | 13.8%        | 14.4%        |
|  | Non-Cook    | 14.8%        | 13.2%        | 13.6%        | 15.2%        |
|  | Urban       | 17.7%        | 15.1%        | 12.8%        | 14.2%        |
|  | Rural       | 13.0%        | 12.0%        | 14.1%        | 15.9%        |
| 1<br>0<br>t<br>h   | Cook County | 22.4%        | 17.5%        | 17.3%        | 18.7%        |
|  | Non-Cook    | 23.5%        | 18.7%        | 25.4%        | 28.0%        |
|  | Urban       | 25.8%        | 18.6%        | 27.8%        | 29.9%        |
|  | Rural       | 21.4%        | 18.7%        | 22.8%        | 25.9%        |
| 1<br>2<br>t<br>h   | Cook County | 28.1%        | 20.3%        | 23.1%        | 24.8%        |
|  | Non-Cook    | 27.2%        | 20.8%        | 27.0%        | 29.5%        |
|  | Urban       | 30.2%        | 18.8%        | 30.5%        | 33.2%        |
|  | Rural       | 24.6%        | 21.9%        | 22.5%        | 24.7%        |
| <b>Total</b>   |             | <b>20.9%</b> | <b>16.8%</b> | <b>20.2%</b> | <b>22.0%</b> |

| Marijuana -- Used Past Year<br>Region by Grade |             |              |              |              |
|--|-------------|--------------|--------------|--------------|
|  |             | 2000         | 2002         | 2004         |
| 8<br>t<br>h                                    | Cook County | 18.2%        | 12.8%        | 15.2%        |
|  | Non-Cook    | 16.5%        | 12.1%        | 12.9%        |
|  | Urban       | 22.3%        | 14.7%        | 11.8%        |
|  | Rural       | 12.9%        | 10.4%        | 13.7%        |
| 1<br>0<br>t<br>h                               | Cook County | 32.1%        | 32.1%        | 26.1%        |
|  | Non-Cook    | 30.2%        | 26.1%        | 31.2%        |
|  | Urban       | 34.0%        | 30.8%        | 34.1%        |
|  | Rural       | 26.6%        | 23.4%        | 28.0%        |
| 1<br>2<br>t<br>h                               | Cook County | 38.6%        | 40.8%        | 35.3%        |
|  | Non-Cook    | 36.8%        | 36.1%        | 37.3%        |
|  | Urban       | 39.0%        | 39.3%        | 41.8%        |
|  | Rural       | 35.0%        | 34.4%        | 31.4%        |
| <b>Total</b>                                   |             | <b>28.0%</b> | <b>25.6%</b> | <b>25.9%</b> |

| Any Illicit (Excluding Marijuana) -- Used Past Year<br>Region by Grade |             |              |              |              |              |
|--|-------------|--------------|--------------|--------------|--------------|
|  |             | 2000         | 2002         | 2004         | 2004*        |
| 8<br>t<br>h  | Cook County | 8.1%         | 7.9%         | 10.1%        | 10.8%        |
|  | Non-Cook    | 11.6%        | 9.9%         | 10.2%        | 12.2%        |
|  | Urban       | 14.7%        | 11.6%        | 9.4%         | 11.0%        |
|  | Rural       | 9.7%         | 8.8%         | 10.8%        | 13.0%        |
| 1<br>0<br>t<br>h   | Cook County | 16.4%        | 13.5%        | 12.0%        | 13.9%        |
|  | Non-Cook    | 17.6%        | 14.8%        | 19.1%        | 22.2%        |
|  | Urban       | 19.1%        | 13.8%        | 21.3%        | 23.6%        |
|  | Rural       | 16.3%        | 15.4%        | 16.6%        | 20.6%        |
| 1<br>2<br>t<br>h   | Cook County | 22.1%        | 14.0%        | 15.6%        | 17.6%        |
|  | Non-Cook    | 19.5%        | 16.0%        | 19.5%        | 22.5%        |
|  | Urban       | 20.4%        | 14.8%        | 22.3%        | 25.8%        |
|  | Rural       | 18.8%        | 16.6%        | 15.8%        | 18.2%        |
| <b>Total</b>   |             | <b>15.6%</b> | <b>12.7%</b> | <b>14.6%</b> | <b>16.9%</b> |

| Marijuana -- Used Past Month<br>Region by Grade |             |              |              |              |
|---|-------------|--------------|--------------|--------------|
|   |             | 2000         | 2002         | 2004         |
| 8<br>t<br>h                                     | Cook County | 8.9%         | 7.2%         | 9.1%         |
|   | Non-Cook    | 9.0%         | 7.3%         | 7.4%         |
|   | Urban       | 13.1%        | 8.3%         | 6.5%         |
|   | Rural       | 6.5%         | 6.6%         | 8.2%         |
| 1<br>0<br>t<br>h                                | Cook County | 20.0%        | 18.2%        | 15.5%        |
|   | Non-Cook    | 17.6%        | 14.5%        | 18.6%        |
|   | Urban       | 20.5%        | 18.2%        | 20.5%        |
|   | Rural       | 15.0%        | 12.4%        | 16.6%        |
| 1<br>2<br>t<br>h                                | Cook County | 20.5%        | 25.9%        | 21.9%        |
|   | Non-Cook    | 23.0%        | 22.9%        | 21.7%        |
|   | Urban       | 23.0%        | 26.2%        | 24.2%        |
|   | Rural       | 23.0%        | 21.1%        | 18.5%        |
| <b>Total</b>                                    |             | <b>16.2%</b> | <b>15.3%</b> | <b>15.4%</b> |

| Any Illicit (Ex. Marijuana) -- Used Past Month<br>Region by Grade |             |             |             |             |
|---|-------------|-------------|-------------|-------------|
|   |             | 2000        | 2002        | 2004        |
| 8<br>t<br>h   | Cook County | 3.9%        | 4.5%        | 6.5%        |
|   | Non-Cook    | 6.4%        | 5.5%        | 5.3%        |
|   | Urban       | 8.6%        | 7.3%        | 4.1%        |
|   | Rural       | 5.1%        | 4.4%        | 6.1%        |
| 1<br>0<br>t<br>h  | Cook County | 9.2%        | 7.1%        | 6.0%        |
|   | Non-Cook    | 9.5%        | 7.8%        | 10.4%       |
|   | Urban       | 9.6%        | 8.2%        | 11.9%       |
|   | Rural       | 9.4%        | 7.5%        | 8.7%        |
| 1<br>2<br>t<br>h  | Cook County | 13.9%       | 7.9%        | 6.9%        |
|   | Non-Cook    | 11.7%       | 9.6%        | 10.2%       |
|   | Urban       | 10.9%       | 7.9%        | 11.3%       |
|   | Rural       | 12.5%       | 10.5%       | 8.6%        |
| <b>Total</b>  |             | <b>8.9%</b> | <b>7.1%</b> | <b>7.7%</b> |

\*With definition of "Any Illicit" expanded to include drugs surveyed for the first time in 2004.

| Cocaine/Crack -- Lifetime |             |             |             |             |
|---------------------------|-------------|-------------|-------------|-------------|
| Region by Grade           |             |             |             |             |
|                           |             | 2000        | 2002        | 2004        |
| 8<br>t<br>h               | Cook County | 3.3%        | 2.6%        | 3.1%        |
|                           | Non-Cook    | 2.6%        | 3.6%        | 2.7%        |
|                           | Urban       | 3.8%        | 4.7%        | 1.6%        |
|                           | Rural       | 1.9%        | 2.8%        | 3.5%        |
| 1<br>0<br>t<br>h          | Cook County | 4.4%        | 5.5%        | 2.4%        |
|                           | Non-Cook    | 4.8%        | 4.5%        | 4.7%        |
|                           | Urban       | 6.1%        | 5.1%        | 5.0%        |
|                           | Rural       | 3.7%        | 4.2%        | 4.4%        |
| 1<br>2<br>t<br>h          | Cook County | 7.6%        | 6.7%        | 4.3%        |
|                           | Non-Cook    | 9.2%        | 7.4%        | 7.9%        |
|                           | Urban       | 8.4%        | 6.5%        | 9.2%        |
|                           | Rural       | 9.9%        | 7.9%        | 6.1%        |
| <b>Total</b>              |             | <b>5.2%</b> | <b>5.0%</b> | <b>4.3%</b> |

| Hallucinogens -- Lifetime |             |             |             |             |
|---------------------------|-------------|-------------|-------------|-------------|
| Region by Grade           |             |             |             |             |
|                           |             | 2000        | 2002        | 2004        |
| 8<br>t<br>h               | Cook County | 2.0%        | 1.6%        | 1.5%        |
|                           | Non-Cook    | 2.3%        | 2.5%        | 1.1%        |
|                           | Urban       | 3.3%        | 2.6%        | 1.3%        |
|                           | Rural       | 1.6%        | 2.4%        | 1.1%        |
| 1<br>0<br>t<br>h          | Cook County | 4.0%        | 2.4%        | 1.3%        |
|                           | Non-Cook    | 8.0%        | 5.1%        | 3.3%        |
|                           | Urban       | 9.7%        | 5.2%        | 3.4%        |
|                           | Rural       | 6.5%        | 5.1%        | 3.3%        |
| 1<br>2<br>t<br>h          | Cook County | 11.3%       | 7.9%        | 6.4%        |
|                           | Non-Cook    | 14.2%       | 9.8%        | 7.2%        |
|                           | Urban       | 16.1%       | 7.9%        | 8.9%        |
|                           | Rural       | 12.6%       | 10.8%       | 4.9%        |
| <b>Total</b>              |             | <b>7.0%</b> | <b>4.9%</b> | <b>3.4%</b> |

| Cocaine/Crack -- Used Past Year |             |             |             |             |
|---------------------------------|-------------|-------------|-------------|-------------|
| Region by Grade                 |             |             |             |             |
|                                 |             | 2000        | 2002        | 2004        |
| 8<br>t<br>h                     | Cook County | 2.1%        | 1.4%        | 2.4%        |
|                                 | Non-Cook    | 1.9%        | 2.4%        | 2.2%        |
|                                 | Urban       | 3.0%        | 3.6%        | 1.1%        |
|                                 | Rural       | 1.2%        | 1.7%        | 3.0%        |
| 1<br>0<br>t<br>h                | Cook County | 2.1%        | 4.6%        | 2.1%        |
|                                 | Non-Cook    | 3.5%        | 4.0%        | 3.8%        |
|                                 | Urban       | 4.4%        | 4.1%        | 4.1%        |
|                                 | Rural       | 2.7%        | 3.9%        | 3.5%        |
| 1<br>2<br>t<br>h                | Cook County | 4.9%        | 4.5%        | 3.6%        |
|                                 | Non-Cook    | 7.3%        | 6.1%        | 5.7%        |
|                                 | Urban       | 6.4%        | 5.0%        | 6.9%        |
|                                 | Rural       | 8.0%        | 6.6%        | 4.1%        |
| <b>Total</b>                    |             | <b>3.7%</b> | <b>3.8%</b> | <b>3.4%</b> |

| Hallucinogens -- Used Past Year |             |             |             |             |
|---------------------------------|-------------|-------------|-------------|-------------|
| Region by Grade                 |             |             |             |             |
|                                 |             | 2000        | 2002        | 2004        |
| 8<br>t<br>h                     | Cook County | 1.5%        | 1.3%        | 1.1%        |
|                                 | Non-Cook    | 1.9%        | 1.7%        | 0.8%        |
|                                 | Urban       | 2.5%        | 1.8%        | 0.9%        |
|                                 | Rural       | 1.5%        | 1.7%        | 0.7%        |
| 1<br>0<br>t<br>h                | Cook County | 3.7%        | 1.8%        | 0.7%        |
|                                 | Non-Cook    | 6.3%        | 3.6%        | 2.4%        |
|                                 | Urban       | 7.5%        | 3.5%        | 2.7%        |
|                                 | Rural       | 5.2%        | 3.7%        | 2.1%        |
| 1<br>2<br>t<br>h                | Cook County | 7.8%        | 4.0%        | 4.2%        |
|                                 | Non-Cook    | 9.7%        | 6.0%        | 5.2%        |
|                                 | Urban       | 9.7%        | 5.0%        | 6.5%        |
|                                 | Rural       | 9.6%        | 6.6%        | 3.4%        |
| <b>Total</b>                    |             | <b>5.2%</b> | <b>3.2%</b> | <b>2.4%</b> |

| Cocaine/Crack -- Used Past Month |             |             |             |             |
|----------------------------------|-------------|-------------|-------------|-------------|
| Region by Grade                  |             |             |             |             |
|                                  |             | 2000        | 2002        | 2004        |
| 8<br>t<br>h                      | Cook County | 0.6%        | 1.0%        | 1.4%        |
|                                  | Non-Cook    | 0.5%        | 1.5%        | 1.1%        |
|                                  | Urban       | 1.1%        | 2.4%        | 0.9%        |
|                                  | Rural       | 0.1%        | 0.8%        | 1.3%        |
| 1<br>0<br>t<br>h                 | Cook County | 0.4%        | 2.4%        | 1.1%        |
|                                  | Non-Cook    | 1.4%        | 1.0%        | 1.2%        |
|                                  | Urban       | 2.0%        | 1.0%        | 1.4%        |
|                                  | Rural       | 0.9%        | 0.9%        | 1.0%        |
| 1<br>2<br>t<br>h                 | Cook County | 3.2%        | 2.5%        | 1.3%        |
|                                  | Non-Cook    | 3.0%        | 3.1%        | 2.3%        |
|                                  | Urban       | 2.7%        | 2.1%        | 3.2%        |
|                                  | Rural       | 3.3%        | 3.7%        | 1.1%        |
| <b>Total</b>                     |             | <b>1.5%</b> | <b>1.9%</b> | <b>1.4%</b> |

| Hallucinogens -- Used Past Month |             |             |             |             |
|----------------------------------|-------------|-------------|-------------|-------------|
| Region by Grade                  |             |             |             |             |
|                                  |             | 2000        | 2002        | 2004        |
| 8<br>t<br>h                      | Cook County | 0.6%        | 0.7%        | 0.3%        |
|                                  | Non-Cook    | 0.9%        | 0.9%        | 0.2%        |
|                                  | Urban       | 1.3%        | 1.1%        | 0.4%        |
|                                  | Rural       | 0.7%        | 0.7%        | 0.2%        |
| 1<br>0<br>t<br>h                 | Cook County | 0.4%        | 0.6%        | 0.3%        |
|                                  | Non-Cook    | 2.3%        | 1.6%        | 1.2%        |
|                                  | Urban       | 2.7%        | 1.9%        | 1.5%        |
|                                  | Rural       | 2.0%        | 1.3%        | 1.0%        |
| 1<br>2<br>t<br>h                 | Cook County | 3.6%        | 1.1%        | 0.9%        |
|                                  | Non-Cook    | 3.0%        | 1.5%        | 1.9%        |
|                                  | Urban       | 3.4%        | 0.3%        | 2.8%        |
|                                  | Rural       | 2.6%        | 2.1%        | 0.7%        |
| <b>Total</b>                     |             | <b>1.8%</b> | <b>1.1%</b> | <b>0.9%</b> |

| Any Substance -- Lifetime<br>Region by Grade |             |              |              |              |              |
|--|-------------|--------------|--------------|--------------|--------------|
|  |             | 2000         | 2002         | 2004         | 2004*        |
| 8<br>t<br>h                                  | Cook County | 69.8%        | 62.8%        | 60.4%        | 65.1%        |
|  | Non-Cook    | 66.0%        | 60.0%        | 58.2%        | 61.8%        |
|  | Urban       | 70.6%        | 62.2%        | 55.1%        | 58.7%        |
|  | Rural       | 63.1%        | 58.6%        | 60.4%        | 64.1%        |
| 1<br>0<br>t<br>h                             | Cook County | 79.0%        | 76.7%        | 71.9%        | 74.2%        |
|  | Non-Cook    | 80.2%        | 72.3%        | 75.1%        | 76.9%        |
|  | Urban       | 80.8%        | 73.2%        | 75.4%        | 76.5%        |
|  | Rural       | 79.7%        | 71.8%        | 74.9%        | 77.3%        |
| 1<br>2<br>t<br>h                             | Cook County | 84.0%        | 83.7%        | 85.3%        | 86.5%        |
|  | Non-Cook    | 85.7%        | 84.4%        | 84.3%        | 85.2%        |
|  | Urban       | 85.8%        | 85.0%        | 82.8%        | 83.8%        |
|  | Rural       | 85.6%        | 84.1%        | 86.4%        | 87.0%        |
| <b>Total</b>                                 |             | <b>77.0%</b> | <b>72.5%</b> | <b>71.8%</b> | <b>74.3%</b> |

| Number of Students<br>Region by Grade |             |              |              |              |
|---------------------------------------|-------------|--------------|--------------|--------------|
|                                       |             | 2000         | 2002         | 2004         |
| 8<br>t<br>h                           | Cook County | 722          | 734          | 783          |
|                                       | Non-Cook    | 1,071        | 1,120        | 1,215        |
|                                       | Urban       | 410          | 447          | 511          |
|                                       | Rural       | 661          | 673          | 704          |
| 1<br>0<br>t<br>h                      | Cook County | 689          | 713          | 752          |
|                                       | Non-Cook    | 1,025        | 1,082        | 1,157        |
|                                       | Urban       | 489          | 398          | 607          |
|                                       | Rural       | 537          | 684          | 549          |
| 1<br>2<br>t<br>h                      | Cook County | 515          | 551          | 601          |
|                                       | Non-Cook    | 982          | 1,021        | 1,083        |
|                                       | Urban       | 452          | 357          | 614          |
|                                       | Rural       | 531          | 663          | 469          |
| <b>Total</b>                          |             | <b>5,004</b> | <b>5,222</b> | <b>5,590</b> |

| Any Substance -- Used Past Year<br>Grade by Region |             |              |              |              |              |
|--|-------------|--------------|--------------|--------------|--------------|
|  |             | 2000         | 2002         | 2004         | 2004*        |
| 8<br>t<br>h  | Cook County | 53.5%        | 49.2%        | 49.7%        | 56.8%        |
|  | Non-Cook    | 54.5%        | 47.5%        | 47.7%        | 52.8%        |
|  | Urban       | 57.8%        | 48.6%        | 45.9%        | 51.1%        |
|  | Rural       | 52.4%        | 46.7%        | 49.1%        | 54.1%        |
| 1<br>0<br>t<br>h                                   | Cook County | 70.3%        | 68.9%        | 63.7%        | 67.4%        |
|  | Non-Cook    | 71.6%        | 63.5%        | 67.7%        | 70.9%        |
|  | Urban       | 73.2%        | 63.4%        | 67.2%        | 69.2%        |
|  | Rural       | 70.1%        | 63.6%        | 68.2%        | 72.9%        |
| 1<br>2<br>t<br>h                                   | Cook County | 77.2%        | 76.8%        | 79.5%        | 81.9%        |
|  | Non-Cook    | 79.0%        | 78.0%        | 77.1%        | 78.8%        |
|  | Urban       | 79.1%        | 78.8%        | 75.4%        | 77.3%        |
|  | Rural       | 79.0%        | 77.6%        | 79.2%        | 80.9%        |
| <b>Total</b>                                       |             | <b>67.2%</b> | <b>63.0%</b> | <b>63.4%</b> | <b>67.2%</b> |

| Ecstasy (MDMA) -- Used Past Year**<br>Region by Grade |             |             |             |  |
|---|-------------|-------------|-------------|--|
|   |             | 2002        | 2004        |  |
| 8<br>t<br>h   | Cook County | 0.6%        | 1.7%        |  |
|   | Non-Cook    | 1.1%        | 1.2%        |  |
|   | Urban       | 0.7%        | 0.5%        |  |
|   | Rural       | 1.3%        | 1.6%        |  |
| 1<br>0<br>t<br>h                                      | Cook County | 1.1%        | 1.0%        |  |
|   | Non-Cook    | 1.9%        | 2.1%        |  |
|   | Urban       | 1.9%        | 2.2%        |  |
|   | Rural       | 1.9%        | 1.9%        |  |
| 1<br>2<br>t<br>h                                      | Cook County | 1.8%        | 3.5%        |  |
|   | Non-Cook    | 3.5%        | 3.2%        |  |
|   | Urban       | 3.8%        | 4.0%        |  |
|   | Rural       | 3.3%        | 2.1%        |  |
| <b>Total</b>  |             | <b>1.7%</b> | <b>2.0%</b> |  |

| Any Substance -- Used Past Month<br>Grade by Region |             |              |              |              |
|---|-------------|--------------|--------------|--------------|
|   |             | 2000         | 2002         | 2004         |
| 8<br>t<br>h   | Cook County | 27.3%        | 25.6%        | 26.0%        |
|   | Non-Cook    | 31.8%        | 24.7%        | 25.7%        |
|   | Urban       | 36.6%        | 25.7%        | 21.1%        |
|   | Rural       | 28.8%        | 24.0%        | 29.1%        |
| 1<br>0<br>t<br>h                                    | Cook County | 48.4%        | 43.2%        | 40.3%        |
|   | Non-Cook    | 50.5%        | 42.8%        | 48.5%        |
|   | Urban       | 50.1%        | 46.1%        | 47.8%        |
|   | Rural       | 51.0%        | 40.9%        | 49.3%        |
| 1<br>2<br>t<br>h                                    | Cook County | 58.0%        | 58.8%        | 58.8%        |
|   | Non-Cook    | 61.2%        | 59.3%        | 59.4%        |
|   | Urban       | 60.8%        | 59.8%        | 59.0%        |
|   | Rural       | 61.6%        | 59.1%        | 59.9%        |
| <b>Total</b>  |             | <b>45.7%</b> | <b>41.5%</b> | <b>42.5%</b> |

| Ecstasy (MDMA) -- Used Past Month**<br>Region by Grade |             |             |             |
|--|-------------|-------------|-------------|
|  |             | 2002        | 2004        |
| 8<br>t<br>h  | Cook County | 0.2%        | 0.5%        |
|  | Non-Cook    | 0.8%        | 0.5%        |
|  | Urban       | 0.6%        | 0.4%        |
|  | Rural       | 0.9%        | 0.7%        |
| 1<br>0<br>t<br>h                                       | Cook County | 0.4%        | 0.2%        |
|  | Non-Cook    | 0.4%        | 0.7%        |
|  | Urban       | 0.6%        | 0.8%        |
|  | Rural       | 0.3%        | 0.6%        |
| 1<br>2<br>t<br>h                                       | Cook County | 1.1%        | 1.0%        |
|  | Non-Cook    | 0.6%        | 0.6%        |
|  | Urban       | 1.2%        | 0.5%        |
|  | Rural       | 0.3%        | 0.7%        |
| <b>Total</b>   |             | <b>0.6%</b> | <b>0.6%</b> |

\*With definition of "Any Substance" expanded to include drugs surveyed for the first time in 2004.

\*\*Lifetime Ecstasy use omitted to conserve space. Ecstasy use was not surveyed in 2000.

***Appendix B-5***  
***Drug Prevalences:***  
***Cook County Respondents:***  
***Racial Groups By Gender***

For all “B” appendices:

- Most tables have three columns of figures to show changes from 2000 to 2002 to 2004.
- The Lifetime and Past Year tables for “Any Illicit” and “Any Substance” have two columns (third and fourth from the left) with 2004 results. The first 2004 column shows the figure obtained from including just the substances that were included in previous years, so that valid comparisons can be made to the two earlier figures. The second 2004 column in those tables shows percentages that include all illicit drugs covered by the 2004 survey, even if 2004 was the first time they were on the survey.
- The tables for “Ecstasy” (MDMA) include just two columns, as that substance first appeared on the survey in 2002.

| Alcohol -- Lifetime<br>Cook County Race Group by Gender |              |              |              |
|---|--------------|--------------|--------------|
|   | 2000         | 2002         | 2004         |
| <b>Male</b>   |              |              |              |
| White   | 75.4%        | 76.7%        | 66.9%        |
| African American  | 60.5%        | 57.9%        | 55.0%        |
| Hispanic  | 80.3%        | 74.9%        | 70.2%        |
| <b>Female</b>   |              |              |              |
| White   | 75.5%        | 72.6%        | 67.8%        |
| African American  | 67.9%        | 61.4%        | 63.5%        |
| Hispanic  | 77.2%        | 75.6%        | 79.7%        |
| White   | 75.2%        | 74.3%        | 67.2%        |
| African American  | 64.6%        | 59.6%        | 59.6%        |
| Hispanic  | 78.9%        | 75.2%        | 75.7%        |
| <b>Cook Total*</b>                                      | <b>72.3%</b> | <b>69.1%</b> | <b>66.7%</b> |

| Tobacco -- Lifetime<br>Cook County Race Group by Gender |              |              |              |
|---|--------------|--------------|--------------|
|   | 2000         | 2002         | 2004         |
| <b>Male</b>   |              |              |              |
| White   | 60.7%        | 48.7%        | 40.3%        |
| African American  | 42.7%        | 37.3%        | 31.9%        |
| Hispanic  | 61.6%        | 57.6%        | 46.7%        |
| <b>Female</b>   |              |              |              |
| White   | 55.5%        | 48.2%        | 45.8%        |
| African American  | 50.2%        | 44.9%        | 27.9%        |
| Hispanic  | 56.8%        | 52.6%        | 53.4%        |
| White   | 58.1%        | 48.2%        | 42.7%        |
| African American  | 47.0%        | 42.2%        | 29.6%        |
| Hispanic  | 58.8%        | 55.1%        | 50.8%        |
| <b>Cook Total*</b>                                      | <b>54.8%</b> | <b>47.5%</b> | <b>40.3%</b> |

| Alcohol -- Used Past Year<br>Cook County Race Group by Gender |              |              |              |
|---|--------------|--------------|--------------|
|   | 2000         | 2002         | 2004         |
| <b>Male</b>   |              |              |              |
| White   | 67.5%        | 69.1%        | 60.5%        |
| African American  | 46.9%        | 46.7%        | 46.0%        |
| Hispanic  | 70.6%        | 66.1%        | 63.8%        |
| <b>Female</b>   |              |              |              |
| White   | 70.1%        | 64.6%        | 62.9%        |
| African American  | 52.8%        | 53.0%        | 53.1%        |
| Hispanic  | 67.8%        | 69.0%        | 74.3%        |
| White   | 68.5%        | 66.7%        | 61.5%        |
| African American  | 50.0%        | 50.2%        | 49.8%        |
| Hispanic  | 69.1%        | 67.4%        | 69.9%        |
| <b>Cook Total*</b>  | <b>62.7%</b> | <b>61.2%</b> | <b>59.6%</b> |

| Tobacco -- Used Past Year<br>Cook County Race Group by Gender |              |              |              |
|---|--------------|--------------|--------------|
|   | 2000         | 2002         | 2004         |
| <b>Male</b>   |              |              |              |
| White   | 38.1%        | 29.3%        | 26.0%        |
| African American  | 19.8%        | 11.6%        | 18.8%        |
| Hispanic  | 39.8%        | 25.3%        | 23.2%        |
| <b>Female</b>   |              |              |              |
| White   | 37.6%        | 31.9%        | 31.1%        |
| African American  | 21.8%        | 15.2%        | 10.2%        |
| Hispanic  | 26.1%        | 28.1%        | 23.7%        |
| White   | 38.0%        | 30.3%        | 28.2%        |
| African American  | 20.9%        | 13.5%        | 13.8%        |
| Hispanic  | 30.8%        | 26.7%        | 24.0%        |
| <b>Cook Total*</b>  | <b>31.2%</b> | <b>24.0%</b> | <b>21.9%</b> |

| Alcohol -- Used Past Month<br>Cook County Race Group by Gender |              |              |              |
|--|--------------|--------------|--------------|
|  | 2000         | 2002         | 2004         |
| <b>Male</b>  |              |              |              |
| White  | 45.0%        | 41.2%        | 39.9%        |
| African American   | 24.9%        | 26.5%        | 24.2%        |
| Hispanic   | 45.7%        | 39.9%        | 43.6%        |
| <b>Female</b>  |              |              |              |
| White  | 39.4%        | 38.3%        | 39.4%        |
| African American   | 24.8%        | 30.6%        | 25.9%        |
| Hispanic   | 40.7%        | 39.8%        | 37.0%        |
| White  | 41.9%        | 39.4%        | 39.5%        |
| African American   | 24.5%        | 29.2%        | 25.1%        |
| Hispanic   | 42.0%        | 39.8%        | 40.3%        |
| <b>Cook Total*</b>   | <b>36.2%</b> | <b>35.7%</b> | <b>34.5%</b> |

| Tobacco -- Used Past Month<br>Cook County Race Group by Gender |              |              |              |
|--|--------------|--------------|--------------|
|  | 2000         | 2002         | 2004         |
| <b>Male</b>  |              |              |              |
| White  | 27.3%        | 21.5%        | 19.3%        |
| African American   | 13.6%        | 9.4%         | 12.1%        |
| Hispanic   | 26.9%        | 15.8%        | 4.7%         |
| <b>Female</b>  |              |              |              |
| White  | 26.3%        | 23.1%        | 22.6%        |
| African American   | 11.0%        | 10.7%        | 6.9%         |
| Hispanic   | 17.8%        | 19.6%        | 14.1%        |
| White  | 27.0%        | 22.0%        | 20.7%        |
| African American   | 12.2%        | 10.0%        | 9.0%         |
| Hispanic   | 20.9%        | 17.9%        | 10.0%        |
| <b>Cook Total*</b>   | <b>20.5%</b> | <b>16.8%</b> | <b>13.6%</b> |

\*Total represents Cook County total, including other racial/ethnic groups not listed.

| Smokeless Tobacco -- Lifetime<br>Cook County Race Group by Gender |       |       |       |
|---|-------|-------|-------|
|   | 2000  | 2002  | 2004  |
| <b>Male</b>   |       |       |       |
| White   | 29.9% | 17.3% | 16.4% |
| African American  | 8.7%  | 5.9%  | 11.0% |
| Hispanic  | 20.0% | 13.9% | 9.0%  |
| <b>Female</b>   |       |       |       |
| White   | 8.8%  | 4.9%  | 5.5%  |
| African American  | 4.6%  | 3.9%  | 6.3%  |
| Hispanic  | 8.3%  | 7.6%  | 8.2%  |
| White   | 18.8% | 10.8% | 11.0% |
| African American  | 6.5%  | 4.8%  | 8.4%  |
| Hispanic  | 13.1% | 11.2% | 9.2%  |
| <b>Cook Total*</b>  | 12.8% | 9.0%  | 9.6%  |

| Inhalants-- Lifetime<br>Cook County Race Group by Gender |       |       |       |
|--|-------|-------|-------|
|  | 2000  | 2002  | 2004  |
| <b>Male</b>  |       |       |       |
| White  | 15.1% | 13.3% | 10.9% |
| African American   | 2.5%  | 7.6%  | 12.9% |
| Hispanic   | 17.3% | 7.9%  | 8.9%  |
| <b>Female</b>  |       |       |       |
| White  | 14.9% | 10.5% | 11.6% |
| African American   | 2.8%  | 5.0%  | 4.8%  |
| Hispanic   | 14.1% | 12.9% | 11.2% |
| White  | 14.9% | 11.8% | 11.3% |
| African American   | 2.6%  | 6.0%  | 8.3%  |
| Hispanic   | 15.6% | 10.3% | 10.1% |
| <b>Cook Total*</b>                                       | 10.9% | 9.9%  | 9.9%  |

| Smokeless Tobacco -- Used Past Year<br>Cook County Race Group by Gender |       |       |       |
|---|-------|-------|-------|
|   | 2000  | 2002  | 2004  |
| <b>Male</b>   |       |       |       |
| White   | 20.1% | 12.2% | 14.7% |
| African American  | 3.9%  | 4.2%  | 9.6%  |
| Hispanic  | 17.9% | 9.8%  | 7.5%  |
| <b>Female</b>   |       |       |       |
| White   | 6.9%  | 2.4%  | 3.6%  |
| African American  | 4.7%  | 3.7%  | 3.5%  |
| Hispanic  | 5.7%  | 6.9%  | 10.8% |
| White   | 13.2% | 7.1%  | 9.3%  |
| African American  | 4.5%  | 4.0%  | 6.0%  |
| Hispanic  | 10.7% | 8.4%  | 9.3%  |
| <b>Cook Total*</b>  | 9.2%  | 6.5%  | 8.2%  |

| Inhalants-- Used Past Year<br>Cook County Race Group by Gender |      |      |      |
|--|------|------|------|
|  | 2000 | 2002 | 2004 |
| <b>Male</b>  |      |      |      |
| White  | 6.6% | 7.5% | 6.8% |
| African American   | 0.9% | 5.6% | 7.5% |
| Hispanic   | 5.5% | 4.8% | 3.6% |
| <b>Female</b>  |      |      |      |
| White  | 5.5% | 5.5% | 9.4% |
| African American   | 0.4% | 1.7% | 2.2% |
| Hispanic   | 8.9% | 6.9% | 8.4% |
| White  | 6.0% | 6.3% | 8.0% |
| African American   | 0.6% | 3.3% | 4.5% |
| Hispanic   | 8.0% | 5.8% | 6.3% |
| <b>Cook Total*</b>   | 4.8% | 5.4% | 6.3% |

| Smokeless Tobacco -- Used Past Month<br>Cook County Race Group by Gender |       |      |      |
|--|-------|------|------|
|  | 2000  | 2002 | 2004 |
| <b>Male</b>  |       |      |      |
| White  | 6.2%  | 3.5% | 6.6% |
| African American   | 3.4%  | 1.4% | 5.3% |
| Hispanic   | 11.3% | 5.0% | 4.6% |
| <b>Female</b>  |       |      |      |
| White  | 1.5%  | 1.2% | 1.2% |
| African American   | 2.9%  | 1.6% | 2.7% |
| Hispanic   | 4.4%  | 4.5% | 3.8% |
| White  | 3.7%  | 2.3% | 3.9% |
| African American   | 3.3%  | 1.5% | 3.8% |
| Hispanic   | 7.4%  | 4.8% | 4.1% |
| <b>Cook Total*</b>   | 4.2%  | 2.7% | 3.9% |

| Inhalants-- Used Past Month<br>Cook County Race Group by Gender |      |      |      |
|---|------|------|------|
|   | 2000 | 2002 | 2004 |
| <b>Male</b>   |      |      |      |
| White   | 1.6% | 3.6% | 2.4% |
| African American  | 0.0% | 4.2% | 2.6% |
| Hispanic  | 3.5% | 3.3% | 2.6% |
| <b>Female</b>   |      |      |      |
| White   | 2.6% | 1.7% | 3.9% |
| African American  | 0.0% | 1.5% | 0.7% |
| Hispanic  | 3.6% | 3.4% | 2.6% |
| White   | 2.1% | 2.6% | 3.1% |
| African American  | 0.0% | 2.5% | 1.5% |
| Hispanic  | 3.8% | 3.3% | 2.6% |
| <b>Cook Total*</b>  | 1.8% | 2.9% | 2.5% |

\*Total represents Cook County total, including other racial/ethnic groups not listed.

| Marijuana -- Lifetime<br>Cook County Race Group by Gender |       |       |       |
|---|-------|-------|-------|
|   | 2000  | 2002  | 2004  |
| <b>Male</b>   |       |       |       |
| White   | 43.2% | 37.8% | 29.5% |
| African American  | 42.2% | 36.0% | 39.6% |
| Hispanic  | 46.5% | 42.0% | 41.1% |
| <b>Female</b>   |       |       |       |
| White   | 32.4% | 30.5% | 26.8% |
| African American  | 32.7% | 39.9% | 29.0% |
| Hispanic  | 32.4% | 35.0% | 35.9% |
| White   | 37.8% | 33.6% | 28.0% |
| African American  | 36.5% | 38.1% | 33.3% |
| Hispanic  | 37.9% | 38.5% | 38.6% |
| <b>Cook Total*</b>  | 37.0% | 35.0% | 32.5% |

| Any Illicit (Excluding Marijuana) -- Lifetime<br>Cook County Race Group by Gender |       |       |       |        |
|---|-------|-------|-------|--------|
|   | 2000  | 2002  | 2004  | 2004** |
| <b>Male</b>   |       |       |       |        |
| White   | 26.5% | 19.0% | 19.3% | 20.1%  |
| African American  | 11.1% | 13.3% | 21.0% | 21.9%  |
| Hispanic  | 31.8% | 22.8% | 19.1% | 19.4%  |
| <b>Female</b>   |       |       |       |        |
| White   | 17.8% | 15.6% | 18.7% | 19.9%  |
| African American  | 16.8% | 8.1%  | 13.3% | 15.4%  |
| Hispanic  | 19.3% | 18.6% | 16.3% | 18.1%  |
| White   | 21.9% | 16.9% | 18.8% | 19.8%  |
| African American  | 14.3% | 10.2% | 16.6% | 18.2%  |
| Hispanic  | 24.3% | 20.9% | 17.4% | 18.6%  |
| <b>Cook Total*</b>  | 19.6% | 15.7% | 17.7% | 18.9%  |

| Marijuana -- Used Past Year<br>Cook County Race Group by Gender |       |       |       |
|---|-------|-------|-------|
|   | 2000  | 2002  | 2004  |
| <b>Male</b>   |       |       |       |
| White   | 38.2% | 30.1% | 24.9% |
| African American  | 30.8% | 26.6% | 29.2% |
| Hispanic  | 37.1% | 32.1% | 32.0% |
| <b>Female</b>   |       |       |       |
| White   | 26.2% | 24.2% | 23.3% |
| African American  | 23.7% | 30.0% | 21.1% |
| Hispanic  | 22.1% | 28.8% | 22.0% |
| White   | 31.7% | 26.8% | 23.9% |
| African American  | 26.5% | 28.5% | 24.4% |
| Hispanic  | 28.0% | 30.7% | 26.9% |
| <b>Cook Total*</b>  | 28.7% | 27.5% | 24.7% |

| Any Illicit (Excluding Marijuana) -- Used Past Year<br>Cook County Race Group by Gender |       |       |       |        |
|---|-------|-------|-------|--------|
|   | 2000  | 2002  | 2004  | 2004** |
| <b>Male</b>   |       |       |       |        |
| White   | 22.8% | 13.8% | 16.2% | 17.2%  |
| African American  | 8.3%  | 11.8% | 13.6% | 14.7%  |
| Hispanic  | 25.6% | 15.6% | 12.7% | 13.0%  |
| <b>Female</b>   |       |       |       |        |
| White   | 14.2% | 11.3% | 14.3% | 16.5%  |
| African American  | 9.4%  | 5.7%  | 7.9%  | 9.5%   |
| Hispanic  | 12.0% | 14.8% | 9.3%  | 12.1%  |
| White   | 18.3% | 12.3% | 15.2% | 16.7%  |
| African American  | 8.9%  | 8.2%  | 10.3% | 11.7%  |
| Hispanic  | 17.6% | 15.6% | 10.7% | 12.4%  |
| <b>Cook Total*</b>  | 14.8% | 11.6% | 12.3% | 13.8%  |

| Marijuana -- Used Past Month<br>Cook County Race Group by Gender |       |       |       |
|--|-------|-------|-------|
|  | 2000  | 2002  | 2004  |
| <b>Male</b>  |       |       |       |
| White  | 21.1% | 20.7% | 14.3% |
| African American   | 15.2% | 19.3% | 20.1% |
| Hispanic   | 21.4% | 16.3% | 17.7% |
| <b>Female</b>  |       |       |       |
| White  | 14.7% | 14.4% | 15.1% |
| African American   | 13.8% | 15.3% | 13.9% |
| Hispanic   | 10.3% | 18.5% | 9.8%  |
| White  | 17.7% | 17.3% | 14.6% |
| African American   | 14.2% | 16.7% | 16.4% |
| Hispanic   | 14.7% | 17.2% | 13.8% |
| <b>Cook Total*</b>   | 16.0% | 16.3% | 14.9% |

| Any Illicit (Ex. Marijuana) -- Used Past Month<br>Cook County Race Group by Gender |       |       |      |
|--|-------|-------|------|
|  | 2000  | 2002  | 2004 |
| <b>Male</b>  |       |       |      |
| White  | 14.7% | 5.4%  | 7.4% |
| African American   | 3.4%  | 8.8%  | 9.6% |
| Hispanic   | 14.8% | 10.2% | 3.8% |
| <b>Female</b>  |       |       |      |
| White  | 7.3%  | 6.4%  | 9.1% |
| African American   | 4.7%  | 2.9%  | 3.1% |
| Hispanic   | 6.6%  | 7.0%  | 5.9% |
| White  | 10.8% | 5.8%  | 8.1% |
| African American   | 4.1%  | 5.3%  | 5.8% |
| Hispanic   | 10.0% | 8.9%  | 4.9% |
| <b>Cook Total*</b>   | 8.5%  | 6.4%  | 6.5% |

\*Total represents Cook County total, including other racial/ethnic groups not listed.

\*\*With definition of "Any Illicit" expanded to include drugs surveyed for the first time in 2004.

| Cocaine/Crack -- Lifetime<br>Cook County Race Group by Gender |       |       |      |
|---|-------|-------|------|
|   | 2000  | 2002  | 2004 |
| <b>Male</b>   |       |       |      |
| White   | 7.8%  | 5.4%  | 5.4% |
| African American  | 0.5%  | 4.2%  | 1.5% |
| Hispanic  | 13.1% | 10.0% | 4.3% |
| <b>Female</b>   |       |       |      |
| White   | 4.6%  | 3.5%  | 4.1% |
| African American  | 1.5%  | 0.2%  | 0.4% |
| Hispanic  | 5.9%  | 9.0%  | 3.8% |
| White   | 6.1%  | 4.3%  | 4.7% |
| African American  | 1.1%  | 1.7%  | 0.9% |
| Hispanic  | 8.5%  | 9.3%  | 4.0% |
| <b>Cook Total*</b>  | 4.8%  | 4.8%  | 3.2% |

| Hallucinogens -- Lifetime<br>Cook County Race Group by Gender |      |      |      |
|---|------|------|------|
|   | 2000 | 2002 | 2004 |
| <b>Male</b>   |      |      |      |
| White   | 9.7% | 7.2% | 5.2% |
| African American  | 0.0% | 2.8% | 2.6% |
| Hispanic  | 8.6% | 2.7% | 2.5% |
| <b>Female</b>   |      |      |      |
| White   | 7.8% | 3.1% | 2.7% |
| African American  | 0.4% | 0.0% | 0.6% |
| Hispanic  | 4.6% | 3.2% | 2.7% |
| White   | 8.6% | 5.1% | 4.0% |
| African American  | 0.2% | 1.1% | 1.4% |
| Hispanic  | 6.1% | 2.9% | 2.6% |
| <b>Cook Total*</b>  | 5.2% | 3.6% | 2.8% |

| Cocaine/Crack -- Used Past Year<br>Cook County Race Group by Gender |      |      |      |
|---|------|------|------|
|   | 2000 | 2002 | 2004 |
| <b>Male</b>   |      |      |      |
| White   | 3.6% | 3.1% | 4.2% |
| African American  | 0.0% | 4.2% | 1.5% |
| Hispanic  | 8.5% | 7.3% | 3.5% |
| <b>Female</b>   |      |      |      |
| White   | 3.7% | 2.2% | 3.5% |
| African American  | 0.0% | 0.2% | 0.4% |
| Hispanic  | 4.0% | 6.7% | 3.2% |
| White   | 3.7% | 2.6% | 3.8% |
| African American  | 0.0% | 1.7% | 0.9% |
| Hispanic  | 5.6% | 6.9% | 3.3% |
| <b>Cook Total*</b>  | 2.8% | 3.4% | 2.6% |

| Hallucinogens -- Used Past Year<br>Cook County Race Group by Gender |      |      |      |
|---|------|------|------|
|   | 2000 | 2002 | 2004 |
| <b>Male</b>   |      |      |      |
| White   | 8.4% | 4.6% | 4.3% |
| African American  | 0.0% | 2.8% | 1.1% |
| Hispanic  | 7.8% | 1.2% | 2.4% |
| <b>Female</b>   |      |      |      |
| White   | 5.2% | 1.5% | 1.3% |
| African American  | 0.4% | 0.0% | 0.3% |
| Hispanic  | 2.2% | 2.7% | 1.0% |
| White   | 6.7% | 3.0% | 2.8% |
| African American  | 0.2% | 1.1% | 0.6% |
| Hispanic  | 4.4% | 2.0% | 1.6% |
| <b>Cook Total*</b>  | 4.0% | 2.2% | 1.8% |

| Cocaine/Crack -- Used Past Month<br>Cook County Race Group by Gender |      |      |      |
|--|------|------|------|
|  | 2000 | 2002 | 2004 |
| <b>Male</b>  |      |      |      |
| White  | 2.9% | 0.7% | 0.7% |
| African American   | 0.0% | 4.2% | 0.8% |
| Hispanic   | 0.9% | 3.5% | 0.7% |
| <b>Female</b>  |      |      |      |
| White  | 1.2% | 1.3% | 2.6% |
| African American   | 0.0% | 0.0% | 0.0% |
| Hispanic   | 1.1% | 4.0% | 2.5% |
| White  | 2.0% | 1.0% | 1.6% |
| African American   | 0.0% | 1.6% | 0.4% |
| Hispanic   | 1.0% | 3.7% | 1.7% |
| <b>Cook Total*</b>   | 1.2% | 1.9% | 1.3% |

| Hallucinogens -- Used Past Month<br>Cook County Race Group by Gender |      |      |      |
|--|------|------|------|
|  | 2000 | 2002 | 2004 |
| <b>Male</b>  |      |      |      |
| White  | 3.2% | 1.0% | 1.2% |
| African American   | 0.0% | 2.8% | 0.4% |
| Hispanic   | 0.8% | 0.3% | 0.3% |
| <b>Female</b>  |      |      |      |
| White  | 0.9% | 0.0% | 0.3% |
| African American   | 0.4% | 0.0% | 0.0% |
| Hispanic   | 0.7% | 0.8% | 0.0% |
| White  | 2.0% | 0.5% | 0.8% |
| African American   | 0.2% | 1.1% | 0.2% |
| Hispanic   | 0.7% | 0.5% | 0.1% |
| <b>Cook Total*</b>   | 1.3% | 0.8% | 0.5% |

\*Total represents Cook County total, including other racial/ethnic groups not listed.

| Any Substance -- Lifetime<br>Cook County Race Group by Gender |       |       |       |        |
|---|-------|-------|-------|--------|
|   | 2000  | 2002  | 2004  | 2004** |
| <b>Male</b>   |       |       |       |        |
| White   | 80.1% | 80.3% | 69.7% | 70.7%  |
| African American  | 64.2% | 65.7% | 65.1% | 68.7%  |
| Hispanic  | 81.7% | 78.7% | 76.2% | 76.9%  |
| <b>Female</b>   |       |       |       |        |
| White   | 77.8% | 73.2% | 70.8% | 72.3%  |
| African American  | 75.5% | 67.2% | 68.9% | 76.0%  |
| Hispanic  | 81.2% | 78.2% | 82.2% | 84.3%  |
| White   | 79.0% | 76.2% | 70.0% | 71.4%  |
| African American  | 70.4% | 67.0% | 67.0% | 72.6%  |
| Hispanic  | 82.0% | 78.5% | 79.7% | 81.1%  |
| <b>Cook Total*</b>  | 76.9% | 73.6% | 71.4% | 74.3%  |

| Number of Students<br>Cook County Race Group by Gender |       |       |       |
|--|-------|-------|-------|
|  | 2000  | 2002  | 2004  |
| <b>Male</b>  |       |       |       |
| White  | 381   | 406   | 388   |
| African American                                       | 247   | 206   | 297   |
| Hispanic   | 151   | 218   | 248   |
| <b>Female</b>  |       |       |       |
| White  | 412   | 408   | 362   |
| African American                                       | 350   | 321   | 403   |
| Hispanic   | 222   | 236   | 317   |
| White  | 797   | 832   | 756   |
| African American                                       | 603   | 538   | 707   |
| Hispanic   | 385   | 464   | 569   |
| <b>Cook Total*</b>                                     | 1,926 | 1,999 | 2,135 |

| Any Substance -- Used Past Year<br>Region by Gender |       |       |       |        |
|---|-------|-------|-------|--------|
|   | 2000  | 2002  | 2004  | 2004** |
| <b>Male</b>   |       |       |       |        |
| White   | 69.7% | 70.8% | 62.2% | 64.1%  |
| African American                                    | 51.9% | 52.2% | 53.0% | 59.1%  |
| Hispanic  | 72.7% | 69.5% | 70.0% | 71.0%  |
| <b>Female</b>                                       |       |       |       |        |
| White   | 71.0% | 66.6% | 65.0% | 67.5%  |
| African American                                    | 57.6% | 55.8% | 56.8% | 68.5%  |
| Hispanic  | 71.3% | 69.7% | 75.6% | 78.1%  |
| White   | 70.4% | 68.3% | 63.4% | 65.7%  |
| African American                                    | 54.8% | 54.3% | 54.8% | 64.0%  |
| Hispanic  | 71.9% | 69.5% | 73.3% | 75.2%  |
| <b>Cook Total*</b>                                  | 65.9% | 63.9% | 63.0% | 67.6%  |

| Ecstasy (MDMA) -- Used Past Year***<br>Cook County Race Group by Gender |      |      |
|---|------|------|
|   | 2002 | 2004 |
| <b>Male</b>   |      |      |
| White   | 2.0% | 3.1% |
| African American  | 1.2% | 2.7% |
| Hispanic  | 0.7% | 0.3% |
| <b>Female</b>   |      |      |
| White   | 1.2% | 1.8% |
| African American  | 0.0% | 1.4% |
| Hispanic  | 1.1% | 1.8% |
| White   | 1.6% | 2.5% |
| African American  | 0.5% | 1.9% |
| Hispanic  | 0.9% | 1.1% |
| <b>Cook Total*</b>  | 1.1% | 1.9% |

| Any Substance -- Used Past Month<br>Cook County Race Group by Gender |       |       |       |
|--|-------|-------|-------|
|  | 2000  | 2002  | 2004  |
| <b>Male</b>  |       |       |       |
| White  | 48.8% | 44.2% | 45.8% |
| African American   | 32.9% | 34.1% | 34.3% |
| Hispanic   | 53.6% | 46.3% | 47.4% |
| <b>Female</b>  |       |       |       |
| White  | 47.1% | 44.5% | 44.8% |
| African American   | 31.8% | 36.2% | 31.7% |
| Hispanic   | 46.8% | 45.8% | 41.0% |
| White  | 48.1% | 43.9% | 45.0% |
| African American   | 32.1% | 35.4% | 32.6% |
| Hispanic   | 48.5% | 46.0% | 44.2% |
| <b>Cook Total*</b>   | 43.1% | 41.0% | 40.3% |

| Ecstasy (MDMA) -- Used Past Month***<br>Cook County Race Group by Gender |      |      |
|--|------|------|
|  | 2002 | 2004 |
| <b>Male</b>  |      |      |
| White  | 0.7% | 0.9% |
| African American   | 1.2% | 0.5% |
| Hispanic   | 0.3% | 0.3% |
| <b>Female</b>  |      |      |
| White  | 0.3% | 0.7% |
| African American   | 0.0% | 0.0% |
| Hispanic   | 0.8% | 0.3% |
| White  | 0.5% | 0.8% |
| African American   | 0.5% | 0.2% |
| Hispanic   | 0.5% | 0.3% |
| <b>Cook Total*</b>   | 0.5% | 0.5% |

\*Total represents Cook County total, including other racial/ethnic groups not listed.

\*\*With definition of "Any Substance" expanded to include drugs surveyed for the first time in 2004.

\*\*\*Lifetime Ecstasy use omitted to conserve space. Ecstasy use was not surveyed in 2000.

***Appendix B-6***  
***Drug Prevalences:***  
***Cook County Respondents:***  
***Racial Groups By Grade***

For all “B” appendices:

- Most tables have three columns of figures to show changes from 2000 to 2002 to 2004.
- The Lifetime and Past Year tables for “Any Illicit” and “Any Substance” have two columns (third and fourth from the left) with 2004 results. The first 2004 column shows the figure obtained from including just the substances that were included in previous years, so that valid comparisons can be made to the two earlier figures. The second 2004 column in those tables shows percentages that include all illicit drugs covered by the 2004 survey, even if 2004 was the first time they were on the survey.
- The tables for “Ecstasy” (MDMA) include just two columns, as that substance first appeared on the survey in 2002.

| Alcohol -- Lifetime<br>Cook County Race Groups by Grade |              |       |       |       |
|---|--------------|-------|-------|-------|
| Gr  | Racial Group | 2000  | 2002  | 2004  |
| 8<br>t<br>h   | White        | 64.3% | 63.0% | 49.3% |
|   | African Amer | 57.3% | 50.6% | 47.6% |
|   | Hispanic     | 76.3% | 61.3% | 67.2% |
| 1<br>0<br>t<br>h  | White        | 74.4% | 74.6% | 70.4% |
|   | African Amer | 69.1% | 64.7% | 63.7% |
|   | Hispanic     | 81.7% | 84.0% | 69.3% |
| 1<br>2<br>t<br>h  | White        | 87.2% | 89.0% | 83.9% |
|   | African Amer | 71.0% | 65.6% | 71.4% |
|   | Hispanic     | 78.9% | 76.9% | 95.9% |
| <b>Cook Total*</b>                                      |              | 72.3% | 69.1% | 66.7% |

| Tobacco -- Lifetime<br>Cook County Race Groups by Grade |              |       |       |       |
|---|--------------|-------|-------|-------|
| Gr  | Racial Group | 2000  | 2002  | 2004  |
| 8<br>t<br>h   | White        | 39.9% | 33.3% | 20.8% |
|   | African Amer | 40.5% | 36.2% | 27.2% |
|   | Hispanic     | 56.3% | 41.1% | 41.5% |
| 1<br>0<br>t<br>h  | White        | 59.9% | 51.2% | 51.3% |
|   | African Amer | 51.7% | 46.3% | 31.5% |
|   | Hispanic     | 55.8% | 60.9% | 46.4% |
| 1<br>2<br>t<br>h  | White        | 73.9% | 65.1% | 58.3% |
|   | African Amer | 52.2% | 45.0% | 30.6% |
|   | Hispanic     | 68.9% | 61.0% | 70.2% |
| <b>Cook Total*</b>                                      |              | 54.8% | 47.5% | 40.3% |

| Alcohol -- Used Past Year<br>Cook County Race Groups by Grade |              |       |       |       |
|---|--------------|-------|-------|-------|
| Gr  | Racial Group | 2000  | 2002  | 2004  |
| 8<br>t<br>h   | White        | 54.3% | 50.7% | 40.2% |
|   | African Amer | 37.8% | 37.6% | 35.4% |
|   | Hispanic     | 60.8% | 49.5% | 57.9% |
| 1<br>0<br>t<br>h  | White        | 69.1% | 70.4% | 66.7% |
|   | African Amer | 56.5% | 55.3% | 53.5% |
|   | Hispanic     | 73.5% | 76.0% | 65.2% |
| 1<br>2<br>t<br>h  | White        | 81.8% | 84.0% | 80.1% |
|   | African Amer | 62.4% | 61.8% | 65.3% |
|   | Hispanic     | 77.0% | 73.5% | 92.5% |
| <b>Cook Total*</b>  |              | 62.7% | 61.2% | 59.6% |

| Tobacco -- Used Past Year<br>Cook County Race Groups by Grade |              |       |       |       |
|---|--------------|-------|-------|-------|
| Gr  | Racial Group | 2000  | 2002  | 2004  |
| 8<br>t<br>h   | White        | 20.1% | 17.7% | 10.0% |
|   | African Amer | 14.9% | 12.9% | 11.4% |
|   | Hispanic     | 27.3% | 21.7% | 20.7% |
| 1<br>0<br>t<br>h  | White        | 43.1% | 31.2% | 33.3% |
|   | African Amer | 23.7% | 12.5% | 13.3% |
|   | Hispanic     | 30.3% | 27.3% | 20.0% |
| 1<br>2<br>t<br>h  | White        | 49.5% | 46.2% | 43.4% |
|   | African Amer | 27.7% | 15.9% | 18.0% |
|   | Hispanic     | 38.5% | 30.7% | 34.2% |
| <b>Cook Total*</b>  |              | 31.2% | 24.0% | 21.9% |

| Alcohol -- Used Past Month<br>Cook County Race Groups by Grade |              |       |       |       |
|--|--------------|-------|-------|-------|
| Gr   | Racial Group | 2000  | 2002  | 2004  |
| 8<br>t<br>h  | White        | 24.3% | 23.2% | 15.0% |
|  | African Amer | 13.4% | 14.0% | 17.3% |
|  | Hispanic     | 28.6% | 24.6% | 23.9% |
| 1<br>0<br>t<br>h   | White        | 40.7% | 39.2% | 46.4% |
|  | African Amer | 29.7% | 33.2% | 24.9% |
|  | Hispanic     | 53.0% | 43.8% | 39.8% |
| 1<br>2<br>t<br>h   | White        | 61.0% | 61.5% | 59.8% |
|  | African Amer | 36.8% | 46.2% | 36.6% |
|  | Hispanic     | 48.2% | 49.3% | 63.4% |
| <b>Cook Total*</b>   |              | 36.2% | 35.7% | 34.5% |

| Tobacco -- Used Past Month<br>Cook County Race Groups by Grade |              |       |       |       |
|--|--------------|-------|-------|-------|
| Gr   | Racial Group | 2000  | 2002  | 2004  |
| 8<br>t<br>h  | White        | 10.7% | 9.7%  | 7.8%  |
|  | African Amer | 6.6%  | 7.1%  | 7.1%  |
|  | Hispanic     | 17.4% | 14.0% | 8.9%  |
| 1<br>0<br>t<br>h   | White        | 31.1% | 22.5% | 22.8% |
|  | African Amer | 13.9% | 9.7%  | 6.3%  |
|  | Hispanic     | 22.6% | 18.4% | 5.9%  |
| 1<br>2<br>t<br>h   | White        | 38.2% | 38.2% | 33.4% |
|  | African Amer | 19.6% | 14.8% | 15.3% |
|  | Hispanic     | 24.8% | 21.1% | 17.0% |
| <b>Cook Total*</b>   |              | 20.5% | 16.8% | 13.6% |

\*Total represents Cook County total, including other racial/ethnic groups not listed.

| Smokeless Tobacco -- Lifetime<br>Cook County Race Groups by Grade |              |       |       |       |
|---|--------------|-------|-------|-------|
| Gr  | Racial Group | 2000  | 2002  | 2004  |
| 8<br>t<br>h   | White        | 8.3%  | 5.9%  | 4.4%  |
|   | African Amer | 6.7%  | 3.7%  | 8.1%  |
|   | Hispanic     | 9.9%  | 11.5% | 8.5%  |
| 1<br>0<br>t<br>h  | White        | 22.8% | 8.4%  | 9.9%  |
|   | African Amer | 4.2%  | 2.9%  | 6.1%  |
|   | Hispanic     | 17.2% | 12.1% | 9.8%  |
| 1<br>2<br>t<br>h  | White        | 24.2% | 20.2% | 20.0% |
|   | African Amer | 9.0%  | 9.3%  | 11.7% |
|   | Hispanic     | 11.8% | 9.7%  | 9.2%  |
| <b>Cook Total*</b>  |              | 12.8% | 9.0%  | 9.6%  |

| Inhalants-- Lifetime<br>Cook County Race Groups by Grade |              |       |       |       |
|--|--------------|-------|-------|-------|
| Gr   | Racial Group | 2000  | 2002  | 2004  |
| 8<br>t<br>h  | White        | 14.1% | 10.8% | 10.7% |
|  | African Amer | 4.5%  | 9.0%  | 13.3% |
|  | Hispanic     | 26.3% | 14.3% | 12.9% |
| 1<br>0<br>t<br>h   | White        | 14.5% | 11.4% | 13.3% |
|  | African Amer | 1.7%  | 5.5%  | 4.4%  |
|  | Hispanic     | 5.2%  | 10.7% | 6.2%  |
| 1<br>2<br>t<br>h   | White        | 16.2% | 13.6% | 9.7%  |
|  | African Amer | 0.7%  | 2.4%  | 6.4%  |
|  | Hispanic     | 13.4% | 5.9%  | 11.5% |
| <b>Cook Total*</b>                                       |              | 10.9% | 9.9%  | 9.9%  |

| Smokeless Tobacco -- Used Past Year<br>Cook County Race Groups by Grade |              |       |       |       |
|---|--------------|-------|-------|-------|
| Gr  | Racial Group | 2000  | 2002  | 2004  |
| 8<br>t<br>h   | White        | 4.5%  | 2.4%  | 3.9%  |
|   | African Amer | 3.8%  | 2.3%  | 7.1%  |
|   | Hispanic     | 8.1%  | 9.5%  | 8.7%  |
| 1<br>0<br>t<br>h  | White        | 19.3% | 7.6%  | 7.9%  |
|   | African Amer | 4.2%  | 6.1%  | 3.9%  |
|   | Hispanic     | 14.7% | 10.3% | 10.1% |
| 1<br>2<br>t<br>h  | White        | 14.0% | 12.9% | 17.1% |
|   | African Amer | 6.3%  | 3.4%  | 7.2%  |
|   | Hispanic     | 8.8%  | 4.8%  | 9.2%  |
| <b>Cook Total*</b>  |              | 9.2%  | 6.5%  | 8.2%  |

| Inhalants-- Used Past Year<br>Cook County Race Groups by Grade |              |       |      |      |
|--|--------------|-------|------|------|
| Gr   | Racial Group | 2000  | 2002 | 2004 |
| 8<br>t<br>h  | White        | 9.3%  | 6.4% | 7.6% |
|  | African Amer | 1.4%  | 5.0% | 7.9% |
|  | Hispanic     | 16.8% | 8.9% | 9.8% |
| 1<br>0<br>t<br>h   | White        | 5.8%  | 6.9% | 9.9% |
|  | African Amer | 0.0%  | 2.9% | 1.2% |
|  | Hispanic     | 2.6%  | 5.6% | 2.1% |
| 1<br>2<br>t<br>h   | White        | 2.9%  | 5.6% | 6.4% |
|  | African Amer | 0.0%  | 1.4% | 4.2% |
|  | Hispanic     | 0.5%  | 2.9% | 6.7% |
| <b>Cook Total*</b>   |              | 4.8%  | 5.4% | 6.3% |

| Smokeless Tobacco -- Used Past Month<br>Cook County Race Groups by Grade |              |       |      |      |
|--|--------------|-------|------|------|
| Gr   | Racial Group | 2000  | 2002 | 2004 |
| 8<br>t<br>h  | White        | 1.2%  | 1.7% | 1.8% |
|  | African Amer | 1.9%  | 0.6% | 3.8% |
|  | Hispanic     | 5.3%  | 5.7% | 2.3% |
| 1<br>0<br>t<br>h   | White        | 4.8%  | 2.7% | 2.9% |
|  | African Amer | 3.5%  | 2.5% | 2.0% |
|  | Hispanic     | 12.1% | 5.2% | 3.9% |
| 1<br>2<br>t<br>h   | White        | 5.0%  | 2.5% | 7.5% |
|  | African Amer | 5.4%  | 1.4% | 6.0% |
|  | Hispanic     | 3.1%  | 3.4% | 7.0% |
| <b>Cook Total*</b>   |              | 4.2%  | 2.7% | 3.9% |

| Inhalants-- Used Past Month<br>Cook County Race Groups by Grade |              |      |      |      |
|---|--------------|------|------|------|
| Gr  | Racial Group | 2000 | 2002 | 2004 |
| 8<br>t<br>h   | White        | 4.2% | 2.8% | 2.6% |
|   | African Amer | 0.0% | 3.6% | 3.3% |
|   | Hispanic     | 8.8% | 4.9% | 4.5% |
| 1<br>0<br>t<br>h  | White        | 1.1% | 3.3% | 3.7% |
|   | African Amer | 0.0% | 2.1% | 0.3% |
|   | Hispanic     | 0.5% | 3.1% | 0.0% |
| 1<br>2<br>t<br>h  | White        | 1.3% | 1.6% | 3.0% |
|   | African Amer | 0.0% | 1.4% | 0.5% |
|   | Hispanic     | 0.0% | 2.0% | 3.4% |
| <b>Cook Total*</b>  |              | 1.8% | 2.9% | 2.5% |

\*Total represents Cook County total, including other racial/ethnic groups not listed.

| Marijuana -- Lifetime<br>Cook County Race Groups by Grade |              |              |              |              |
|---|--------------|--------------|--------------|--------------|
| Gr  | Racial Group | 2000         | 2002         | 2004         |
| 8<br>t<br>h   | White        | 17.3%        | 12.7%        | 8.0%         |
|   | African Amer | 27.4%        | 24.6%        | 23.8%        |
|   | Hispanic     | 27.9%        | 20.2%        | 26.2%        |
| 1<br>0<br>t<br>h  | White        | 38.6%        | 38.4%        | 33.5%        |
|   | African Amer | 46.7%        | 42.3%        | 34.4%        |
|   | Hispanic     | 42.2%        | 44.7%        | 37.6%        |
| 1<br>2<br>t<br>h  | White        | 57.2%        | 56.0%        | 44.4%        |
|   | African Amer | 38.8%        | 51.8%        | 45.5%        |
|   | Hispanic     | 49.8%        | 48.1%        | 57.7%        |
| <b>Cook Total*</b>  |              | <b>37.0%</b> | <b>35.0%</b> | <b>32.5%</b> |

| Any Illicit (Excluding Marijuana) -- Lifetime<br>Cook County Race Groups by Grade |              |              |              |              |              |
|---|--------------|--------------|--------------|--------------|--------------|
| Gr  | Racial Group | 2000         | 2002         | 2004         | 2004**       |
| 8<br>t<br>h   | White        | 10.6%        | 10.6%        | 7.1%         | 7.5%         |
|   | African Amer | 8.5%         | 8.7%         | 14.9%        | 15.4%        |
|   | Hispanic     | 17.6%        | 13.3%        | 20.5%        | 21.6%        |
| 1<br>0<br>t<br>h  | White        | 20.9%        | 14.3%        | 23.8%        | 25.0%        |
|   | African Amer | 22.2%        | 14.3%        | 17.2%        | 18.5%        |
|   | Hispanic     | 28.5%        | 27.8%        | 8.1%         | 10.1%        |
| 1<br>2<br>t<br>h  | White        | 34.5%        | 28.5%        | 26.6%        | 28.1%        |
|   | African Amer | 14.1%        | 6.3%         | 18.3%        | 21.7%        |
|   | Hispanic     | 29.9%        | 19.0%        | 25.5%        | 25.5%        |
| <b>Cook Total*</b>  |              | <b>19.6%</b> | <b>15.7%</b> | <b>17.7%</b> | <b>18.9%</b> |

| Marijuana -- Used Past Year<br>Cook County Race Groups by Grade |              |              |              |              |
|---|--------------|--------------|--------------|--------------|
| Gr  | Racial Group | 2000         | 2002         | 2004         |
| 8<br>t<br>h   | White        | 14.9%        | 8.6%         | 6.8%         |
|   | African Amer | 20.3%        | 16.9%        | 18.6%        |
|   | Hispanic     | 24.5%        | 17.0%        | 21.9%        |
| 1<br>0<br>t<br>h  | White        | 33.5%        | 32.7%        | 29.7%        |
|   | African Amer | 32.6%        | 31.8%        | 23.7%        |
|   | Hispanic     | 28.2%        | 37.1%        | 25.2%        |
| 1<br>2<br>t<br>h  | White        | 46.3%        | 44.5%        | 37.1%        |
|   | African Amer | 28.9%        | 40.9%        | 33.7%        |
|   | Hispanic     | 34.2%        | 35.4%        | 35.8%        |
| <b>Cook Total*</b>  |              | <b>28.7%</b> | <b>27.5%</b> | <b>24.7%</b> |

| Any Illicit (Excluding Marijuana) -- Used Past Year<br>Cook County Race Groups by Grade |              |              |              |              |              |
|---|--------------|--------------|--------------|--------------|--------------|
| Gr  | Racial Group | 2000         | 2002         | 2004         | 2004**       |
| 8<br>t<br>h   | White        | 7.8%         | 7.4%         | 5.0%         | 5.8%         |
|   | African Amer | 5.5%         | 6.6%         | 11.6%        | 11.9%        |
|   | Hispanic     | 14.3%        | 10.9%        | 14.0%        | 15.2%        |
| 1<br>0<br>t<br>h  | White        | 18.4%        | 12.1%        | 19.7%        | 22.2%        |
|   | African Amer | 12.5%        | 11.5%        | 9.4%         | 10.9%        |
|   | Hispanic     | 19.3%        | 20.4%        | 4.2%         | 6.1%         |
| 1<br>2<br>t<br>h  | White        | 28.7%        | 19.1%        | 21.7%        | 23.1%        |
|   | African Amer | 10.1%        | 5.6%         | 9.8%         | 12.6%        |
|   | Hispanic     | 21.1%        | 13.8%        | 14.6%        | 16.7%        |
| <b>Cook Total*</b>  |              | <b>14.8%</b> | <b>11.6%</b> | <b>12.3%</b> | <b>13.8%</b> |

| Marijuana -- Used Past Month<br>Cook County Race Groups by Grade |              |              |              |              |
|--|--------------|--------------|--------------|--------------|
| Gr   | Racial Group | 2000         | 2002         | 2004         |
| 8<br>t<br>h  | White        | 8.8%         | 5.1%         | 3.4%         |
|  | African Amer | 9.6%         | 9.6%         | 13.2%        |
|  | Hispanic     | 10.1%        | 8.9%         | 11.8%        |
| 1<br>0<br>t<br>h   | White        | 19.8%        | 20.6%        | 16.6%        |
|  | African Amer | 18.5%        | 16.9%        | 16.4%        |
|  | Hispanic     | 19.3%        | 20.0%        | 12.8%        |
| 1<br>2<br>t<br>h   | White        | 23.9%        | 30.1%        | 25.1%        |
|  | African Amer | 16.4%        | 27.2%        | 20.9%        |
|  | Hispanic     | 15.3%        | 21.5%        | 18.0%        |
| <b>Cook Total*</b>   |              | <b>16.0%</b> | <b>16.3%</b> | <b>14.9%</b> |

| Any Illicit (Ex. Marijuana) -- Used Past Month<br>Cook County Race Groups by Grade |              |             |             |             |
|--|--------------|-------------|-------------|-------------|
| Gr   | Racial Group | 2000        | 2002        | 2004        |
| 8<br>t<br>h  | White        | 3.7%        | 3.4%        | 3.3%        |
|  | African Amer | 3.0%        | 5.2%        | 8.2%        |
|  | Hispanic     | 5.7%        | 6.5%        | 8.6%        |
| 1<br>0<br>t<br>h   | White        | 9.2%        | 4.1%        | 9.4%        |
|  | African Amer | 5.0%        | 7.0%        | 5.0%        |
|  | Hispanic     | 14.8%       | 12.1%       | 2.2%        |
| 1<br>2<br>t<br>h   | White        | 20.1%       | 10.9%       | 12.2%       |
|  | African Amer | 5.0%        | 3.0%        | 3.5%        |
|  | Hispanic     | 9.7%        | 6.9%        | 3.4%        |
| <b>Cook Total*</b>   |              | <b>8.5%</b> | <b>6.4%</b> | <b>6.5%</b> |

\*Total represents Cook County total, including other racial/ethnic groups not listed.

\*\*With definition of "Any Illicit" expanded to include drugs surveyed for the first time in 2004.

| Cocaine/Crack -- Lifetime<br>Cook County Race Groups by Grade |              |       |       |      |
|---|--------------|-------|-------|------|
| Gr  | Racial Group | 2000  | 2002  | 2004 |
| 8<br>t<br>h   | White        | 4.9%  | 3.2%  | 2.5% |
|   | African Amer | 0.8%  | 1.2%  | 1.9% |
|   | Hispanic     | 5.9%  | 3.9%  | 6.0% |
| 1<br>0<br>t<br>h  | White        | 2.8%  | 3.6%  | 4.4% |
|   | African Amer | 1.7%  | 2.9%  | 0.0% |
|   | Hispanic     | 12.1% | 11.8% | 2.3% |
| 1<br>2<br>t<br>h  | White        | 11.5% | 6.6%  | 7.5% |
|   | African Amer | 0.8%  | 0.7%  | 0.6% |
|   | Hispanic     | 7.3%  | 11.3% | 3.5% |
| <b>Cook Total*</b>  |              | 4.8%  | 4.8%  | 3.2% |

| Hallucinogens -- Lifetime<br>Cook County Race Groups by Grade |              |       |       |      |
|---|--------------|-------|-------|------|
| Gr  | Racial Group | 2000  | 2002  | 2004 |
| 8<br>t<br>h   | White        | 4.1%  | 0.9%  | 0.8% |
|   | African Amer | 0.0%  | 0.9%  | 1.9% |
|   | Hispanic     | 1.4%  | 3.2%  | 1.9% |
| 1<br>0<br>t<br>h  | White        | 3.8%  | 2.7%  | 2.9% |
|   | African Amer | 0.7%  | 1.5%  | 0.0% |
|   | Hispanic     | 9.6%  | 1.9%  | 0.0% |
| 1<br>2<br>t<br>h  | White        | 19.4% | 13.3% | 8.8% |
|   | African Amer | 0.0%  | 0.7%  | 2.7% |
|   | Hispanic     | 8.8%  | 4.0%  | 7.0% |
| <b>Cook Total*</b>  |              | 5.2%  | 3.6%  | 2.8% |

| Cocaine/Crack -- Used Past Year<br>Cook County Race Groups by Grade |              |      |      |      |
|---|--------------|------|------|------|
| Gr  | Racial Group | 2000 | 2002 | 2004 |
| 8<br>t<br>h   | White        | 3.0% | 0.9% | 1.7% |
|   | African Amer | 0.0% | 1.2% | 1.9% |
|   | Hispanic     | 4.7% | 2.6% | 4.4% |
| 1<br>0<br>t<br>h  | White        | 0.6% | 3.2% | 3.6% |
|   | African Amer | 0.0% | 2.9% | 0.0% |
|   | Hispanic     | 8.6% | 9.1% | 2.2% |
| 1<br>2<br>t<br>h  | White        | 8.3% | 4.0% | 6.5% |
|   | African Amer | 0.0% | 0.7% | 0.5% |
|   | Hispanic     | 2.2% | 8.0% | 3.4% |
| <b>Cook Total*</b>  |              | 2.8% | 3.4% | 2.6% |

| Hallucinogens -- Used Past Year<br>Cook County Race Groups by Grade |              |       |      |      |
|---|--------------|-------|------|------|
| Gr  | Racial Group | 2000  | 2002 | 2004 |
| 8<br>t<br>h   | White        | 3.6%  | 0.9% | 0.6% |
|   | African Amer | 0.0%  | 0.9% | 1.2% |
|   | Hispanic     | 0.7%  | 2.6% | 1.9% |
| 1<br>0<br>t<br>h  | White        | 3.8%  | 2.7% | 1.2% |
|   | African Amer | 0.7%  | 1.5% | 0.0% |
|   | Hispanic     | 8.6%  | 0.6% | 0.0% |
| 1<br>2<br>t<br>h  | White        | 13.5% | 6.3% | 7.3% |
|   | African Amer | 0.0%  | 0.7% | 0.5% |
|   | Hispanic     | 4.1%  | 3.1% | 3.4% |
| <b>Cook Total*</b>  |              | 4.0%  | 2.2% | 1.8% |

| Cocaine/Crack -- Used Past Month<br>Cook County Race Groups by Grade |              |      |      |      |
|--|--------------|------|------|------|
| Gr   | Racial Group | 2000 | 2002 | 2004 |
| 8<br>t<br>h  | White        | 1.2% | 0.5% | 1.2% |
|  | African Amer | 0.0% | 0.9% | 0.9% |
|  | Hispanic     | 0.7% | 2.6% | 2.4% |
| 1<br>0<br>t<br>h   | White        | 0.0% | 0.9% | 0.8% |
|  | African Amer | 0.0% | 2.9% | 0.0% |
|  | Hispanic     | 1.7% | 3.9% | 2.2% |
| 1<br>2<br>t<br>h   | White        | 5.2% | 1.7% | 3.1% |
|  | African Amer | 0.0% | 0.7% | 0.0% |
|  | Hispanic     | 0.5% | 4.4% | 0.0% |
| <b>Cook Total*</b>   |              | 1.2% | 1.9% | 1.3% |

| Hallucinogens -- Used Past Month<br>Cook County Race Groups by Grade |              |      |      |      |
|--|--------------|------|------|------|
| Gr   | Racial Group | 2000 | 2002 | 2004 |
| 8<br>t<br>h  | White        | 1.2% | 0.4% | 0.2% |
|  | African Amer | 0.0% | 0.9% | 0.5% |
|  | Hispanic     | 0.0% | 1.3% | 0.4% |
| 1<br>0<br>t<br>h   | White        | 0.0% | 0.0% | 0.4% |
|  | African Amer | 0.7% | 1.5% | 0.0% |
|  | Hispanic     | 1.0% | 0.0% | 0.0% |
| 1<br>2<br>t<br>h   | White        | 5.5% | 1.1% | 1.9% |
|  | African Amer | 0.0% | 0.7% | 0.0% |
|  | Hispanic     | 1.5% | 0.5% | 0.0% |
| <b>Cook Total*</b>   |              | 1.3% | 0.8% | 0.5% |

\*Total represents Cook County total, including other racial/ethnic groups not listed.

| Any Substance -- Lifetime<br>Cook County Race Groups by Grade |              |       |       |       |        |
|---|--------------|-------|-------|-------|--------|
| Gr  | Racial Group | 2000  | 2002  | 2004  | 2004** |
| 8<br>t<br>h   | White        | 68.7% | 64.1% | 51.2% | 55.0%  |
|   | African Amer | 64.1% | 60.4% | 57.2% | 65.3%  |
|   | Hispanic     | 79.8% | 64.9% | 74.6% | 76.1%  |
| 1<br>0<br>t<br>h  | White        | 78.7% | 77.5% | 75.4% | 75.4%  |
|   | African Amer | 74.2% | 70.8% | 70.2% | 74.7%  |
|   | Hispanic     | 84.4% | 86.0% | 71.3% | 73.7%  |
| 1<br>2<br>t<br>h  | White        | 89.8% | 91.1% | 85.8% | 85.8%  |
|   | African Amer | 76.6% | 71.5% | 76.7% | 80.3%  |
|   | Hispanic     | 81.9% | 81.8% | 97.9% | 97.9%  |
| <b>Cook Total*</b>  |              | 76.9% | 73.6% | 71.4% | 74.3%  |

| Number of Students<br>Cook County Race Groups by Grade |              |       |       |       |
|--|--------------|-------|-------|-------|
| Gr   | Racial Group | 2000  | 2002  | 2004  |
| 8<br>t<br>h  | White        | 243   | 325   | 266   |
|  | African Amer | 260   | 204   | 267   |
|  | Hispanic     | 157   | 137   | 213   |
| 1<br>0<br>t<br>h                                       | White        | 311   | 267   | 261   |
|  | African Amer | 194   | 201   | 252   |
|  | Hispanic     | 146   | 188   | 202   |
| 1<br>2<br>t<br>h                                       | White        | 244   | 240   | 229   |
|  | African Amer | 149   | 133   | 188   |
|  | Hispanic     | 82    | 138   | 154   |
| <b>Cook Total*</b>                                     |              | 1,926 | 1,999 | 2,135 |

| Any Substance -- Used Past Year<br>Cook County Race Groups by Grade |              |       |       |       |        |
|---|--------------|-------|-------|-------|--------|
| Gr  | Racial Group | 2000  | 2002  | 2004  | 2004** |
| 8<br>t<br>h   | White        | 55.2% | 52.8% | 42.3% | 47.3%  |
|   | African Amer | 43.4% | 43.2% | 41.8% | 54.6%  |
|   | Hispanic     | 65.5% | 52.7% | 67.1% | 69.7%  |
| 1<br>0<br>t<br>h  | White        | 71.3% | 72.2% | 69.2% | 70.0%  |
|   | African Amer | 62.9% | 59.2% | 57.5% | 65.2%  |
|   | Hispanic     | 75.2% | 78.0% | 65.2% | 67.7%  |
| 1<br>2<br>t<br>h  | White        | 84.4% | 85.0% | 81.1% | 82.0%  |
|   | African Amer | 64.0% | 64.0% | 69.6% | 75.6%  |
|   | Hispanic     | 78.4% | 74.4% | 92.5% | 92.5%  |
| <b>Cook Total*</b>  |              | 65.9% | 63.9% | 63.0% | 67.6%  |

| Ecstasy (MDMA) -- Used Past Year***<br>Cook County Race Groups by Grade |              |      |      |
|---|--------------|------|------|
| Gr  | Racial Group | 2002 | 2004 |
| 8<br>t<br>h   | White        | 0.0% | 1.2% |
|   | African Amer | 0.0% | 2.6% |
|   | Hispanic     | 2.6% | 1.5% |
| 1<br>0<br>t<br>h  | White        | 1.8% | 1.2% |
|   | African Amer | 0.7% | 1.4% |
|   | Hispanic     | 0.0% | 0.0% |
| 1<br>2<br>t<br>h  | White        | 3.4% | 5.3% |
|   | African Amer | 0.7% | 1.6% |
|   | Hispanic     | 0.5% | 2.1% |
| <b>Cook Total*</b>  |              | 1.1% | 1.9% |

| Any Substance -- Used Past Month<br>Cook County Race Groups by Grade |              |       |       |       |
|--|--------------|-------|-------|-------|
| Gr   | Racial Group | 2000  | 2002  | 2004  |
| 8<br>t<br>h  | White        | 27.0% | 25.6% | 20.6% |
|  | African Amer | 20.0% | 21.5% | 25.5% |
|  | Hispanic     | 38.4% | 32.8% | 32.9% |
| 1<br>0<br>t<br>h   | White        | 49.6% | 44.9% | 52.4% |
|  | African Amer | 37.9% | 39.7% | 30.0% |
|  | Hispanic     | 57.1% | 49.3% | 39.0% |
| 1<br>2<br>t<br>h   | White        | 67.0% | 67.6% | 64.9% |
|  | African Amer | 45.3% | 50.1% | 46.3% |
|  | Hispanic     | 52.7% | 54.6% | 66.7% |
| <b>Cook Total*</b>   |              | 43.1% | 41.0% | 40.3% |

| Ecstasy (MDMA) -- Used Past Month***<br>Cook County Race Groups by Grade |              |      |      |
|--|--------------|------|------|
| Gr   | Racial Group | 2002 | 2004 |
| 8<br>t<br>h  | White        | 0.0% | 0.6% |
|  | African Amer | 0.0% | 0.2% |
|  | Hispanic     | 1.3% | 0.8% |
| 1<br>0<br>t<br>h   | White        | 0.0% | 0.0% |
|  | African Amer | 0.7% | 0.3% |
|  | Hispanic     | 0.0% | 0.0% |
| 1<br>2<br>t<br>h   | White        | 1.6% | 2.0% |
|  | African Amer | 0.7% | 0.0% |
|  | Hispanic     | 0.5% | 0.0% |
| <b>Cook Total*</b>   |              | 0.5% | 0.5% |

\*Total represents Cook County total, including other racial/ethnic groups not listed.

\*\*With definition of "Any Substance" expanded to include drugs surveyed for the first time in 2004.

\*\*\*Lifetime Ecstasy use omitted to conserve space. Ecstasy use was not surveyed in 2000.

*Appendix C*  
*Post-stratification and Weighting*



## *Appendix C*

### *Post-stratification and Weighting*

In 2004, all public and private schools were invited to participate in the survey. The sample was drawn from the large number of participating schools rather than specifically recruited a priori as in 1998 and before. The sampling design for the 2004 study mirrored that used in the earlier studies. A stratified sampling design was used to select respondents based on student population, region (Cook County or Non-Cook County) and school type (public or private). Schools from sample categories with insufficient voluntary participants were actively recruited as in past years.

The final sample was weighted by grade within region and school type in order to ensure that the sample of students for this study represented, as closely as possible, the statewide student population. Weights were based on enrollment in one of the following locations: Chicago Public Schools, Cook County (except CPS), or non-Cook County schools.

As in the earlier studies, responses were also weighted to account for rates of absenteeism within and across the location/grade strata, giving greater weight to students who missed more days of school. Weighting by absenteeism is especially important due to the correlation between substance abuse and missing days of school.

It was also necessary to weight by race within Chicago Public Schools to more closely represent the actual student population of these schools. Weights were computed for race within each grade. For the remaining schools in the sample, the distribution of race was as expected, so no adjustment was needed or made.

Rounding due to weighting and missing values accounts for minor discrepancies within and across tables. First, total percentages may not always total exactly 100%. Second, on occasion a value that appears as a total in one table is a sub-category in another. In these cases, the percents reported in the two tables may differ slightly. In each table, the value used was the one most appropriate for the particular table. In addition, since most tables include multiple comparisons, the total number of respondents reported in these tables represents the total number in the category rather than the total responses for a particular comparison (which may differ due to missing values).